

Well-Sweep Herb Farm

2016 Catalog

\$3.00



'Hidcote' Lavender Hedge & Orange Calendula



Helleborus - 'Peppermint Ice'



'Judith Hindle' Pitcher Plant




Gentiana - 'Maxima' Trumpet Gentian

Farm Hours

Monday - Saturday, 9:00 to 5:00. Closed Sundays and Holidays.
Special Openings: Sundays 11 - 4, April 24 - July 31 & December only.
The farm is open year-round, but please call before stopping by January - March.
Phone: (908) 852-5390 Fax: (908) 852-1649 www.wellsweep.com
205 Mount Bethel Rd, Port Murray, New Jersey 07865-4147



'Blackcurrant Swirl' Double Datura



Citrus - Calamondin Orange



'Yellow Trumpet' Pitcher Plant



'Well-Sweep Miniature Purple' Basil



'Bartzella' Itoh Peony



'Tasmanian Angel' Acanthus




'King Henry' Venus Fly Trap



Our Sales Area




'Tomato Soup' Cone Flower



WELCOME

To Well-Sweep Herb Farm!



Our farm, a family endeavor, is located in the picturesque mountains of Warren County and is home to one of the largest collections of herbs and perennials in the country. Germinating from the seed of handed down tradition and hobby - to a business that has flourished, 2016 proclaims our 47th year.

From around the globe, with a breadth of Acanthus to Zatar, our selection spans from the familiar and unusual to the rare and exotic. This season we are introducing 76 intriguing new plants to our collection which now tops 1,911 varieties. Whether you're a collector, designer, dabbler, or windowsill gardener ... we hope to arouse the curiosity of all.

Our Farm

Come Visit! We invite you to bring a picnic lunch, play with your children on the swings, visit our farm animals, enjoy a leisurely stroll along our garden paths, or just relax and enjoy the beauty of the day.

The farm features a multitude of herbs and perennials, display gardens, and a gift shop. Our shop is filled with a wonderful assortment of dried flowers, wreaths, statuary, books, essential oils, hard-to-find potpourri supplies and unusual gifts for all ages.

Our butterfly, herb, medicinal, perennial and rock gardens burst forth with breathtaking displays throughout the farm and have been featured in national magazines and books. Our brick-pathed formal herb garden boasts a knot garden, as well as a display of the 34 basil, 81 lavender, 47 rosemary, 99 thyme, and 76 scented-leaf geranium varieties that we stock. Whether for pleasure, inspiration, or ideas ... come see the possibilities.

Our Guarantee

With 47 years in the trade, we want you to experience the same gardening rewards that we do, and for this reason we strive to provide you with high-quality robust plants.

If you are less than pleased with your order, notify us **within 10 days**; if we were in error, a full refund of the merchandise will be issued accordingly. We reserve the right to request return of the items prior to adjustment.

A few damaged leaves may occur in transit, this usually will not affect the vitality of the plant. If excess damage has occurred, however, please contact us immediately. We trust you understand that we are not responsible for loss due to improper care.

Our Plants

Our plants are grown naturally, without chemical pesticides or fungicides. All plants are shipped properly labeled and well-rooted in three inch pots or quart containers as noted in the catalog by (Qt.). Weather permitting, our widest selection of herb plants and perennials are available for purchase around May 15th.

Our News

Several distinguished plants compliment our selection this year: the tasty 'Anne' Yellow Raspberry and heavy-fruited Calamondin Orange, the stunning black-leaved 'Nachtmelodie' Hens & Chicks, rarities such as the 'Gisela' Red Lady's Slipper and our own introduction - 'Cy's Everblooming' Lavender.

We have always strived to not only provide you with a listing of our plants but also a catalog that is a gardeners reference - enjoy! Don't miss our handy Gardener's Guide - helpful lists of plants by their noted uses, see page 74.

In some respect every plant known to humankind, whether common or rare, shares a useful purpose either in the aesthetic appeal of their foliage or blooms, their culinary or medicinal virtues, or their diverse variation of fragrance or flavor. By including some of this information, it is our wish that we may enlighten you, enhance your lifestyle, or broaden your horticultural interests. While it is our pleasure to share this information, ultimately you are responsible for the way that you use your plants. We encourage you to continue your own research before experimenting. It is our hope that you will be inspired to expand your collection with some of our extraordinary specimens.

The International Herb Association has chosen Pepper - *Capsicum* as the 2016 Herb of the Year. Join us in celebrating this herb at our Midsummer Herb Festival - Saturday, July 23rd. Come see our selection!

Our Thanks

Your patronage helps support a small family business that provides personal service, as well as, an enjoyable place for you to visit and relax. We thank you for choosing Well-Sweep Herb Farm for your gardening needs. Plants are our passion - we hope our love and fascination with them encourages you to feel the same. We look forward to your visit or order, and hope to see you soon.

Louise, Cyrus & David Hyde, and Staff

❖ Table Of Contents ❖

| | |
|---|--------------------|
| Books | 10 |
| Christmas Shop | 8 |
| Code Explanations | 14 - 15 |
| Directions | 4 |
| Dried Flowers | 12 - 13 |
| Gardener's Guide, The | 74 - 79 |
| Gift Certificates | 13 |
| Gift Shop | 9 |
| Herb Plants & Perennials | 16 - 73 |
| Hours | <i>Front Cover</i> |
| Map | 4 |
| Oils, Essential & Fragrance | 9 |
| Open House | 5 |
| Order Form | 81 - 82 |
| Perennials, Flowering ... See Use Code "FP" | |
| Plant Care | 73 |
| Potpourri | 9 |
| Potpourri & Culinary Supplies | 11 |
| Scented Geraniums | 53 - 54 |
| Shipping Instructions | 80 |
| Special Events | 5 - 8 |
| Topiaries | 13 |
| Tours | 8 |
| Transplanting Tips | 15 |
| Well-Sweep Logo | 80 |

Directions to Well-Sweep

The farm is located between Hackettstown and Washington, NJ.

I-80: Take Exit 19. At the end of the ramp, turn left onto Route 517 South. Follow approximately five miles to the third light from 80 East or the fourth light from 80 West. At light in Hackettstown cross Route 46/Main Street to Grand Avenue. Follow for one mile to a one-lane train underpass. At this point, Grand Avenue becomes 629 South/Rockport Road. Continue on Rockport Road for 4.4 miles. After climbing a long hill and reaching its peak, you will make a right onto Mt. Bethel Road. The farm is one mile ahead on the left.


I-78 East: (Allentown, PA area.) Take Exit 6 (Warren Glen - Asbury); at end of exit make left onto Route 632 East - there are no signs. Follow for 4.5 miles, at stop sign make left, then next immediate right onto 632 East/Asbury-Anderson Road, follow for 2.7 miles to light. Cross over Route 31 onto 632 East, follow for 4.4 miles, then make right onto 57 East for .2 miles. (*-continued below)

I-78 West: Take Exit 17 for Route 31 North; follow 10.9 miles to Washington, NJ. At the light in Washington, turn right onto Route 57 East; follow for 3.4 miles. (*-continued below)

I-95: Take exit for Route 31 North; follow approximately 37 miles to Washington, NJ. At the light in Washington, turn right onto Route 57 East; follow for 3.4 miles. (*-continued below)

Route 22: (Easton, PA area.) Follow Route 22 East into Phillipsburg, NJ and take Route 57 East to Washington, NJ. At the main intersection in Washington, you will cross Route 31. From there follow Route 57 East for 3.4 miles. (*-continued below)

(*) At the first traffic light, turn left onto 629 North/Port Murray Rd; follow this for 1.5 miles. Once past the fire house, make a right onto 629 North/Rockport Road. Go 1/2 mile and then bear left onto Mt. Bethel Road. The farm is one mile ahead on the left.



❖ SPECIAL EVENTS ❖

May 20, Saturday, 6:30 to 9:00



Medicinal Herb Walk & Cherokee Storytelling



David Winston, renowned herbalist and ethnobotanist, will present an educational walk to locate and identify common medicinal herbs in their native habitat. Learn about the healing properties of nature's pharmacy, perhaps just beyond your own doorstep. Following the walk, David will share a Cherokee Indian story as we gather around a campfire.

Mr. Winston is an internationally known lecturer as well as founder and president of Herbalist & Alchemist, Inc. Refreshments will be served. Reservations are required. \$43.00.

May 28, Saturday, 1:30 to 3:30



Living Herb Wreath



Create an attractive wreath of living herbs that will supply culinary snippets throughout the season. Enjoy your masterpiece hung on a door or as a focal point in your garden or yard. Using a 16" round wire base, lots of moss, and herb plugs, this wreath will thrive with half to a full day of sun and faithful watering. Bring gloves. Reservations required. \$48.00.

June 4, Saturday, 9:00 to 5:00



Spring Open House



Tours: 11:30, 2:30 & 3:30

Lectures: 9:00 & 9:30

Thai Food Tasting: 10:30 & 12:45

Buzzy Bees: 11:00

Kitchen Cabinet Medicine: 1:00

Welcome to Well-Sweep Herb Farm! Enjoy a day of free informative lectures, presentations, as well as tours of our spectacular gardens.

Lectures for the day begin at 9:00 with Favorite Kitchen Herbs, then Dazzling Perennials at 9:30 and a Perennial Garden Tour at 2:30.

At 11:30 and 3:30 Garden Tours on the history and uses of both exotic and familiar herbs will be led

by Cyrus Hyde - noted lecturer and collector.

At 10:30 & 12:45 join Jay Chai, owner of the Pandan Room and Topo for Thai, Indonesian and Vietnamese dishes featuring herbs and spices from our farm. Jay will discuss easy culinary tips for exotic flavors. These dishes will also be available for sampling and purchase from 10 to 2. Come experience unusual herbs to enhance your dishes and expand your palate.

At 11:00 Loretta Cheswick, skilled Apiarist, will talk about how to attract honey bees to your garden, the joys of beekeeping and honey extraction. Come sample our delicious and organic spring nectar flow.

At 1:00 join Kerry Adams, a practicing herbalist of 36 years, for a lecture on Kitchen Cabinet Medicine. Some of our best healing herbs are already in our homes. Learn about these many natural remedies, their uses and how to treat or prevent illness for yourself and your family.

Our largest selection of herb plants will be available on this day. Homemade refreshments can be enjoyed by all. Feel free to bring a picnic lunch. Free admission and parking.

June 11, Saturday, 1:30 to 3:30



Garden Trough



Create two of your own hypertufa trough planters with that Old English look. Choose from a variety of shapes and sizes for your project. We will be combining cement, perlite and other ingredients - so wear old clothes, bring rubber gloves and a face mask. Troughs will need to be left to dry with us for a few days. Reservations are required. \$46.00.

June 18, Saturday, 10:00 to 12:00



Herbal Art Topiary Workshop



Topiary art-forms have long been an intriguing point of interest in herb gardens and homes everywhere. The design and sculpture of herbs into the creation of living art will highlight this entertaining and informative presentation. All aspects of topiary will be presented, including selection, support, care, pruning and maintenance. You will take home your own topiary start after planting and trimming it. No prior experience is necessary. Reservations required. \$36.00.

🌿 SPECIAL EVENTS 🌿

June 18, Saturday, 1:30 to 3:30



Miniature Fairy Garden



Join us for a fun filled afternoon creating your very own miniature garden. Start with a 12" planter, your choice of four dwarf plants, a fairy and miniature decorations. We will cover which plants work best, growing requirements and care instructions - all material supplied. Bring your creativity to life! Reservations required. \$39.00.

June 25, Saturday, 11:00 - 2:00



Wonderful Lavender & Lunch



Come and enjoy a relaxing and educational day with lavender. Our day begins at 11:00 with 'Lovely Lavender,' a presentation by David Hyde on growing, enjoying and harvesting this herb. The history, best varieties, tips and tricks, as well as the many healing benefits of lavender will be covered.

A tasty lavender lunch will follow at 12:00. At 1:00 enjoy an activity creating your very own 12" fresh lavender wreath. Drying and care instructions will also be covered. This makes an attractive addition for your home's decor. Come experience this wonderful fragrant herb. Reservations are required. \$52.00.

July 2, Saturday, 1:30 - 3:30



Lavender Sweet Lavender



With lavender in full bloom enjoy a relaxing afternoon creating two beautiful scented projects from this delightful flowering herb. We will make a fragrant lavender wand woven with ribbon and a cute lavender basket finishing it off with a bow - delightful decorations for your home. Lavender refreshments will be served. Reservations are required. \$38.00.

July 9, Saturday, 1:30 to 3:00



Carnivorous Plants Workshop



Come create your own living art by planting a Carnivorous Plant terrarium - 8". Growing requirements and maintenance of these exotic beauties will be covered. Two plants, sphagnum moss and all materials are included. Reservations are required. \$38.00.

July 23, Saturday, 11:00 to 2:00



Midsummer Herb Festival



Well-Sweep's 27th annual Midsummer Herb Festival celebrates 'Peppers', *Capsicum*, the 2016 International Herb Association's - Herb of the Year. Enjoy a tasty luncheon prepared with several different varieties - from sweet to hot, as well as other complimentary herbs. Come and learn about the many virtues of this popular culinary and medicinal plant, as well as growing tips. A lecture and tour through the garden will also be part of the day's activities. Reservations are required. \$36.00.

August 6, Saturday, 10:00 to 12:00



Dried Flower Swag



Floral swags are perfect for refreshing the appearance of any room. In this class you will create a beautiful masterpiece using dried flowers from our farm. This completed half-moon swag will measure 15"L x 5"W - we will supply all materials with your choice of colors and textures. Reservations are required. \$38.00.

August 6, Saturday, 1:30 to 3:30



Williamsburg Wreath



Using a wide selection of dried flowers, salal leaves, and a 14" grapevine base, you will create a spectacular decorative piece for your home. This colorful wreath is sure to be enjoyed all year-round. Color schemed to your preference. Reservations are required. \$46.00.

❖ SPECIAL EVENTS ❖

August 13, Saturday, 11:00 - 1:00

Totally Tempting Tomatoes!

Tantalize your taste buds! Bruschetta, Pesto, Salsa and more! Come join us in a tomato celebration. Together we'll chop, dice, slice, stir and blend as we create a tasty lunch based on this famous New Jersey fruit. Have fun preparing and sampling produce from our own garden and take home a jar of homemade salsa too! Reservations required. \$34.00.

August 20, Saturday, 11:00 to 1:00

Cooking with Herbs

Have you ever tried rose geranium jelly or lovage potato salad? Come and discover the many uses of culinary herbs. Learn which herbs are the best for cooking, as well as how to grow, harvest and preserve them. The lecture will be followed by a delicious herb-themed lunch. Reservations are required. \$38.00.

August 22 - 27, Mon. - Sat., 9:00 to 5:00

Customer Appreciation Week

Our customers are what make Well-Sweep Herb Farm successful. To show our thanks, we invite you to visit us during this week and receive a 20% discount on all purchases. On Saturday, August 27, come and experience our farm with a guided Perennial Garden Tour at 11:00, as well as Herb Garden Tours at 12:00 and 2:00. On this day complimentary herbal refreshments will be served. Free admission and parking.

September 10, Saturday, 1:00 to 3:00

Herb Vinegars, Oils, and Pesto

With the garden at its peak and an abundance of herbs - it's time to harvest; come learn the basics on how to make your own herbal condiments. This class will feature the creation of two oils, three vinegars and a pesto to take home. Light refreshments will be served. Reservations are required. \$37.00.

September 17, Saturday, 10:00 to 12:00

Pressed Flower Workshop

Dorothy Kovak & Linda Conrad, experienced artists, will teach you how to use pressed flowers and botanicals to create a decorative lamp shade for a night light, as well as an attractive pendant necklace. Important techniques will be demonstrated. Reservations are required. \$32.00.

September 17, Saturday, 1:00 to 3:00

Pressed Flower Design

This workshop is a more advanced step in flower pressing. Dorothy and Linda will give you step by step instructions on how to apply moss and layers of pressed flowers to create a 10" 3-D decorative plate you can display in your home. A beautiful project! Reservations are required. \$32.00

September 24, Saturday, 10:30 to 12:00

Frontier Technology

Cyrus Hyde will delight you with his vast knowledge of early American home recipes and crafts. Spend an enjoyable afternoon rediscovering lost treasures as he demonstrates and teaches about: Boonder brooms, grafting, headache pillows, basswood fishing line, and much more. Come join us for an informative presentation. Reservations are required. \$22.00.

September 24, Saturday, 1:30 to 3:30

Herbal Treats

Come spend a pleasurable afternoon creating several tasty herbal blends. We will make Apple Raisin Relish, Mint Sauce, Raspberry-Sage Glaze and your choice of herbs for an Herbal Salad Dressing. Everyone will participate in the preparation of these wonderful treats. You will take home a container of each one of these delicious treats to enjoy. Reservations are required. \$37.00.

❖ SPECIAL EVENTS ❖

October 8, Saturday, 6:00 to 9:00



Fall Harvest Celebration & Amelia Earhart



Join us for our 16th annual fall harvest gathering with honored guest, Amelia Earhart. A charismatic, risk-taking tomboy - Amelia was the first aviatrix to fly solo across the Atlantic Ocean. Acclaimed actress, Pat Jordan from the American Historical Theatre will portray Earhart in captivating stories of this inspirational woman. Come enjoy a delicious feast and entertaining evening. Reservations are required. \$67.00.

October 15, Saturday, 10:00 to 12:00




Plant Medicine




Kerry Adams, a practicing herbalist of 36 years will present a lecture on using nature's pharmacy for specific treatments. You will learn how to make your own creams and salves for topical applications. Reservations are required. \$24.00.

October 22, Saturday, 1:00 to 3:00



Soap Making



Learn how to make all natural, homemade soap. Various methods and ingredients will be covered. Choose from a varied selection of fragrant essential oils and herbs - to create your own specialty soap. Wear old clothes. Reservations are required. \$35.00.

November 5th - December 23rd



Christmas In The Country



At this time of year, the Well-Sweep garden fairies transform the shop into a Christmas wonderland. The greenhouse will be stocked with a selection of attractive windowsill herbs, tender perennials in bloom and unique topiary's. Enter to win a \$35 Gift Certificate.

After Thanksgiving our beautiful handmade fresh evergreen wreaths, sprays and arrangements will be available. Enjoy complimentary hot mulled cider and cookies at this time. Custom wreaths are available. Bring your holiday guests - come visit!

November 25 & 26, Fri. & Sat., 11 & 2
Holiday Greenhouse Tour

November 28 & December 3
Christmas Evergreen Wreath

December 3, Saturday, 1:30 to 3:30
Holiday Centerpiece

Call or visit www.wellsweep.com for more information and upcoming events.



Herb Garden Tours



Farm lecture tours are available for groups of 10 or more. Tour our impressive culinary, medicinal, and formal herb gardens; also visit the gift shop and farm animals. Lecture subjects include the history, uses, and cultivation of herbs, as well as herbal recipe suggestions. Tours can be tailored to specific topics.

Offered May through October, tours are \$7.50 per person with a non-refundable deposit of \$25.00. Box lunches are available for groups of 15 or more, or if you prefer to bring your own - a picnic area is provided. Call us today to schedule your group's tour.



**For More Details
Call
(908) 852-5390**



Special events are held rain or shine and will not be canceled - (except in situations beyond our control). A check mailed to us will reserve your place. Refunds minus a \$5.00 nonrefundable fee will be issued to those canceling at least 10 days prior to the event. *Your canceled check is your confirmation.*

Well-Sweep Herb Farm
205 Mount Bethel Rd
Port Murray, NJ 07865-4147
E-Mail: herbs@goes.com



From Our Gift Shop



| STOCK# | ITEM | DESCRIPTION | PRICE |
|--------|--|--|----------------|
| 5685BE | Bee Skep, Straw, 19" | <i>Extra Tall</i> | \$46.00 |
| 5690BE | Bee Skep, Straw, 27" | <i>Extra Extra Tall</i> | \$58.00 |
| 5220CA | Catnip | <i>3/4 oz.; organically grown; shredded.</i> | \$3.25 |
| 5916BB | Catnip Bag | <i>3" x 5"; muslin bag filled with catnip.</i> | \$2.25 |
| 5287DR | Dried Arrangements | <i>Prices starting at -</i> | \$8.50 |
| 5912WR | Dried Flower & Herb Wreaths | <i>Various bases and flowers, prices starting at -</i> | \$16.50 |

Essential Oils: 100% pure aromatic plant oil. ● Denotes Certified Organic Prices subject to change.

| | | | | | |
|--------|--|----------------|--------|---|----------------|
| 5070ES | Balsam Fir (0.5 oz.) | \$11.25 | 5091ES | Lemon Grass ● (0.25 oz.) | \$7.90 |
| 5623ES | Bergamot Orange (0.25 oz.) | \$18.10 | 5098ES | Lime (0.5 oz.) | \$7.90 |
| 5071ES | Cassia Bark (Cinnamon) (0.5 oz.) | \$12.00 | 5085ES | Orange, Sweet ● (0.25 oz.) | \$7.30 |
| 5072ES | Cedarwood, Texas (0.5 oz.) | \$5.85 | 5635ES | Oregano ● (0.25 oz.) | \$13.50 |
| 5074ES | Citronella ● (0.25 oz.) | \$14.80 | 5086ES | Patchouli ● (0.25 oz.) | \$21.40 |
| 5076ES | Clove Bud ● (0.25 oz.) | \$11.75 | 5090ES | Peppermint ● (0.25 oz.) | \$12.75 |
| 5078ES | Eucalyptus (E. globulus) (0.5 oz.) | \$8.00 | 5137ES | Rose, Absolute (0.5 oz. - in jojoba oil) | \$18.00 |
| 5037ES | Frankincense (0.5 oz.) | \$34.25 | 5480ES | Rose, Otto (0.5 oz. - in jojoba oil) | \$21.50 |
| 5080ES | Geranium (P. graveolens) ● (0.25 oz.) | \$25.20 | 5099ES | Rosemary ● (0.25 oz.) | \$9.95 |
| 5083ES | Grapefruit ● (0.25 oz.) | \$10.40 | 5095ES | Sandlewood, Aged (0.5 oz.) | \$48.00 |
| 5087ES | Jasmine Absolute (0.5 oz. - jojoba oil) | \$19.20 | 5094ES | Tea Tree ● (0.25 oz.) | \$10.50 |
| 5089ES | Juniper Berry (0.5 oz.) | \$26.95 | 5626ES | Thyme, Red (0.5 oz.) | \$11.45 |
| 5082ES | Lavender (L. angustifolia) ● (.25 oz.) | \$17.80 | 5485ES | Vetiver ● (0.5 oz.) | \$19.50 |
| 5084ES | Lemon (0.5 oz.) | \$7.50 | 5096ES | Ylang Ylang ● (0.25 oz.) | \$14.75 |

| | | | |
|--------|--|---------------------------------|---------------|
| 5730GS | European Soaps: Soap, Gardenia | <i>8.8 oz.; pure vegetable.</i> | \$8.25 |
| 5740GT | European Soaps: Soap, Green Tea | <i>8.8 oz.; pure vegetable.</i> | \$8.25 |
| 5718SL | European Soaps: Soap, Lavender | <i>8.8 oz.; pure vegetable.</i> | \$8.25 |
| 5265LG | European Soaps: Soap, Lemon Grass | <i>8.8 oz.; pure vegetable.</i> | \$8.25 |
| 5727SV | European Soaps: Soap, Lemon Verbena | <i>8.8 oz.; pure vegetable.</i> | \$8.25 |
| 5270RP | European Soaps: Soap, Rose Petal | <i>8.8 oz.; pure vegetable.</i> | \$8.25 |

Fragrance Oils: 1/4 oz. in an amber bottle. Used to make or refresh potpourri. **\$5.60**

| | | | | | |
|--------|-----------------------|--------|---------------------------|--------|-------------------|
| 5340FR | Apple Blossom | 5380FR | Honeysuckle | 5425FR | Peach |
| 5842FR | Apple 'n Spice | 5385FR | Jasmine | 5430FR | Rose |
| 5345FR | Bayberry | 5390FR | Lavender | 5435FR | Rosemary |
| 5350FR | Bergamot | 5395FR | Lemon Verbena | 5440FR | Sandalwood |
| 5355FR | Carnation | 5405FR | Lilac | 5445FR | Strawberry |
| 5360FR | Cinnamon | 5410FR | Lily Of The Valley | 5450FR | Vanilla |
| 5370FR | Eucalyptus | 5415FR | Orange | 5460FR | Violet |
| 5376FR | Heather | 5420FR | Patchouli | | |

| | | | |
|--------|---|---|----------------|
| 5475FR | Frankincense and Myrrh | <i>2 oz.; a symbolic mixture of the Christmas spices.</i> | \$3.25 |
| 5637GA | Gloves, 'Atlas' | <i>Nutrilite coating, nylon knit; S, M, or L.</i> | \$7.60 |
| 5621GL | Gloves, 'Foxgloves' | <i>Nylon & Lycra spandex; blue, moss, or iris.</i> | \$26.50 |
| 5962MP | Mortar & Pestle, Marble | <i>4" x 4"</i> | \$22.00 |
| 5560MU | Muslin Bag | <i>5" x 3" with drawstring.</i> | \$0.35 |
| 5645PO | Potpourri, Country Spice | <i>2 oz.; cinnamon-scented.</i> | \$3.75 |
| 5640PO | Potpourri, Rose | <i>2 oz.; rose-scented with a hint of lavender.</i> | \$3.75 |
| 5550LA | Potpourri, Sachet, Lavender | <i>1 oz.; enhanced with oil.</i> | \$3.75 |
| 5652PO | Potpourri, Simmering | <i>2 oz.; spice-scented.</i> | \$3.75 |
| 5275TS | Tee Shirt, Herbal Design | <i>100% cotton, preshrunk; 4 sizes. Starting at ...</i> | \$19.50 |
| | <i>(Choose from Herb, Lavender or Fern silk screened prints.)</i> | | |
| 5204TM | Tussy Mussy, Large | <i>6"; dried flowers in lace holder. Starting at ...</i> | \$7.75 |
| 5280VB | Vanilla Bean, Organic Whole | <i>High quality, 2 per tube.</i> | \$14.00 |

Visit our Gift Shop - filled with a wonderful assortment of unusual gifts.



Selected Books

Our Gift Shop Stocks Many Other Titles



| STOCK# | TITLE | AUTHOR | PRICE |
|--------|-------|--------|-------|
|--------|-------|--------|-------|

Country Wisdom Bulletins: *Contain practical information, innovative ideas and creative projects.* **3.95**

| | | | |
|--------|--|---------|--|
| 2600HT | 15 Herbs for Tea | 2608GHT | Growing Herbs |
| 2580CG | Container Gardening | | for Cold & Flu Relief |
| 2602EF | Edible Flowers, Cooking with | 2134GR | Growing Herbs In Containers |
| 2784FT | Flu Therapy: | 2794HT | Herbal Teas for Lifelong Health |
| | A Natural & Herbal Approach | 2117CO | Making & Using |
| 2725AB | Gardening to Attract Birds | | Flavored Vinegars |
| 2510CO | Grow A Butterfly Garden | 2798MH | Making Herbal |
| 2744HG | Grow A Hummingbird Garden | | Hand Creams & Salves |
| 2114CO | Growing & Using Basil | 2515CO | Making Liqueur For Gifts |
| 2788GC | Growing & Using Chives | 2614MS | Making Natural Milk Soap |
| 2740GU | Growing & Using Cilantro | 2674FR | Natural & Herbal |
| 2604GD | Growing & Using Dill | | Family Remedies |
| 2790GE | Growing & Using Echinacea | 2822HH | Natural & Herbal |
| 2792GG | Growing & Using Garlic | | Remedies For Headaches |
| 2584GL | Growing & Using Lavender | 2136RP | Salsas |
| 2586GO | Growing & Using Oregano | 2746TT | Tea & Teatime Recipes |
| 2587GR | Growing & Using Rosemary | 2812HC | Ten Herbs For Happy, Healthy Cats |
| 2826GT | Growing & Using Tarragon | 2813HD | Ten Herbs For Happy, Healthy Dogs |

| | | | |
|--------|---|------------|--------------|
| 2840MH | Beginner's Guide to Medicinal Herbs, The | Gladstar | 14.95 |
| | <i>Safe, all natural, low-cost healing remedies for common ailments.</i> | | |
| 2814DK | Dr. Kidd's Guide To Herbal Cat Care | Kidd | 14.95 |
| | <i>A practical guide for treating cats naturally.</i> | | |
| 2821DK | Dr. Kidd's Guide To Herbal Dog Care | Kidd | 14.95 |
| | <i>A practical guide for treating dogs naturally.</i> | | |
| 2593HM | Encyclopedia of Herbal Medicine | Chevallier | 40.00 |
| | <i>Hardcover. The definitive reference covering 550 herbs & remedies for common ailments.</i> | | |
| 2165FA | Favorite Recipes From Well-Sweep | Hyde | 12.30 |
| | <i>A collection of recipes from Well-Sweep Herb Farm.</i> | | |
| 2610HB | Healing Plants of the Bible: History, Lore, & Meditations | Krymow | 29.95 |
| | <i>History, lore, meditations, and little known facts on more than 125 different plants.</i> | | |
| 2845VH | Herbal Recipes for Vibrant Health | Gladstar | 16.95 |
| | <i>175 simple herbal recipes to soothe everyday ailments.</i> | | |
| 2245HE | Herb Garden Design | Swanson | 24.95 |
| | <i>Garden designs from historical, educational & specialty gardens; includes how to select & adapt.</i> | | |
| 2605LC | Lavender Cookbook | Shipley | 18.95 |
| | <i>More than 90 recipes using this aromatic herb to enhance ordinary ingredients.</i> | | |
| 2835LG | Lavender Gourmet, The | Vasich | 19.95 |
| | <i>Culinary recipes for entertaining and everyday.</i> | | |
| 2594LA | Lavender: How to Grow and Use the Fragrant Herb | Platt | 21.95 |
| | <i>A guidebook for growing and harvesting as well as crafting and recipes.</i> | | |
| 2850LH | Living with Herbs | Gardner | 18.95 |
| | <i>Treasury of useful plants for home and garden.</i> | | |
| 2796SA | Season of Advent, The | Haynie | 15.50 |
| | <i>Herbal symbolism, projects, garden designs & recipes to guide you in the Advent Season.</i> | | |



Culinary & Potpourri Supplies



♣ Denotes Culinary Supplies
● Denotes Certified Organic

Prices are subject to change.

| TITLE | 2 OZ. | STOCK # | 8 OZ. | STOCK # | 16 OZ. | STOCK # |
|--|-------|---------|-------|---------|--------|---------|
| Allspice - Whole ♣ ● | 3.75 | 1001AL | 13.85 | 1003AL | 26.65 | 1004AL |
| Anise, Star - 75% Whole Stars ♣ ● | 3.35 | 1005AN | 12.40 | 1010AN | 23.75 | 1015AN |
| Balsam Fir | | | 7.90 | 1016BA | 14.75 | 1018BA |
| Basil Leaves - Cut & Sifted ♣ ● | 3.90 | 1480BA | 14.60 | 1485BA | 28.25 | 1488BA |
| Bay Leaves - Whole ♣ ● | 4.10 | 1017BA | 14.90 | 1020BA | 28.75 | 1025BA |
| Calendula Flowers ♣ ● | 5.50 | 1043CA | 20.85 | 1045CA | 40.65 | 1050CA |
| Chamomile Flowers ♣ ● | 4.00 | 1070CH | 14.90 | 1075CH | 28.75 | 1080CH |
| Chives (0.5 oz Bag) Cut & Sifted ♣ ● | 4.25 | 1082CH | | | | |
| Cilantro Leaves - (Coriander Leaf) ♣ ● | 4.35 | 1490CI | 16.40 | 1494CI | 31.75 | 1498CI |
| Cloves - Whole ♣ ● | 6.60 | 1085CL | 25.40 | 1086CL | 49.75 | 1087CL |
| Coriander Seeds - Whole ♣ ● | 3.10 | 1087CO | 11.40 | 1088CO | 21.75 | 1089CO |
| Dill Weed - Cut & Sifted ♣ ● | 5.10 | 1566DW | 19.40 | 1568DW | 37.75 | 1570DW |
| Elderberry Berries - ♣ ● | 3.45 | 1590EB | 12.70 | 1595EB | 24.35 | 1605EB |
| Eucalyptus Leaves - ♣ ● | 4.50 | 1105EU | 16.90 | 1110EU | 32.75 | 1115EU |
| Frankincense Tears | 2.70 | 1120FR | 9.65 | 1125FR | 18.25 | 1130FR |
| Hibiscus Flowers ♣ ● | 3.45 | 1131HF | 12.85 | 1132HF | 24.65 | 1133HF |
| Hop Flowers, Sweet ♣ | 4.65 | 1134HF | 17.60 | 1136HF | 34.15 | 1138HF |
| Juniper Berries - Whole ♣ ● | 2.90 | 1142JU | 10.40 | 1145JU | 19.75 | 1150JU |
| Lavender Flowers ♣ | 4.25 | 1155LA | 15.95 | 1160LA | 30.90 | 1165LA |
| Lavender Flowers, Organic ♣ ● | 8.05 | 1575LA | 31.25 | 1580LA | 61.35 | 1585LA |
| Lavender Flowers, Select Grade ♣ | 7.00 | 1405LA | 26.90 | 1410LA | 52.75 | 1415LA |
| Lemon Balm - Cut & Sifted ♣ ● | 4.70 | 1605LB | 17.80 | 1610LB | 34.55 | 1615LB |
| Lemon Peel - Cut & Sifted ♣ ● | 3.80 | 1170LP | 14.10 | 1175LP | 27.15 | 1180LP |
| Lemon Verbena ♣ ● | 4.45 | 1185LV | 16.65 | 1190LV | 32.25 | 1195LV |
| Marjoram Leaves - Cut & Sifted ♣ ● | 2.20 | 1500MA | 7.80 | 1505MA | 14.55 | 1510MA |
| Mugwort - Cut & Sifted ● | 4.25 | 1515MU | 15.90 | 1520MU | 30.75 | 1525MU |
| Myrrh Gum - Cut & Sifted | 3.35 | 1395MY | 12.40 | 1397MY | 23.75 | 1399MY |
| Nutmeg - Whole ♣ ● | 8.50 | 1215NU | 32.90 | 1216NU | 64.75 | 1217NU |
| Oregano Leaves - Cut & Sifted ♣ ● | 3.45 | 1477OR | 12.80 | 1479OR | 24.60 | 1481OR |
| Orris Root, Granular | 6.25 | 1240OG | 23.90 | 1245OG | 46.75 | 1250OG |
| Orris Root, Powdered | 5.00 | 1255OP | 18.90 | 1260OP | 36.75 | 1265OP |
| Parsley Leaf - Flakes ♣ ● | 4.00 | 1560PL | 14.85 | 1562PL | 28.65 | 1564PL |
| Patchouli Herb - Cut & Sifted ● | 3.85 | 1266PH | 14.30 | 1268PH | 27.55 | 1270PH |
| Pepper, Black - Whole ♣ ● | 4.00 | 1530PB | 15.00 | 1535PB | 28.95 | 1540PB |
| Peppermint Leaves - Cut & Sifted ♣ ● | 3.70 | 1420PL | 13.65 | 1425PL | 26.25 | 1430PL |
| Rosebuds & Petals, Pink ♣ | 6.50 | 1268RP | 24.90 | 1270RP | 48.75 | 1275RP |
| Rosebuds & Petals, Red ♣ | 4.25 | 1278RR | 16.15 | 1280RR | 30.50 | 1285RR |
| Rosehips - Whole ♣ ● | 2.25 | 1432RO | 7.85 | 1435RO | 14.65 | 1440RO |
| Rosemary Leaves - Whole ♣ ● | 3.35 | 1293RM | 12.30 | 1290RM | 23.55 | 1295RM |
| Sage Leaf ♣ ● | 3.75 | 1460SL | 13.90 | 1462SL | 26.75 | 1464SL |
| Sage Leaf, White (S. apiana - Bundles 3.3 oz.) | 6.95 | 1572SA | | | | |
| Savory, Summer - Cut & Sifted ♣ | 4.30 | 1545SS | 16.15 | 1550SS | 31.25 | 1555SS |
| Spearmint Leaves - Cut & Sifted ♣ ● | 3.35 | 1445SP | 12.10 | 1450SP | 23.15 | 1455SP |
| Tarragon, French - (1 oz) Cut & Sifted ♣ ● | 5.60 | 1560TF | | | | |
| Thyme Leaf - Cut & Sifted ♣ ● | 4.50 | 1470TL | 16.85 | 1472TL | 32.65 | 1474TL |



Dried Flower Supplies



Our dried flowers are sold by the individual bunch or in set-ups. A set-up is a pre-selected and color-coordinated mixture of individual bunches that are wrapped in cellophane, ready for you to arrange or to give as a gift. Please specify whether you would like your bouquet in shades of pink, burgundy, gold, or red with touches of blue, purple, rose, or yellow. These flowers are all natural colors; none have been dyed.

| 4005SS | Set-up, Special | <i>4x Bunches</i> | 13.75 |
|---------------|------------------------------------|--|---------------------|
| 4010SM | Set-up, Medium | <i>7x Bunches</i> | 23.75 |
| 4015SL | Set-up, Large | <i>10x Bunches</i> | 33.50 |
| STOCK# | FLOWER TYPE | DESCRIPTION | PRICE |
| 4020AA | Artemisia, Annu | <i>Olive Green Spray</i> | 3.25 |
| 4030AS | Artemisia, Silver King | <i>Feathery Gray Spray</i> | 3.25 |
| 4035BA | Baby's Breath | <i>White Spray (Call for availability)</i> | *.** |
| 4040BL | Blue Salvia | <i>Wedgwood Blue Spikes</i> | 3.25 |
| 4065CB | Coxcomb, Head, Burgundy | <i>Burgundy Heads</i> | 3.25 |
| 4070CG | Coxcomb, Head, Gold | <i>Gold Heads</i> | 3.25 |
| 4075CP | Coxcomb, Head, Pink | <i>Pink Heads</i> | 3.25 |
| 4078CP | Coxcomb, Pink Feather | <i>Pink Spikes</i> | 3.25 |
| 4095DB | Dock, Brown | <i>Brown Seed Heads</i> | 3.25 |
| 4110EC | Echinops; Globe Thistle | <i>Blue-Green Balls</i> | 3.25 |
| 4115EU | Eucalyptus, Blue-Green | <i>Blue-Green, glycerinized</i> | 5.50 |
| 4125FE | Fern Fronds | <i>8 - Dark Brown Spikes</i> | 3.25 |
| 4130FO | Foxtail Grass | <i>Green Plumes</i> | 3.25 |
| 4135FR | Fragrant-Life Everlasting | <i>Greenish White Heads</i> | 3.25 |
| 4140GE | German Statice | <i>Horizontal White Sprays</i> | 6.00 |
| 4145GO | Globe Amaranth, Orange | <i>Orange Heads</i> | 3.25 |
| 4150GP | Globe Amaranth, Purple | <i>Purple Heads</i> | 3.25 |
| 4155GL | Globe Amaranth, Purple Pink | <i>Purple-Pink Heads</i> | 3.25 |
| 4160GR | Globe Amaranth, Red | <i>Red Heads</i> | 3.25 |
| 4165GS | Globe Amaranth, Salmon Pink | <i>Salmon Pink Heads</i> | 3.25 |
| 4170GW | Globe Amaranth, White | <i>White Heads</i> | 3.25 |
| ***** | Globe Thistle See Echinops | | |
| 4175GO | Goldenrod | <i>Gold Spray</i> | 3.25 |
| 4180HO | Honesty; Money Plant | <i>Oblong White Disks On Stem</i> | 6.50 |
| 4185JO | Joe-Pye Weed | <i>Pink-Beige Head</i> | 3.25 |
| 4190LE | Lamb's Ears | <i>Fuzzy Gray Spikes</i> | 3.25 |
| 4215LH | Lavender Heads | <i>Small Purple Spikes</i> | 3.25 |
| 4220LI | Liatris | <i>Pink Spikes</i> | 3.25 |
| 4223LO | Lotus Pods | <i>Flat-Round Brown Heads</i> | Each - 2.25 |
| 4390MA | Magnolia Leaves | <i>Glycerinized</i> | 6 for - 4.50 |
| 4224MI | Mint, Apple | <i>Grey-Green Spikes</i> | 3.25 |

| STOCK# | FLOWER TYPE | DESCRIPTION | PRICE |
|--------|--------------------------------------|---------------------------------------|-------------|
| 4225MO | Mint, Mountain | <i>Grey-Green Buttons</i> | 3.25 |
| ***** | Money Plant See Honesty | | |
| 4235NI | Nigella Pods | <i>Beige-Pink Pods</i> | 3.25 |
| 4240PE | Pearly Everlasting | <i>White Heads</i> | 3.25 |
| 4245PN | Pennycress | <i>Small Green to Tan Sprays</i> | 3.25 |
| 4255PC | Peppercress | <i>Green To Tan Flat Pods</i> | 3.25 |
| 4270PP | Poppy Pods | <i>Tan Pods</i> | 3.25 |
| 4275PT | Pot Marjoram | <i>Deep Purple Heads</i> | 3.25 |
| 4395SP | Salal Leaves, Preserved | <i>Green; on stem</i> | 6.50 |
| 4295SE | Sea Lavender | <i>Light Lavender Sprays</i> | 4.75 |
| 4305ST | Statice, Blue | <i>Blue - (Call for availability)</i> | 3.25 |
| 4320SU | Statice, Purple | <i>Purple Heads</i> | 3.25 |
| 4325SR | Statice, Rose | <i>Rose Heads</i> | 3.25 |
| 4335SW | Statice, White | <i>White Heads</i> | 3.25 |
| 4340SY | Statice, Yellow | <i>Yellow Heads</i> | 3.25 |
| 4345SF | Strawflowers, Miniature White | <i>Tiny White Daisy-like Heads</i> | 3.25 |
| 4355ST | Strawflowers, Traditional | <i>All Colors In A Mix</i> | 3.25 |
| 4356SF | Sunflowers | <i>3 - 1" Yellow Heads</i> | 3.25 |
| 4360TA | Tansy | <i>Gold Buttons</i> | 3.25 |
| 4365TE | Teasel | <i>Brown Heads</i> | 3.25 |
| 4375WH | Wheat | <i>Tan Heads</i> | 3.25 |
| 4380YG | Yarrow, Gold | <i>Flat Gold Heads</i> | 3.25 |
| 4385YW | Yarrow, White | <i>Flat White Heads</i> | 3.25 |

🌿 Gift Certificates 🌿

Well-Sweep Herb Farm Gift Certificates are the perfect gift for a special occasion. We'll send a Gift Certificate in the amount you choose along with a copy of our catalog. Use the order form to indicate where it is to be sent, how you would like it signed, and the date it should arrive. Please include \$2.95 for postage and handling.



Topiaries

Rosemary, Myrtle, Lemon Verbena, and Scented Geranium topiaries are available at the farm.





Herb Plants & Perennials



✿ Code Explanation ✿

We have endeavored to provide as much valuable information as possible in a concise useable format. Understanding the following codes will allow you to utilize our catalog to the fullest.

Abbreviations:

Stock# Column:

★ = On end designates a new plant for 2016.

***** = Designates a cross reference for locating plants that are known by more than one name.

Common Name Column:

Underlined headings denote a genus.

(3") = Not a listed code but designates a plant grown in a square 3" size container, 3 1/4" L x 3 1/4" W x 3 7/8" H, 14.3 fl. oz., 423 ml; the stock # will not have an "X" after it or (Qt.) following the common name.

(Qt.) = Designates a plant grown in a square quart size container, 4 3/8" L x 4 3/8" W x 4 3/4" H, 32 fl. oz., 946 ml; the stock # will also have an "X" after it.

(2Q) = Designates a plant grown in a round two quart container, 5 1/2" D x 6" H, 59 fl. oz., 1,744 ml; extra shipping & handling charges apply.

(3Q) = Designates a plant grown in a round three quart container, 6 1/8" D x 6 7/8" H, 83 fl. oz., 2,454 ml; extra shipping & handling charges apply.

(PPA) = Designates the Perennial Plant Association, Plant of the Year. The numbers preceding designate which year; i.e., 94 PPA = 1994.

Hardiness/Habit Code:

(For Northwest New Jersey, Zone 6(a): -5 to -10 F)

Zone information is provided for the following plant categories followed by a #. Stating that a plant is hardy to a specific zone basically means that it should survive through the winter in this location. Zones are based on the average low winter temperatures for a region, however many additional factors may be involved. These rating are based on our best judgement through research and experience.

A = Annual: This plant will grow for one season. Seed collection is necessary for the following season's propagation.

B# = Biennial: This plant produces leaves the first year and flowers the second. After blooming it will reseed itself.

HA = Hardy Annual: This plant will reseed itself each fall after blooming.

P# = Perennial: This plant is a hardy perennial and will live through the winter.

P#* = Perennial With Protection: This plant is a hardy perennial with protection. Depending on the severity of the winter some protection, such as mulch or cover, may be needed for it to survive.

TP = Tender Perennial: This plant is a perennial but cannot withstand frost or freezing in zone 6.

Sun Requirement Code:

FS = Full Sun: This plant prefers full sun all day.

PS = Partial Sun: This plant prefers to grow where it will have at least half a day of sun.

S = Shade: This plant prefers shady conditions or indirect sunlight.

Use Code:

❖❖ **Please note:** *Plant uses that correspond to all plants in a group are found to the right of the heading and are bold and underlined.*

B = Border: This plant can be used to edge a garden.

BF = Butterfly Plant: This plant attracts butterflies as a host plant or nectar source.

C = Culinary: Parts of this plant are used in cooking or for making tea.

CF = Cut Flower: The flowers of this plant are attractive and long-lasting in fresh arrangements.

D = Dye Plant: Certain part(s) of this plant are used to prepare dyes.

DF = Dried Flower: The flowers or foliage of this plant dry nicely and are used in arrangements.

DR = Deer Resistant: This plant in normal conditions will not be eaten by deer or rabbits.

DT = Drought Tolerant: This plant, once established, will tolerate drought conditions.

EG = Evergreen: The leaves of these plants retain their color year-round.

F = Fragrance: The leaves, flowers or roots of this plant are fragrant.

FA = Flowering Annual: This plant is a showy annual.

FP = Flowering Perennial: This plant is a showy perennial.



Herb Plants & Perennials



GC = Ground Cover: This plant spreads into a nice ground cover.

HB = Hummingbird Plant: This plant is known to attract hummingbirds.

IU = Interesting or Unusual Use: This plant has unusual characteristics or uses that make it remarkable.

LB = Long Blooming: This plant has an extended bloom period that is noteworthy.

M = Medicinal Plant: Some part(s) of this plant are believed to have useful properties for medicine or healing.

MR = Mildew Resistant: This species, cultivar, or hybrid has better resistance to powdery mildew.

MT = Moisture Tolerant: This plant will tolerate or thrive in damp or moist conditions.

NP = Native Plant: A native to North America.

O = Ornamental: An interesting and showy plant for your home or garden.

RG = Rock Garden: This plant will thrive in full intense sun, extremely well-drained soil and with ample space for growth. Not all of these conditions need to be present.

VN = Vine: Given support this plant will either lean, twine or cling in an upright manner; usually producing prolific growth throughout the season.

WG = Woodland Garden: This plant will thrive in a rich moisture retentive soil with good drainage where there is filtered sunlight or some shade. All of these conditions need not be present.

Height: (Column Heading = HT)

Plant heights are given in inches. Please bear in mind that there are many factors that will influence a plants performance; sun, moisture and soil quality to mention just a few. For example, our 'Taplow Blue' Echinops in bloom, grown in full sun reaches 36" tall while those growing in a shady area have topped 60".

TP = Height represents one season of growth.

A, B#, HA, P#, & P#* = Height given represents flower height when in bloom.

AD = Age Dependent

VN = Vine Habit

Bloom Time: (Column Heading = BL TM)

Bloom time will usually fall within the period listed. Several conditions can affect this time frame, such as whether it is an early, normal or late season, as well

as moisture and sunlight conditions.

Month Abbreviations:

JA = January

FB = February

MR = March

AP = April

MY = May

JN = June

JL = July

AG = August

SP = September

OC = October

NV = November

DC = December

Other Abbreviations:

EVB = Everblooming

ADP = Age Dependent

PRD = Periodically Blooms

SLD = Seldom Blooms



Successful Transplanting



- 1) Choose a site according to the plant's sun requirement - as listed in the catalog.
- 2) Prepare the garden by turning the soil with a cultivator, garden fork or rototiller; add amendments such as compost as needed.
- 3) Dig out an area slightly larger than the transplant rootball.
- 4) Don't pull plants out of their pots, instead turn the pot upside down and gently knock a corner on a hard surface. The plant should come out easily. If not, cut off the pot.
- 5) Place the rootball into the planting hole so that its top edge is even with the soil surface. Surround and slightly cover the rootball with loose soil. Gently firm down the soil with your fingers around the roots, trying to remove all air pockets. Create a shallow soil basin around the plant to aid watering.
- 6) Water the soil thoroughly so that it penetrates deeply. Remember not to drown them or let them dry out to the point of wilting; water until established.
- 7) To help retain moisture, protect roots and prevent weeds - give the transplants a healthy 2" layer of mulch. They'll thank you for it.



Herb Plants & Perennials



| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|---------------------------------------|----|---------|-----------------------|---------------|----|---------|-------|
| ACA005X | Acanthus Mollis (Qt.); <i>Bear's Breech</i> | <i>Acanthus mollis</i> | P6 | FS - PS | BF, DR, DT, FP | Brown, Prpl- | 48 | JL - AG | 8.75 |
| ACA010X | Acanthus, Spiny (Qt.) | <i>Acanthus spinosus</i> | P5 | FS - PS | DR, DT, FP | Brown, Prpl- | 30 | AG - SP | 7.75 |
| ACA015X | Acanthus, 'Tasmanian Angel' (Qt.) | <i>A. mollis 'T. Angel'</i> | TP | FS - PS | BF, DR, DT, FP | Pink & Crm | 48 | JL - AG | 14.95 |
| Achillea: Yarrow, ... | | | | | BF, DR, DT, LB | | | | |
| ACH000X | 'Coronation Gold' (Qt.) | <i>Achillea filipendulina 'C. G.'</i> | P3 | FS | CF, DF, FP | Gold | 36 | JL - SP | 6.95 |
| ACH050X | 'Moonshine' (Qt.) | <i>Achillea 'Moonshine'</i> | P3 | FS | CF, DF, FP | Gold | 24 | JN - SP | 6.95 |
| ACH250X | 'Paprika' (Qt.) | <i>Achillea millefolium 'P.'</i> | P3 | FS - PS | CF, DF, FP | Red;Gld Cntr | 24 | JL - SP | 6.95 |
| ACH805X | 'Red Velvet' (Qt.) | <i>Achillea millefolium 'Red V.'</i> | P4 | FS | CF, DF, FP | Red, Dk Rse- | 20 | JL - SP | 7.50 |
| ACH807X | 'Saucy Seduction' (Qt.) | <i>Achillea 'Saucy Seduction'</i> | P4 | FS | CF, DF, FP | Pink, Rose- | 20 | JL - SP | 7.75 |
| ACH810X | 'Strawberry Seduction' (Qt.) | <i>Achillea 'S. Seduction'</i> | P3 | FS | CF, DF, FP | Red, Velvet- | 20 | JL - SP | 7.75 |
| ACH235X | 'Summer Pastels', Maroon (Qt.) | <i>Achillea millefolium 'S. P.'</i> | P3 | FS - PS | CF, DF, FP | Red, Brgndy- | 24 | JL - SP | 6.95 |
| ACH095X | 'The Pearl Superior' (Qt.) | <i>Achillea ptarmica 'The P. S.'</i> | P3 | FS | DF, FP | White; Dbl | 16 | JN - SP | 6.95 |
| ACH120X | Tomentosa, 'Aurea' (Qt.) | <i>Achillea tomentosa 'Aurea'</i> | P3 | FS | FP, RG | Yellow, Cnry- | 8 | JN | 6.95 |
| ACH015X★ | 'Well-Sweep Gold' (Qt.) (Best for Dried Flowers) | <i>A. filipendulina 'W.-S. Gold'</i> | P3 | FS | CF, DF, FP | Gold, Yellow- | 24 | JL - SP | 6.95 |
| ACH125X | White (Qt.) | <i>Achillea millefolium</i> | P3 | FS - PS | DF, FP, M | White | 18 | JL - SP | 6.95 |
| Aconitum: Aconite, ... ; Monkshood (Leaves and roots are toxic.) | | | | | DR, MT | | | | |
| ACO015X | 'Bicolor' (Qt.) | <i>Aconitum x cammarum 'B.'</i> | P4 | PS | CF, FP, WG | Blue & Wht | 36 | AG - SP | 7.95 |
| ACO020X | Blue (Qt.) | <i>Aconitum napellus</i> | P4 | PS | CF, FP, M, WG | Blue, Deep- | 36 | AG - SP | 6.95 |
| ACO339X | Fischeri (Qt.) | <i>Aconitum fischeri</i> | P4 | PS | CF, FP, LB, WG | Blue, Lav.- | 24 | SP - OC | 8.75 |
| Acorus: Sweet Flag, ... | | | | | DR, MT | | | | |
| ACO590X | Sweet Flag (Qt.) | <i>Acorus calamus</i> | P4 | FS - PS | C, M, NP, WG | Green | 36 | AG | 6.95 |
| ACO595 | Miniature, Golden | <i>A. g. 'Minimus Aureus'</i> | P5 | FS - PS | FP, O | Brown | 4 | AG | 7.75 |
| ACO600 | Miniature, White-Stripe | <i>A. g. 'Himenasumene'</i> | P5 | FS - PS | FP, O | Brown | 4 | AG | 7.75 |
| ACO415X | Variegated, Golden (Qt.) | <i>Acorus gramineus 'Ogon'</i> | P5 | FS - PS | FP, O, WG | Green | 10 | AG | 8.75 |
| Aegopodium: Bishop's Weed; Snow-on-the-Mountain | | | | | DR | | | | |
| AEG575X | Gout Weed, Silver-Edged (Qt.) | <i>A. podagraria 'Variegatum'</i> | P3 | PS - S | GC, MT, WG | Yellow, Pale- | 12 | JL - AG | 6.95 |
| Agastache: Agastache, ... | | | | | HB, LB | | | | |
| AGA025X | Lilac, 'Black Adder' (Qt.) | <i>Agastache 'Black Adder'</i> | P6 | FS - PS | BF, DR, F, FP | Lilac, Smky- | 30 | JL - SP | 7.25 |
| AGA035X | Orange, 'Tango' (Qt.) | <i>Agastache aurantiaca 'T.'</i> | P5 | FS - PS | BF, DR, F, FP | Orange, Brit- | 14 | JN - SP | 7.75 |
| AGA015 | Pink, 'Tutti-Frutti' | <i>A. barberi 'Tutti-Frutti'</i> | TP | FS - PS | BF, DR, F, FA | Pink, Rsbry- | 36 | JL - SP | 7.25 |
| AGA040X | Purple, 'Bolero' (Qt.) | <i>Agastache 'Bolero'</i> | P5 | FS - PS | BF, DR, F, FP | Purple, Rse- | 16 | JL - SP | 7.75 |
| Agastache: | | | | | HB, LB | | | | |
| AGA005 | Hyssop, Anise | <i>Agastache foeniculum</i> | P6 | FS - PS | BF, C, DR, F, FP | Lavender | 32 | JL - SP | 5.85 |
| AGA020 | Mint, Korean | <i>Agastache rugosa</i> | P6 | FS - PS | BF, C, DR, F, M | Purple | 36 | JL - SP | 5.85 |
| AGR035X | Agrimony (Qt.) | <i>Agrimonia eupatoria</i> | P5 | FS - PS | D, DT, M, WG | Yellow | 30 | JL - AG | 7.25 |
| Ajania: Daisy, Pacific, ... | | | | | | | | | |
| AJA625X | 'Gold and Silver' (Qt.) | <i>Ajania pacifica 'G. and S.'</i> | P6 | FS - PS | DR, FP, GC | Yellow | 18 | SP - OC | 6.95 |
| Ajuga: Ajuga, ... ; Bugleweed | | | | | DR, HB, MT, WG | | | | |
| AJU805X | 'Black Scallop' (Qt.) | <i>Ajuga reptans 'B. Scallop'</i> | P4 | FS - S | FP, GC, RG | Blue, Deep- | 6 | MY - JN | 7.25 |
| AJU047X | 'Burgundy Glow' (Qt.) | <i>Ajuga reptans 'B. Glow'</i> | P3 | FS - S | FP, GC, RG | Blue | 6 | MY - JN | 6.95 |
| AJU040X | 'Caitlin Giant' (Qt.) | <i>Ajuga reptans 'Caitlin Giant'</i> | P3 | FS - S | FP, GC, RG | Blue, Whrlid- | 16 | AP - MY | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|---|----|---------|------------------|---------------|----|---------|-------|
| Ajuga: Ajuga, ... ; Bugleweed (Continued) | | | | | | | | | |
| AJU051X | 'Chocolate Chip' (Qt.) | <i>A. tenorii</i> 'Valfredda' ('C. C.') | P4 | FS - S | FP, GC, RG | Blue | 4 | MY - JN | 6.95 |
| AJU905X | 'Leprechaun' (Qt.) | <i>A. pyramidalis</i> ('reptans') 'L.' | P3 | FS - S | FP, GC, RG | Blue | 5 | AP - MY | 7.25 |
| AJU053X | 'Pink Surprise' (Qt.) | <i>A. reptans</i> 'Pink Surprise' | P3 | FS - S | FP, GC, RG | Pink | 6 | MY - JN | 6.95 |
| AJU045X | 'Silver Beauty' (Qt.) | <i>A. reptans</i> 'Silver Beauty' | P3 | FS - S | FP, GC, RG | Blue, Sky- | 4 | MY - JN | 7.25 |
| ALB605★ | Albica, 'Frizzle Sizzle' | <i>Albica spiralis</i> 'F. Sizzle' | TP | FS - PS | LB, F, O | Yellow, Lght- | 12 | AP - MY | 11.95 |
| Alcea: Hollyhock, ... | | | | | | | | | |
| ALC525X | Black, 'Blacknight' (Qt.) | <i>Alcea rosea</i> 'Blacknight' | P3 | FS - PS | BF, FP, LB | Black, Prpl- | 60 | JL - AG | 7.75 |
| ALC535X | Pink, 'Fiesta Time' (Qt.) | <i>Alcea rosea</i> 'Fiesta Time' | P3 | FS - PS | BF, FP, LB | Pink,Dp-;Dbl | 36 | JL - AG | 7.25 |
| ALC540X | Red, 'Mars Magic' (Qt.) | <i>Alcea rosea</i> 'Mars Magic' | P3 | FS - PS | BF, FP, LB | Red, Bright- | 60 | JL - AG | 7.25 |
| ALC518X | Single, 'Antwerp' (Qt.) (Rust Resistant) | <i>A. ficifolia</i> 'A. Mixed' | P3 | FS - PS | BF, FP, LB, MR | Pastels | 60 | JL - AG | 6.95 |
| Alchemilla: Lady's Mantle, ... | | | | | | | | | |
| ALC010X | Alpine (Qt.) | <i>Alchemilla alpina</i> | P3 | FS - S | FP, RG, WG | Yellow, Lght- | 6 | MY - JN | 7.50 |
| ALC012X | 'Auslese' (Qt.) | <i>Alchemilla mollis</i> 'Auslese' | P3 | FS - S | FP, RG, WG | Yellow | 20 | MY - JN | 6.95 |
| ALC005X | Common (Qt.) | <i>Alchemilla vulgaris</i> | P3 | FS - S | FP, M, RG, WG | Yellow | 18 | MY - JN | 7.75 |
| ALC020X | Mollis (Qt.) | <i>Alchemilla mollis</i> | P3 | FS - S | FP, RG, WG | Yellow | 18 | MY - JN | 6.95 |
| ALC027X | Red-Stemmed, 'Alma' (Qt.) | <i>Alchemilla erythropoda</i> 'A.' | P3 | FS - PS | FP, RG, WG | Yellow, Grn- | 8 | MY - JN | 7.75 |
| ALK050X | Alkanet (Qt.) | <i>Anchusa officinalis</i> | B4 | FS - PS | CF, D, DT, FP, M | Blue, Bright- | 24 | JN - AG | 6.95 |
| ALL350X | Allheal (Qt.) | <i>Prunella vulgaris</i> | P4 | FS - PS | BF, M | Lavender | 8 | JL - AG | 6.95 |
| Allium: | | | | | | | | | |
| ALL210X | Allium, Japanese, White (Qt.) | <i>Allium thunbergii</i> 'Alba' | P4 | FS - PS | DR, FP | White | 8 | SP - OC | 7.75 |
| ALL405X | Allium, 'Millenium' (Qt.) | <i>Allium</i> 'Millenium' | P5 | FS - PS | CF, DR, FP | Purple, Rse- | 18 | JL - AG | 9.95 |
| ALL205X | Allium, 'Ozawa' (Qt.) | <i>Allium thunbergii</i> 'Ozawa' | P4 | FS - PS | DR, FP | Purple, Rse- | 10 | SP - OC | 7.75 |
| ALL150X | Allium, 'Pink Feather' (Qt.) | <i>Allium</i> 'Pink Feather' | P3 | FS - PS | CF, DR, FP | Pink | 18 | JN - JL | 6.95 |
| ALL007X | Allium, Schnittlauch (Qt.) | <i>Allium schnittlauch</i> | P3 | FS - PS | DR, FP | Lavender | 8 | JL - AG | 6.95 |
| ALL105X | Allium, Senescens (Qt.); Mountain Garlic | <i>Allium senescens</i> | P3 | FS | C, DR, FP | Rose | 12 | AG - SP | 6.95 |
| ALL110X | Allium, Senescens, Calcareum (Qt.) | <i>A. s. calcareum</i> | P3 | FS | DR, FP | Rose, Light- | 10 | MY - JN | 7.25 |
| ALL117X★ | Allium, 'Sky Blue' (Qt.) | <i>Allium cyaneum</i> 'Sky Blue' | P4 | FS - PS | DR, DT, FP | Blue, Sky- | 10 | JL - SP | 7.75 |
| ALL045 | Chives, Common | <i>Allium schoenoprasum</i> | P3 | FS | C, DR, FP | Lav., Pink- | 10 | MY - JN | 2.95 |
| ALL055 | Chives, Dwarf | <i>A. schoenoprasum</i> 'Nana' | P3 | FS | C, DR, FP | Pink | 6 | MY - JN | 4.50 |
| ALL057X | Chives, 'Forescate' (Qt.) | <i>Allium schoenoprasum</i> 'F.' | P3 | FS - PS | C, DR, FP | Pink, Rose- | 24 | MY - JN | 7.75 |
| ALL060 | Chives, Garlic; Oriental Chives | <i>Allium tuberosum</i> | P3 | FS | C, CF, DR, FP | White | 24 | AG - SP | 4.50 |
| ALL061X | Chives, Garlic, 'Mauve' (Qt.) | <i>Allium tuberosum</i> 'Mauve' | P3 | FS | C, CF, DR, FP | Mauve | 24 | AG - SP | 6.95 |
| ALL064X | Chives, 'Grolau' (Qt.) | <i>A. schoenoprasum</i> 'Grolau' | P3 | FS | C, CF, DR | Pink | 12 | MY - JN | 6.95 |
| ALL170X | Chives, 'Profusion™' (Qt.) | <i>A. schoenoprasum</i> 'Sterile' | P3 | FS | C, DR | Pink, Lav.- | 12 | MY - JN | 6.95 |
| ALL063X | Chives, Silver Corkscrew (Qt.) | <i>Allium senescens</i> 'Glaucum' | P3 | FS | B, DF, DR, FP, O | Lav.; Ball | 9 | AG - SP | 7.50 |
| A very attractive border plant with compact growth that never needs trimming - perfect for edgings. Cute curly silver-grey foliage reaches 6 inches tall and forms a unique backdrop for its majestic nine-inch lavender-pink flowers that bloom in late summer. Additionally, the flowers dry nicely and hold their color well. | | | | | | | | | |
| ALL185X | Chives, White (Qt.) | <i>A. schoenoprasum</i> 'Album' | P3 | FS - PS | C, DR, FP | White | 16 | MY - JN | 9.95 |
| ALL070X | Egyptian Top Onion (Qt.) | <i>Allium cepa</i> 'Proliferum' | P4 | FS | C, DR, O | White | 30 | JL - SP | 6.95 |
| Garlic, ... (Organic) | | | | | | | | | |
| ALL500★ | Hard-Neck, 'Chesnok Red' | <i>Allium sativum</i> o. 'C. R.' | P1 | FS | C, DR | Hot;S:5-6M | 24 | JL - AG | 3.45 |
| ALL505★ | Hard-Neck, 'Georgia Fire' | <i>Allium sativum</i> o. 'G. F.' | P1 | FS | C, DR | Hottst;S:5M | 24 | JL - AG | 3.45 |
| ALL510★ | Hard-Neck, 'Shantang Purple' | <i>A. s. ophioscorodon</i> 'S. P.' | P3 | FS | C, DR | VHot;S:5-6M | 24 | JL - AG | 3.45 |
| ALL515 | Soft-Neck, 'Nootka Rose' | <i>A. sativum</i> 'N. Rose' | P4 | FS | C, DR | MHot;S:10M | 24 | JL - AG | 3.45 |
| ALL520★ | Soft-Neck, 'Susanville' | <i>Allium sativum</i> 'Susanville' | P3 | FS | C, DR | Med;S:8M | 24 | JL - AG | 3.45 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|---------------------------------------|-----------|---------|----------------|--------------|----|---------|--------------|
| Allium: (Continued) | | | | | | | | | |
| ALL090 | Leek | <i>A. ampeloprasum</i> Porrum | A | FS | C, DR | White | 24 | JN - JL | 4.50 |
| ALL095X | Leek, Lily (Qt.) | <i>Allium moly</i> | P3 | FS - PS | C, DR, FP | Yellow | 12 | MY - JN | 6.95 |
| ALL115X | Leek, Welsh (Qt.) | <i>A. ampeloprasum</i> babingtonii | P3 | FS | C, DR, FP | Purple, Dp- | 36 | JN - JL | 6.95 |
| ALL120X | Onion, Welsh (Qt.) | <i>Allium fistulosum</i> | P3 | FS | C, DR, FP | White | 30 | JL - AG | 6.95 |
| ALL195X | Ramps (Qt.) | <i>Allium tricoccum</i> | P3 | PS - S | C, DR, MT, NP | White | 12 | JN - JL | 6.95 |
| Its leaves and bulbs have a sweet, mild onion flavor and are used like scallions or as a garlic substitute - fresh, fried or grilled. It is now even served in many up-scale restaurants. Happiest in partial shade & a rich well-drained soil. | | | | | | | | | |
| ALL127X | Allspice (Qt.); Pimento Tree | <i>Pimenta dioica</i> | TP | FS | C, F | White | AD | ADP | 14.95 |
| ALL910 | Allspice, Lemon (Call for Availability) | <i>Pimenta racemosa</i> citrifolia | TP | FS | C, F | White | AD | ADP | 23.95 |
| ALO515 | Aloe, 'Giant' | <i>Aloe 'Giant'</i> | TP | FS - PS | M, O | | 18 | ADP | 6.60 |
| ALO905 | Aloe, 'Swedish' | <i>Aloe arborescens</i> | TP | FS - PS | M, O | Orange, Rd- | 24 | ADP | 6.60 |
| ALO135 | Aloe Vera | <i>Aloe barbadensis</i> | TP | FS - PS | M, O | Salmon | AD | ADP | 6.60 |
| ALO140X | Aloe Vera (Qt.) | <i>Aloe barbadensis</i> | TP | FS - PS | M, O | Salmon | AD | ADP | 8.95 |
| Amsonia: | | | | | | | | | |
| AMS105X | Blue Star, Narrow-Leaf (Qt.) (11 PPA) | <i>Amsonia hubrichtii</i> | P4 | FS - PS | FP, NP | Blue, Sky- | 36 | AP - MY | 7.50 |
| AMS110X | Blue Star, Willow-Leaf (Qt.) | <i>A. tabernaemontana</i> salicifolia | P4 | FS - PS | FP, NP | Blue, Light- | 36 | MY - JN | 6.95 |
| Anemone: Anemone, Japanese, ... ; Windflower | | | | | | | | | |
| ANE142X | Pink, 'Pamina' (Qt.) | <i>Anemone x hybrida</i> 'P.' | P4 | FS - PS | CF, FP, WG | Pink; Dbl | 36 | AG - OC | 7.95 |
| ANE155X | Pink, 'Robustissima' (Qt.) | <i>Anemone tomentosa</i> 'R.' | P4 | FS - PS | FP, WG | Pink, Light- | 36 | AG - OC | 7.50 |
| ANE159X | Pink, 'September Charm' (Qt.) | <i>A. hupehensis</i> 'S. Charm' | P4 | FS - PS | CF, FP, WG | Pink | 30 | AG - OC | 7.50 |
| ANE158X | Rose, 'Prince Henry' (Qt.) | <i>A. hupehensis</i> 'Prinz H.' | P5 | FS - PS | FP, WG | Rose;Smi-Dbl | 24 | AG - OC | 7.95 |
| ANE157X | White, 'Honorine Jobert' (Qt.) (15 PPA) | <i>A. x hybrida</i> 'H. J.' | P4 | FS - PS | CF, FP, WG | White | 30 | AG - OC | 7.95 |
| Anemone: Anemone, ... | | | | | | | | | |
| ANE152X | Snowdrop (Qt.) | <i>Anemone sylvestris</i> | P3 | PS | FP, WG | White | 24 | MY - SP | 7.75 |
| Anemonella: | | | | | | | | | |
| ANE715X | Anemone, Rue (Qt.) | <i>Anemonella thalictroides</i> | P4 | PS - S | FP, LB, NP, WG | White | 6 | AP - JN | 7.75 |
| ANE735 | Anemonella, Pink, Double, 'Cameo' | <i>A. thalictroides</i> 'C.' | P4 | PS - S | FP, LB, WG | Pink, Light- | 12 | AP - JN | 15.95 |
| Anethum: | | | | | | | | | |
| ANE195 | Dill Bouquet (Compact - seeds) | <i>A. graveolens</i> 'Bouquet' | A | FS - PS | BF, C | Yellow | 24 | JL - SP | 2.95 |
| ANE305 | Dill, 'Fernleaf' (Dwarf - leaves used) | <i>Anethum g.</i> 'Fernleaf' | A | FS - PS | BF, C | Yellow | 18 | SLD | 2.95 |
| ANE310 | Dill, 'Hercules' (Tall - robust growth) | <i>A. graveolens</i> 'Hercules' | A | FS - PS | BF, C | Yellow | 36 | JL - SP | 2.95 |
| ANE312 | Dill, 'Mammoth' (Tallest - robust growth) | <i>A. graveolens</i> 'M.' | A | FS - PS | BF, C | Yellow | 48 | JL - SP | 2.95 |
| ANE315 | Dill, 'Superdukat' (High essential oil & uniform heads) | <i>A. g.</i> 'S.' | A | FS - PS | BF, C | Yellow | 36 | JL - SP | 2.95 |
| Angelica: | | | | | | | | | |
| ANG160X | Angelica (Qt.) | <i>Angelica archangelica</i> | B4 | FS - PS | C, DR, M | Green | 72 | AG - SP | 6.95 |
| ANG162X | Angelica, Korean (Qt.) | <i>Angelica gigas</i> | B4 | PS - S | BF, C, DR, O | Purple | 48 | AG - SP | 7.75 |
| ANG505X | Angelica, New Zealand (Qt.) | <i>Angelica pachycarpa</i> | B4 | FS - PS | DR, FP | White | 48 | AG - SP | 7.75 |
| Antennaria: Pussy Toes, ... | | | | | | | | | |
| ANT205X | Pink (Qt.) | <i>Antennaria dioica</i> 'Rubra' | P5 | FS - PS | FP, GC, NP | Pink | 6 | MY - JN | 7.75 |
| ANT207X | 'Red Wonder' (Qt.) | <i>A. dioica</i> 'Rotes Wunder' | P5 | FS - PS | FP, GC | Red, Pink- | 6 | MY - JN | 8.75 |
| ANT210X | Smaller, Pink (Qt.) | <i>A. neodioica</i> 'Rosea' | P5 | FS | FP | Pink | 2 | MY - JN | 6.95 |
| ANT215X | White (Qt.) | <i>Antennaria dioica</i> | P5 | FS | FP, GC, M, NP | White | 6 | MY - JN | 6.95 |
| Aquilegia: Columbine, ... | | | | | | | | | |
| AQU510X | 'Clementine Red' (Qt.) | <i>Aquilegia vulgaris</i> 'C. Red' | P3 | FS - PS | CF, FP, WG | Red, Fchsia- | 18 | MY - JN | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|-----------------------------|----------------------------------|----|---------|-----------------------|---------------|----|---------|-------|
| Aquilegia: Columbine, ... (Continued) | | | | | BF, DR, HB, MT | | | | |
| AQU240X | 'Dorothy Rose' (Qt.) | <i>Aquilegia 'Dorothy Rose'</i> | P3 | FS - PS | CF, FP, WG | Pink, Rose- | 24 | MY - JN | 7.95 |
| AQU230X | 'Ministar' (Qt.) | <i>Aquilegia flabellata 'M.'</i> | P3 | FS - PS | FP, RG, WG | Blue, Bright- | 6 | MY - JN | 6.95 |
| AQU805X | Rocky Mountain (Qt.) | <i>Aquilegia caerulea</i> | P3 | FS - PS | CF, FP, NP, WG | Blue & White | 14 | MY - JN | 6.95 |
| AQU625X★ | Songbird, 'Blue Bird' (Qt.) | <i>A. 'Blue Bird' (Songbird)</i> | P3 | FS - PS | CF, FP, WG | Blue & White | 18 | MY - JN | 7.50 |
| AQU810X | Songbird, 'Cardinal' (Qt.) | <i>A. 'Cardinal' (Songbird)</i> | P3 | FS - PS | CF, FP, WG | Red & White | 24 | MY - JN | 7.50 |
| AQU315X | Songbird, 'Robin' (Qt.) | <i>A. 'Robin' (Songbird)</i> | P3 | FS - PS | CF, FP, WG | Rose & Wht | 24 | MY - JN | 7.50 |

Aralia: Spikenard, ...

| | | | | | | | | | |
|---------|--|------------------------|----|--------|------------------------------|-------------|----|----|------|
| ARA505X | American (Qt.); <i>American Sarsaparilla</i> | <i>Aralia racemosa</i> | P5 | PS - S | F, WG C, FP, M, NP | White, Grn- | 48 | AG | 9.95 |
|---------|--|------------------------|----|--------|------------------------------|-------------|----|----|------|

Arenaria:

| | | | | | | | | | |
|---------|--------------------------------------|------------------------|----|---------|--------|-------|---|---------|------|
| ARE355X | Sandwort, Montana, 'Avalanche' (Qt.) | <i>A. montana 'A.'</i> | P4 | FS - PS | FP, RG | White | 4 | MY - JN | 7.75 |
|---------|--------------------------------------|------------------------|----|---------|--------|-------|---|---------|------|

Arisaema: Jack-In-The-Pulpit, ...

| | | | | | | | | | |
|---------|----------------|----------------------------|----|--------|-----------------------------|-----------|----|---------|-------|
| ARI012X | Japanese (Qt.) | <i>Arisaema sikokianum</i> | P4 | PS - S | LB, WG DR, FP, MT | White; 8" | 24 | AP - JN | 29.95 |
| ARI008X | Native (Qt.) | <i>Arisaema triphyllum</i> | P4 | PS - S | DR, FP, MT, NP | Green; 5" | 18 | AP - JN | 8.75 |

Armeria: Armeria, ... ; Thrift; Sea Pinks

| | | | | | | | | | |
|---------|-----------------------------------|--|----|---------|-------------------------|-------------|----|---------|------|
| ARM305 | Dwarf, 'Little Penny' | <i>A. juniperifolia 'Little Penny'</i> | P5 | FS | BF, HB FP, RG | Pink, Deep- | 2 | MY - JN | 7.75 |
| ARM620X | Dwarf, Pink (Qt.) | <i>A. juniperifolia (caespitosa)</i> | P5 | FS | FP, RG | Pink, Deep- | 4 | MY - JN | 7.75 |
| ARM184X | Red (Qt.) | <i>A. pseudarmeria 'Rubra'</i> | P4 | FS - PS | FP, RG | Red | 12 | MY - JN | 6.95 |
| ARM177X | Red, 'Bloodstone' (Qt.) | <i>Armeria maritima 'B.'</i> | P4 | FS | FP, RG | Red, Rose- | 8 | MY - JN | 7.75 |
| ARM186X | Red-Leaved (Qt.) | <i>A. maritima 'Rubrifolia'</i> | P4 | FS - PS | FP, RG | Pink, Deep- | 8 | MY - JN | 6.95 |
| ARM190X | Variegated, 'Nifty Thrifty' (Qt.) | <i>Armeria maritima 'Nifty T.'</i> | P4 | FS | DT, FP, RG | Pink | 8 | MY - JN | 6.95 |

| | | | | | | | | | |
|---------|------------------------------|---------------------------|----|---------|------|--------|----|----|------|
| ARN176X | Arnica, European (Qt.) | <i>Arnica montana</i> | P6 | FS - PS | D, M | Yellow | 18 | JN | 8.75 |
| ARN180X | Arnica, North American (Qt.) | <i>Arnica chamissonis</i> | P5 | FS | M | Yellow | 24 | JN | 7.25 |

Artemisia: Artemisia, ...

| | | | | | | | | | |
|---------|--|-------------------------------------|----|----|-------------------------|--------------|----|---------|------|
| ART335X | 'Lambrook Mist' (Qt.) | <i>Artemisia absinthium 'L. M.'</i> | P5 | FS | DR, DT FP, RG | Gray, Yllw- | 30 | AG - SP | 7.25 |
| ART350X | Rupestris (Qt.) | <i>Artemisia rupestris</i> | P5 | FS | FP, RG | Yellow, Grn- | 12 | | 7.25 |
| ART187X | Sagebrush, Silver (Qt.) | <i>A. cana (Seriphidium canaum)</i> | P3 | FS | F, FP, M | Yellow | 30 | AG | 6.95 |
| ART205X | 'Silver King' (Qt.) | <i>A. ludoviciana 'S. King'</i> | P4 | FS | DF, FP | Yellow | 36 | AG - SP | 6.95 |
| ART210X | Silver Mound (Qt.) | <i>Artemisia schmidtiana</i> | P3 | FS | DF, FP, RG | Silver | 12 | AG - SP | 6.95 |
| ART215X | 'Silver Queen' (Qt.) | <i>A. ludoviciana 'Silver Q.'</i> | P4 | FS | DF, FP | Yellow | 36 | AG - SP | 6.95 |
| ART220X | Southernwood (Qt.) | <i>Artemisia abrotanum</i> | P5 | FS | F | Cream | 24 | AG - SP | 6.95 |
| ART225X | Southernwood, Camphor-Scented (Qt.) | <i>A. alba (camphorata)</i> | P4 | FS | F | Yellow, Grn- | 24 | AG - SP | 6.95 |
| ART230X | Southernwood, Lemon-Scented (Qt.) | <i>A. abro. limoneum</i> | P5 | FS | F | Yellow, Grn- | 24 | AG - SP | 6.95 |
| ART235X | Southernwood, 'Silver' (Qt.) | <i>Artemisia abrotanum 'Silver'</i> | P5 | FS | F, O | Gray | 16 | AG - SP | 7.25 |
| ART255X | Stelleriana (Qt.) | <i>Artemisia stelleriana</i> | P4 | FS | FP, GC, RG | Yellow | 12 | AG - SP | 6.95 |
| ART257X | Stelleriana, 'Silver Brocade' (Qt.) | <i>A. stelleriana 'S. B.'</i> | P4 | FS | FP, GC | Yellow | 12 | AG - SP | 6.95 |
| ART262X | 'Tangerine' (Qt.); <i>Tree Artemisia</i> | <i>Artemisia abrotanum 'T.'</i> | P5 | FS | F, O | Green, Gry- | 48 | AG - SP | 6.95 |
| ART265X | 'Valerie Finnis' (Qt.) | <i>A. ludoviciana 'V. Finnis'</i> | P4 | FS | DF, FP | Yellow | 24 | AG - SP | 6.95 |
| ART270X | Versicolor (Qt.) | <i>Artemisia versicolor</i> | P4 | FS | B, RG | Gray, Yllw- | 12 | AG - SP | 7.25 |
| ART340X | Viridis (Qt.) | <i>Artemisia viridis</i> | P3 | FS | RG | Yellow, Crm- | 2 | JL - AG | 7.25 |

Artemisia:

| | | | | | | | | | |
|---------|-------------------------------------|--------------------------------|----|---------|------------------------|--|----|--|------|
| ART285X | French Tarragon (Qt.) (True) | <i>A. dracunculus 'Sativa'</i> | P3 | FS - PS | DR, DT BF, C | | 30 | | 7.75 |
|---------|-------------------------------------|--------------------------------|----|---------|------------------------|--|----|--|------|

Tarragon's bittersweet peppery taste has anise undertones and is an important flavor in salad dressings and poultry dishes. Its tea is known to stimulate digestion, settle an upset stomach and can be used as a general tonic. This clump forming perennial likes well-drained, rich soil and full-sun; it requires a period of winter dormancy for lush spring growth. This plant can only be cutting or root propagated, as it is sterile. The leaves should mildly numb your tongue.

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|-------------------------------|---|-----------------------------|-----------|---------|---------------|-------------|----|---------|-------------|
| Artemisia: (Continued) | | | | | DR, DT | | | | |
| ART290X | Mugwort (Qt.); Biefus | <i>Artemisia vulgaris</i> | P4 | FS | C, FP | Yellow | 48 | AG - SP | 6.95 |
| ART295X | Wormwood, Common (Qt.) | <i>Artemisia absinthium</i> | P5 | FS | F, M | Yellow | 48 | AG - SP | 6.95 |
| ART300X | Wormwood, Fringed (Qt.) | <i>Artemisia frigida</i> | P3 | FS | NP, RG | Yellow | 12 | AG - SP | 6.95 |
| ART310X | Wormwood, Ghostplant (Qt.) | <i>Artemisia lactiflora</i> | P4 | FS | CF, FP | White, Crm- | 54 | AG - SP | 6.95 |
| ART605X | Wormwood, Sweet (Qt.); Sweet Annie | <i>Artemisia annua</i> | HA | FS - PS | DF, FA | Yellow | 72 | AG - SP | 6.95 |

***** **Artichoke, Jerusalem** see **Helianthus:**

***** **Arugula** see **Roquette**

Aruncus:

| | | | | | | | | | |
|---------|-------------------------------------|-----------------------------------|-----------|--------|----------------|-------------|----|---------|-------------|
| ARU335X | Aruncus (Qt.); Goatsbeard | <i>Aruncus dioicus</i> | P3 | PS - S | CF, FP, MT, NP | White, Crm- | 48 | JN - JL | 6.95 |
| ARU339X | Aruncus, Dwarf, Korean (Qt.) | <i>Aruncus aethusifolius</i> | P3 | PS - S | CF, FP, LB | White, Crm- | 12 | JN - JL | 7.50 |
| ARU337X | Aruncus, 'Kneiffii' (Qt.) | <i>Aruncus dioicus 'Kneiffii'</i> | P3 | PS - S | CF, FP, MT | White, Crm- | 36 | JN - JL | 8.75 |

Asarum: Ginger, ...

| | | | | | | | | | |
|---------|------------------------|-------------------------|-----------|--------|---------------|-------|----|---------|-------------|
| ASA505X | Arifolium (Qt.) | <i>Asarum arifolium</i> | P5 | PS - S | FP, NP | Red | 4 | AP - MY | 6.95 |
| ASA515X | European (Qt.) | <i>Asarum europaeum</i> | P4 | PS - S | FP, M | Brown | 6 | AP - MY | 8.75 |
| ASA520X | Wild (Qt.) | <i>Asarum canadense</i> | P3 | PS - S | FP, M, MT, NP | Brown | 10 | AP - MY | 7.75 |

Asclepias: Butterfly Weed, ...

This neglected beauty is ranked as one of the top 10 showiest North American wildflowers. It attracts bees, butterflies and beneficial insects and enlivens the garden with its long-lasting summertime color.

A favorite plant of the beautiful orange & black Monarch butterfly which is one of the best known threatened butterfly species in North America. According to the latest surveys over 90% of the population has disappeared in the last decade - mostly due to loss of habitat. Promoting the plight of this beautiful insect is probably the only thing that can lead to saving it. It is commonly agreed that one solution is for all aspects of our society to plant more Asclepias; all varieties of both Butterfly Weed, as well as Milkweed. Help save our beloved Monarch Butterfly from extinction!

| | | | | | | | | | |
|---------|----------------------------------|-------------------------------------|-----------|---------|------------------|--------|----|---------|-------------|
| ASC410X | 'Hello Yellow' (Qt.) | <i>Asclepias tuberosa 'H. Y.'</i> | P4 | FS - PS | DT, FP | Yellow | 32 | JN - AG | 7.50 |
| ASC415X | Orange (Qt.) | <i>Asclepias tuberosa</i> | P3 | FS - PS | D, DT, FP, M, NP | Orange | 24 | AG - SP | 7.25 |
| ASC420X | Pink (Qt.) | <i>Asclepias incarnata</i> | P5 | FS - PS | FP, M, MT | Pink | 30 | AG - SP | 7.50 |
| ASC425X | White, 'Ice Ballet' (Qt.) | <i>Asclepias incarnata 'Ice B.'</i> | P5 | FS - PS | FP, MT | White | 30 | AG - SP | 6.95 |

Asclepias:

| | | | | | | | | | |
|---------|-------------------------------|--------------------------|-----------|---------|---------------|------|----|---------|-------------|
| ASC440X | Milkweed, Common (Qt.) | <i>Asclepias syriaca</i> | P3 | FS - PS | DT, FP, M, NP | Pink | 36 | JN - JL | 7.25 |
|---------|-------------------------------|--------------------------|-----------|---------|---------------|------|----|---------|-------------|

ASH200 Ashwagandha

| | | | | | | | | | |
|--------|--------------------|---------------------------|----------|---------|---|-----|---|---------|-------------|
| ASH200 | Ashwagandha | <i>Withania somnifera</i> | A | FS - PS | M | Red | 8 | JL - AG | 5.85 |
|--------|--------------------|---------------------------|----------|---------|---|-----|---|---------|-------------|

Asperula: Woodruff, ...

| | | | | | | | | | |
|---------|---------------------|----------------------------|-----------|--------|------------|-------|----|---------|-------------|
| ASP060X | Dyer's (Qt.) | <i>Asperula tinctoria</i> | P5 | FS | D | White | 12 | JN - JL | 6.95 |
| ASP300X | Pink (Qt.) | <i>Asperula cynanchica</i> | P6 | PS - S | FP, GC, WG | Pink | 6 | JN - JL | 7.25 |

Aster: Aster, ...

| | | | | | | | | | |
|---------|-------------------------------------|---------------------------------------|-----------|---------|------------|---------------|----|---------|-------------|
| AST450X | 'Alma Potschke' (Qt.) | <i>A. novae-angliae 'Alma P.'</i> | P3 | FS - PS | CF, DT, FP | Pink, Rose- | 36 | AG - SP | 7.50 |
| AST430X | 'Monch' (Qt.) | <i>Aster x frikartii 'Monch'</i> | P4 | FS - PS | CF, FP | Blue, Lav.- | 30 | AG - SP | 6.95 |
| AST431X | 'Patricia Ballard' (Qt.) | <i>Aster novi-belgii 'P. Ballard'</i> | P3 | FS - PS | CF, DT, FP | Pink | 36 | AG - SP | 6.95 |
| AST412X | 'Professor Kippenberg' (Qt.) | <i>Aster 'P. Anton Kippenberg'</i> | P3 | FS - PS | CF, FP | Blue, Bright- | 18 | AG - SP | 6.95 |
| AST337X | 'Purple Dome' (Qt.) | <i>Aster novae-angliae 'P. D.'</i> | P3 | FS - PS | CF, DT, FP | Purple | 24 | AG - SP | 7.50 |
| AST460X | 'Wood's Pink' (Qt.) | <i>Aster 'Wood's Pink'</i> | P4 | FS - PS | CF, FP | Pink | 8 | AG - SP | 6.95 |

Astilbe: Astilbe, ...

| | | | | | | | | | |
|---------|---------------------------------------|---------------------------------------|-----------|--------|--------|-------------|----|---------|-------------|
| AST465X | Dwarf, 'Perkeo' (Qt.) | <i>A. crispa 'Perkeo' ('P. Mini')</i> | P4 | FS - S | FP | Pink, Deep- | 8 | JL - AG | 7.75 |
| AST345X | Dwarf, 'Pumila' (Qt.) | <i>Astilbe chinensis 'Pumila'</i> | P4 | FS - S | FP, GC | Lavender | 12 | JN - AG | 6.95 |
| AST367X | Dwarf, 'Sprite' (Qt.) (94 PPA) | <i>Astilbe simplicifolia 'Sprite'</i> | P4 | FS - S | FP | Pink | 12 | AG - SP | 8.75 |
| AST015X | Pink, 'Cotton Candy' (Qt.) | <i>A. 'Cotton Candy' (arendsii)</i> | P4 | PS - S | CF, FP | Pink, Deep- | 16 | JL - AG | 8.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|---------------------------------------|-----------|---------|-------------------------------|---------------|----|---------|--------------|
| Astilbe: Astilbe, ... (Continued) | | | | | DR, MT, WG | | | | |
| AST475X | Pink, 'Heart & Soul' (Qt.) | <i>Astilbe 'Heart and Soul'</i> | P4 | FS - S | CF, FP | Pink, Soft- | 32 | JL - AG | 7.75 |
| AST360X | Red, 'Fanal' (Qt.) | <i>Astilbe arendsii 'Fanal'</i> | P4 | FS - S | CF, FP | Red, Intnse- | 24 | JN - AG | 6.95 |
| AST350X | Red, 'Glow' (Qt.) | <i>A. arendsii 'Glow' ('Glow')</i> | P4 | FS - S | FP | Red | 10 | JN - AG | 7.25 |
| AST365X | Rose, 'Rheinland' (Qt.) | <i>Astilbe japonica 'Rheinland'</i> | P4 | FS - S | CF, FP | Rose | 24 | JN - AG | 6.95 |
| AST505X | White, 'Weisse Gloria' (Qt.) | <i>A. 'Weisse Gloria' (arendsii)</i> | P4 | FS - S | CF, FP | White, Snw- | 24 | JN - AG | 7.25 |
| AUR205X | Aurinia, 'Gold Ball' (Qt.) | <i>Aurinia saxatilis 'Goldkugel'</i> | P4 | FS | DR, DT, FP, RG | Yellow, Lmn- | 8 | MY - JN | 6.95 |
| AUS375 | Australian Mint Bush | <i>Prostanthera rotundifolia</i> | TP | FS | F, O | Lavender | 18 | FB - MR | 6.60 |
| ***** | Aztec Sweet Herb see Phyla: | | | | | | | | |
| ***** | Baby's Breath see Gypsophila: | | | | | | | | |
| BAB010 | Baby's-Tears | <i>Soleirolia soleirolii</i> | TP | FS - PS | O | White | 1 | | 4.50 |
| BAB015 | Baby's-Tears, Golden | <i>Soleirolia soleirolii 'Aureum'</i> | TP | FS - PS | O | White | 1 | | 5.85 |
| ***** | Balloon Flower see Platycodon: | | | | | | | | |
| BAL045 | Balm-of-Gilead | <i>Cedronella canariensis</i> | TP | FS | F, M | Pink | 24 | AG - SP | 6.60 |
| BAM810X | Bamboo, Sunset Glow (Qt.) (Hardy Clumping Non-Invasive Variety) | <i>F. dracocephala 'Rufa'</i> | P5 | FS - S | DR, FP, O | Cane-0.5" | 8' | ADP | 14.95 |
| Baptisia: Baptisia, ... | | | | | BF, DR | | | | |
| BAP050X | Blue (Qt.); False Indigo | <i>Baptisia australis</i> | P3 | FS - PS | D, DT, FP, NP | Blue | 42 | JN - JL | 7.95 |
| BAP055X | Blue (2Q); False Indigo | <i>Baptisia australis</i> | P3 | FS - PS | D, DT, FP, NP | Blue | 42 | JN - JL | 10.95 |
| BAP090X | Minor (Qt.) | <i>Baptisia australis minor</i> | P4 | FS - PS | DT, FP, NP | Blue | 15 | JN - JL | 7.25 |
| BAP070X | Prairie (Qt.) | <i>Baptisia lactea</i> | P4 | FS - PS | DT, FP, NP | White | 36 | JN - JL | 7.75 |
| BAP075X | 'Purple Smoke' (Qt.) | <i>Baptisia 'Purple Smoke'</i> | P4 | FS - PS | DT, FP | Violet, Smky- | 54 | JN - JL | 8.95 |
| BAP080X | 'Screamin' Yellow' (Qt.) | <i>B. sphaerocarpa 'S.' Yellow'</i> | P5 | FS - PS | DT, FP, NP | Yellow, Gld- | 36 | JN - JL | 8.75 |
| BAR415X | Barberry, Crimson Pigmy (Qt.) | <i>B. t. 'Atropurpurea Nana'</i> | P5 | FS | B, D, DR, O | Yellow | 12 | MY - JN | 7.75 |
| ***** | Basil see Ocimum: | | | | | | | | |
| ***** | Bay, Sweet see Laurus: | | | | | | | | |
| BAY125 | Bay-Rum | <i>Pimenta racemosa</i> | TP | FS | C, F, IU | White | AD | ADP | 12.95 |
| BAY101X | Bayberry (Qt.) | <i>Myrica (Morella) pensylvanica</i> | P3 | FS - PS | DR, F, FP, IU, NP | White | 60 | SP - OC | 8.95 |
| BEA820X | Bearberry (2Q); Uva-Ursi; <i>Kinnikinnick</i> | <i>Arctostaphylos uva-ursi</i> | P2 | FS - PS | BF, DR, FP, GC, HB, M, NP, WG | White, Pink- | 4 | JN - JL | 14.95 |
| ***** | Bedstraw, Yellow see Galium: | | | | | | | | |
| ***** | Bee Balm see Monarda: | | | | | | | | |
| ***** | Beetleweed see Galax: | | | | | | | | |
| Belamcanda: Leopard Flower | | | | | | | | | |
| BEL450X | Lily, Blackberry (Qt.) | <i>Belamcanda chinensis</i> | P4 | FS - PS | DF, FP, M | Orange | 36 | JL - AG | 7.50 |
| BEL315X | Belladonna (Qt.) | <i>Atropa belladonna</i> | P6 | FS - PS | M | Maroon | 30 | JL - AG | 8.75 |
| BEL705X | Bellwort, Large-Flowered (Qt.); Merrybells | <i>Uvularia grandiflora</i> | P4 | PS - S | DR, FP, NP, WG | Yellow, Org- | 18 | AP - MY | 7.25 |
| ***** | Betony see Stachys: | | | | | | | | |
| ***** | Bittersweet, American see Celastrus: | | | | | | | | |
| ***** | Bleeding Heart see Dicentra: | | | | | | | | |
| ***** | Bloodroot see Sanguinaria: | | | | | | | | |
| BLU605X★ | Blue Dicks (Qt.) Wild Hyacinth | <i>Dichelostemma capitatum</i> | P6 | FS - PS | C, FP, NP | Blue, Lav.- | 32 | MY - JN | 8.75 |
| ***** | Blue Bells see Mertensia: | | | | | | | | |
| ***** | Blue Star see Amsonia: | | | | | | | | |
| ***** | Blueberry see Vaccinium: | | | | | | | | |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|---------------------------------------|----|---------|-------------------|---------------|----|---------|-------|
| BOR375 | Borage | <i>Borago officinalis</i> | A | FS - PS | C, FA, M | Blue | 24 | JL - SP | 2.95 |
| BOR379 | Borage, White | <i>Borago officinalis</i> 'Alba' | A | FS - PS | C, FA | White | 24 | JL - SP | 2.95 |
| ***** | Boxwood see Buxus: | | | | | | | | |
| <u>Brunfelsia:</u> | | | | | | | | | |
| BRU395 | Brunfelsia, Jamaican (Evening Fragrant) | <i>Brunfelsia jamaicensis</i> | TP | FS - PS | F, O | Cream | 60 | PRD | 9.95 |
| BRU390 | Yesterday, Today & Tomorrow | <i>Brunfelsia australis</i> | TP | FS - PS | F, O | Prpl-Lav-Wht | 24 | PRD | 9.95 |
| <u>Brunnera: Forget-Me-Not, ...</u> | | | | | | | | | |
| BRU080X | Perennial (Qt.) | <i>Brunnera macrophylla</i> | P3 | FS - S | DR, FP, MT | Blue, Sky- | 14 | MY - JN | 7.75 |
| BRU405X | Perennial, 'Alexander's Great' (Qt.) | <i>B. macrophylla</i> 'A.'s G.' | P4 | PS - S | DR, FP, MT | Blue | 14 | MY - JN | 12.95 |
| BRU083X | Perennial, 'Jack Frost' (Qt.) (12 PPA) | <i>B. macrophylla</i> 'J. F.' | P3 | PS - S | DR, FP, MT | Blue, Light- | 10 | MY - JN | 11.95 |
| BRU085X | Perennial, Variegated (Qt.) | <i>B. macrophylla</i> 'Variegata' | P3 | FS - PS | DR, FP, MT | Blue | 12 | MY - JN | 12.95 |
| <u>Buddleja: Butterfly Bush, ...</u> | | | | | | | | | |
| BUD003X | 'Bicolor' (Qt.) | <i>Buddleja</i> 'Bicolor' | P5 | FS | CF, F, FP, LB | Lav & Yllw | 72 | JL - SP | 8.75 |
| BUD005X | 'Black Knight' (Qt.) | <i>Buddleja davidii</i> 'Black K.' | P5 | FS | CF, F, FP, LB | Purple, Dp- | 72 | JL - SP | 7.75 |
| BUD039X | 'Honeycomb' (Qt.) | <i>Buddleja x weyeriana</i> 'H.' | P5 | FS | CF, F, FP, LB | Yellow | 72 | JL - SP | 7.75 |
| BUD025X | 'Nanho Blue' (Qt.) | <i>Buddleja nanhoensis</i> 'N. B.' | P5 | FS | CF, F, FP, LB | Blue | 66 | JL - SP | 7.75 |
| BUD030X | 'Pink Delight' (Qt.) | <i>Buddleja davidii</i> 'Pink D.' | P5 | FS | CF, F, FP, LB | Pink | 72 | JL - SP | 7.75 |
| BUD032X | 'Royal Red' (Qt.) | <i>Buddleja davidii</i> 'Royal Red' | P5 | FS | CF, F, FP, LB | Red, Purple- | 72 | JL - SP | 7.75 |
| BUD305X | 'Summer Beauty' (Qt.) | <i>Buddleja davidii</i> 'S. Beauty' | P5 | FS | CF, F, FP, LB | Pink, Deep- | 60 | JL - SP | 7.75 |
| BUN050X | Bunchberry (Qt.) | <i>Cornus canadensis</i> | P2 | PS - S | DR, FP, MT, NP | White;RedFrt | 8 | MY - JL | 10.95 |
| BUN055X | Bunchberry (2Q) | <i>Cornus canadensis</i> | P2 | PS - S | DR, FP, GC, NP | White;RedFrt | 8 | MY - JL | 13.95 |
| ***** | Burnet, Salad see Sanguisorba: | | | | | | | | |
| ***** | Butterfly Bush see Buddleja: | | | | | | | | |
| ***** | Butterfly Weed see Asclepias: | | | | | | | | |
| <u>Buxus: Boxwood, ...</u> | | | | | | | | | |
| BUX377X | Dwarf (Qt.) | <i>B. sempervirens</i> 'Myrtifolia' | P5 | FS - PS | B, DR, EG, O | Cream | 12 | AP - MY | 8.75 |
| BUX385X | Korean (Qt.) | <i>B. sinica insularis</i> (koreana) | P4 | FS | B, DR, EG, O | Cream | AD | AP - MY | 7.75 |
| BUX387X | Variegated (Qt.) | <i>B. sempervirens</i> 'Marginata' | P5 | FS - PS | B, DR, EG, O | Cream | 18 | AP - MY | 8.75 |
| <u>Cactus, ...</u> | | | | | | | | | |
| CAC605X★ | Elephant Ear (Qt.); Barbary Fig | <i>C. Opuntia ficus-indica</i> (?) | P6 | FS - PS | C, DR, DT, FP, NP | Yellow | AD | JL - AG | 9.95 |
| CAC825X | Hardy (Qt.) | <i>Opuntia humifusa</i> (compressa) | P6 | FS - PS | C, DR, DT, FP, NP | Yellow, Brht- | 12 | JL - AG | 7.25 |
| CAC710X★ | Pincushion (Qt.); Ball Cactus | <i>Coryphantha vivipara</i> | P4 | FS - PS | DR, DT, FP, NP | Pink, Mgnta- | 12 | MY - JN | 8.75 |
| CAC620X★ | Cactus, Prickly, Compact (Qt.) | <i>Opuntia viridiflora compacta</i> | P5 | FS - PS | DR, DT, FP, NP | Yellow | 20 | JL - AG | 7.75 |
| <u>Calamintha:</u> | | | | | | | | | |
| DR, LB | | | | | | | | | |
| CAL045X | Nepitella (Qt.) | <i>C. nepeta</i> (nepetoides) | P5 | FS - PS | C, F, FP | Lilac, Light- | 18 | JL - AG | 6.95 |
| <p>A pretty perennial that likes full to partial sun and rich well-draining soil. Nepitella, also know as Mentuccia, is a popular spice in Italian Cuisine used for flavoring vegetable dishes and is especially delicious cooked with mushrooms. Its flavor can best be described as a cross between mint and oregano; use judiciously as its flavor can easily overpower a dish. Buon appetito!</p> | | | | | | | | | |
| CAL020X | Savory, Showy (Qt.) | <i>Calamintha grandiflora</i> | P4 | FS - PS | C, F, FP, RG | Magenta | 12 | JN - JL | 6.95 |
| CAL025X | Savory, Showy, Variegated (Qt.) | <i>C. grandiflora</i> 'Variegata' | P4 | FS - PS | C, F, FP, RG | Magenta | 12 | JN - JL | 7.50 |
| CAL030 | Calceolaria; Yellow Pocketbook Plant | <i>Calceolaria mexicana</i> | HA | FS - PS | FA, O | Yellow | 12 | JN - SP | 4.50 |
| CAL035 | Calendula, 'Orange'; Pot Marigold | <i>Calendula officinalis</i> 'O.' | HA | FS - PS | BF, C, D, DR, M | Orange | 18 | MY - SP | 2.95 |
| CAL040 | Calendula, 'Yellow'; Pot Marigold | <i>Calendula officinalis</i> 'Yellow' | HA | FS - PS | BF, C, D, DR, M | Yellow | 18 | MY - SP | 2.95 |

Camellia:

| | | | | | | | | | |
|---------|------------------------------------|--------------------------|----|---------|----------|--------------|----|---------|--------------|
| CAM555X | Tea Plant, Large-Leaf (Qt.) | <i>Camellia sinensis</i> | P7 | FS - PS | C, FP, M | White & Yllw | 60 | SP - OC | 15.95 |
|---------|------------------------------------|--------------------------|----|---------|----------|--------------|----|---------|--------------|

Enjoy a mild-flavored delicious "Green Tea" from your own tea plant. One way to process is to pick tender young growth, with 2 - 3 leaves, then allow them to wilt. Next bruise the leaves by rolling between your hands until they darken and become crinkled - this begins the fermentation. Then dry in an oven set at 250°F for 20 minutes - this removes moisture and stops the fermentation. After this process they are ready to use; store in an airtight container.

Campanula: Bellflower, ...

| | | | | | | <u>DR, HB, LB, WG</u> | | | |
|---------|---|-----------------------------------|----|---------|------------|-----------------------|----|---------|-------------|
| CAM086X | Clustered, 'Caroline' (Qt.) | <i>Campanula glomerata 'C.'</i> | P4 | FS - PS | CF, FP, MT | Blue; Stars | 30 | JL - AG | 7.25 |
| CAM002X | Clustered, Dwarf (Qt.) | <i>C. glomerata acaulis</i> | P4 | FS - PS | FP, MT | Blue,Amthst- | 6 | JL - AG | 6.95 |
| CAM080X | Clustered, 'Joan Elliot' (Qt.) | <i>C. glomerata 'Joan Elliot'</i> | P4 | FS - PS | CF, FP, MT | Violet, Dp- | 18 | JL - AG | 8.75 |
| CAM005X | Clustered, Purple (Qt.) | <i>C. glomerata 'Superba'</i> | P4 | FS - PS | CF, FP, MT | Violet, Rich- | 20 | JN - JL | 6.95 |
| CAM007X | Clustered, White (Qt.) | <i>C. glomerata 'Alba'</i> | P4 | FS - PS | CF, FP, MT | White | 20 | JN - JL | 6.95 |
| CAM505X | 'Kent Belle' (Qt.) | <i>Campanula 'Kent Belle'</i> | P5 | FS - PS | CF, FP | Purple, Rich- | 36 | JN - JL | 7.75 |
| CAM320X | Peach-Leaved, Blue, 'Takion' (Qt.) | <i>C. persicifolia 'T. Blue'</i> | P4 | FS - PS | CF, FP | Blue, Lav.- | 20 | MY - JN | 7.25 |
| CAM015X | Peach-Leaved, White (Qt.) | <i>C. persicifolia 'Alba'</i> | P4 | FS - PS | CF, FP | White | 30 | MY - JN | 6.95 |
| CAM020X | Siberian (Qt.) | <i>Campanula poscharskyana</i> | P3 | FS - PS | DT, FP, GC | Blue, Light- | 6 | MY - JN | 6.95 |

Campanula:

| | | | | | | | | | |
|---------|------------------------------------|-----------------------------------|----|---------|----|--------------|----|---------|-------------|
| CAM025X | Bluebells-of-Scotland (Qt.) | <i>C. rotundifolia 'Thumbell'</i> | P5 | FS - PS | FP | Blue, Bright | 12 | JL - SP | 7.75 |
|---------|------------------------------------|-----------------------------------|----|---------|----|--------------|----|---------|-------------|

Campanula: Campanula, ...

| | | | | | | <u>DR, HB, LB</u> | | | |
|---------|-----------------------------|-----------------------------------|----|---------|----|-------------------|---|---------|-------------|
| CAM035X | 'Clips, Blue' (Qt.) | <i>C. carpatica 'Blue Clips'</i> | P3 | FS - PS | FP | Blue, Violet- | 8 | JN - SP | 6.95 |
| CAM050X | 'Clips, White' (Qt.) | <i>C. carpatica 'White Clips'</i> | P3 | FS - PS | FP | White | 8 | JN - SP | 6.95 |

Campanula:

| | | | | | | <u>DR, HB, LB</u> | | | |
|---------|---|---------------------------------|----|---------|----------|-------------------|----|---------|-------------|
| CAM065X | Canterbury Bells (Qt.); Cups & Saucers | <i>C. medium 'Calycanthema'</i> | B5 | FS - PS | FP | Pnk,Wht,Blu | 24 | JL - AG | 6.95 |
| CAM070X | Rampion (Qt.) | <i>Campanula rapunculus</i> | P4 | FS - PS | C, FP, M | Lav., Blue- | 30 | JL - AG | 6.95 |

| | | | | | | | | | |
|---------|--------------------------------|--------------------------------|----|---------|---------|--------------|----|-----|-------------|
| CAM060 | Camphor Tree | <i>Cinnamomum camphora</i> | TP | FS - PS | F, M, O | Cream | AD | ADP | 7.75 |
| ***** | Cananga see Ylang-Ylang | | | | | | | | |
| CAN595 | Cancer Bush | <i>Sutherlandia frutescens</i> | TP | FS | M | Orange,Red- | 60 | ADP | 7.95 |
| CAN077X | Candy Lily (Qt.) | <i>Pardancanda norrisii</i> | P5 | FS | FP | Mixed | 36 | AG | 7.75 |
| ***** | Candytuft see Iberis: | | | | | | | | |
| CAR070 | Caraway | <i>Carum carvi</i> | B3 | FS - PS | C | Green, Yllw- | 30 | ADP | 4.50 |
| CAR075 | Cardamon; Cardamom | <i>Elettaria cardamomum</i> | TP | PS - S | C, O | White | AD | ADP | 6.60 |
| CAR073 | Cardamon, Black | <i>Amomum subulatum</i> | TP | PS | C | | AD | ADP | 8.75 |

Carnivorous Plants:

Pitcher Plant, Cobra, ...

| CAR415X | Cobra (Qt.) | <i>Sarracenia minor</i> | P6 | FS - PS | FP, IU, NP | Chartreuse | 14 | MY - JN | 23.95 |
|----------|---------------------------|-----------------------------------|----|---------|------------|------------|----|---------|--------------|
| CAR605★ | 'Bug Bat' | <i>Sarracenia 'Bug Bat'</i> | P5 | FS - PS | FP, IU, NP | Red, Dark- | 16 | JL - SP | 9.95 |
| CAR420 | 'Dixie Lace' | <i>Sarracenia 'Dixie Lace'</i> | P6 | FS - PS | F, FP, IU | Red, Marn- | 10 | MY - JN | 15.95 |
| CAR425X | 'Dixie Lace' (Qt.) | <i>Sarracenia 'Dixie Lace'</i> | P6 | FS - PS | F, FP, IU | Red, Marn- | 10 | MY - JN | 21.95 |
| CAR615X★ | 'Red Bug' (Qt.) | <i>Sarracenia 'Red Bug'</i> | P6 | FS - PS | FP, IU | Red, Dark- | 10 | JL - SP | 23.95 |
| CAR430 | 'Scarlet Belle' | <i>Sarracenia 'Scarlet Belle'</i> | P5 | FS - PS | FP, IU, NP | Red, Dark- | 12 | JL - SP | 9.95 |

Pitcher Plant, Purple, ...

| CAR440X | Purple (Qt.) | <i>Sarracenia purpurea</i> | P2 | FS - PS | FP, IU, M, NP | Red, Dark- | 10 | JL - SP | 14.95 |
|---------|-----------------------------------|--------------------------------------|----|---------|---------------|------------|----|---------|--------------|
| CAR610X | Pitcher Plant, Purple (2Q) | <i>Sarracenia purpurea</i> | P2 | FS - PS | FP, IU, M, NP | Red, Dark- | 10 | JL - SP | 20.95 |
| CAR450X | 'Maroon' (Qt.) | <i>Sarracenia purpurea 'M.'</i> | P6 | FS - PS | FP, IU | Red, Dark- | 12 | JL - SP | 21.95 |
| CAR455X | 'Sultry Maiden' (Qt.) | <i>S. 'Mardi Gras' ('S. Maiden')</i> | P6 | FS - PS | FP, IU | Red | 10 | JL - SP | 19.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|-------------------------------------|-----|---------|----------------|---------------|----|---------|-------|
| Carnivorous Plants: (Continued) | | | | | MT | | | | |
| Pitcher Plant, Red Trumpet, ... | | | | | | | | | |
| CAR460 | 'Dana's Delight' | <i>Sarracenia 'Dana's Delight'</i> | P5 | FS - PS | F, FP, IU | Red, Deep- | 36 | JL - SP | 9.95 |
| CAR625X | 'Judith Hindle' (Qt.) | <i>S. leucophylla 'J. Hindle'</i> | P6 | FS - PS | FP, IU, NP | Brown & Pnk | 24 | JL - SP | 23.95 |
| CAR470X | 'Stephensii' (Qt.) | <i>Sarracenia 'Stephensii'</i> | P5 | FS - PS | FP, IU | Red, Deep- | 32 | JL - SP | 23.95 |
| Pitcher Plant, White Trumpet, ... | | | | | | | | | |
| CAR320X | 'White Trumpet' (Qt.) | <i>Sarracenia leucophylla</i> | P6 | FS - PS | FP, IU, LB, NP | Red, Brown- | 36 | JN - AG | 23.95 |
| CAR480 | 'Tarnok' | <i>S. leucophylla 'Tarnok'</i> | P6 | FS - PS | FP, IU, LB, NP | Red,Brn-;Dbl | 24 | JL - SP | 10.95 |
| CAR550X | 'Tarnok' (Qt.) | <i>Sarracenia l.'Tarnok'</i> | P6 | FS - PS | FP, IU, LB, NP | Red,Brn-;Dbl | 24 | JL - SP | 21.95 |
| Pitcher Plant, Yellow Trumpet, ... | | | | | | | | | |
| CAR490X | 'Yellow Trumpet' (Qt.) | <i>Sarracenia flava</i> | P5 | FS - PS | F, FP, IU, NP | Yellow | 36 | MY - JN | 23.95 |
| CAR495X | 'Moorei' (Qt.) | <i>Sarracenia x moorei</i> | P5 | FS - PS | F, FP, IU, NP | Yellow | 36 | MY - JN | 23.95 |
| CAR520X | 'Phantom' (Qt.) | <i>S. x moorei 'Phantom'</i> | P5 | FS - PS | F, FP, IU | Yellow; Lrg | 36 | MY - JN | 23.95 |
| Sundew, ... | | | | | | | | | |
| CAR405 | Octopus | <i>Drosera capensis</i> | P6* | FS - PS | FP, IU | Pink, Light- | 6 | JN - AG | 9.95 |
| CAR525 | Snake-Tongue; Forked-Leaf S. | <i>Drosera binata</i> | TP | FS - PS | FP, IU, M | White | 12 | JN - JL | 9.95 |
| CAR410 | Spatulate-Leaved | <i>D. spatulata (intermedia)</i> | TP | FS - PS | FP, IU, M | Blue, Light- | 2 | JL - SP | 8.75 |
| CAR530 | Spoon-Leaved | <i>Drosera intermedia</i> | P6 | FS - PS | FP, IU, M, NP | White | 4 | JN - JL | 8.75 |
| CAR535 | Thread-Leaf | <i>Drosera filiformis (tracyii)</i> | P6 | FS - PS | FP, IU, NP | Pink | 12 | JN - JL | 12.95 |
| Venus Fly Trap, ... | | | | | | | | | |
| CAR540 | Venus Fly Trap | <i>Dionaea muscipula</i> | P6 | FS - PS | FP, IU, NP | White | 6 | JN - AG | 8.75 |
| CAR515 | 'King Henry' (1.5" Traps) | <i>D. muscipula x 'King Henry'</i> | P6 | FS - PS | FP, IU, NP | White | 6 | JL - AG | 12.95 |
| CAR555 | 'Piranha' | <i>Dionaea m. x 'Dente'</i> | P6 | FS - PS | FP, IU, MT, NP | White | 4 | JL - AG | 12.95 |
| CAR560 | 'Red Dragon' | <i>D. muscipula 'Akai Ryu'</i> | P6 | FS - PS | FP, IU | White | 6 | JL - AG | 14.95 |
| CAR095 | Carob | <i>Ceratonia siliqua</i> | TP | FS - PS | C | Red | AD | ADP | 9.50 |
| Caryopteris: Caryopteris, ... | | | | | BF | | | | |
| CAR835X | Chinese, 'Snow Fairy' (Qt.) | <i>C. divaricata 'Snow Fairy'</i> | P6 | FS - PS | DR, FP, LB | Blue, Lav- | 60 | JL - AG | 8.75 |
| CAR098X | 'Longwood Blue' (Qt.) | <i>C. x clandonensis 'L. Blue'</i> | P5 | FS | DR, DT, FP, LB | Blue, Deep- | 24 | AG - SP | 7.50 |
| CAR055X | 'Sunshine Blue' (Qt.) | <i>C. x clandonensis 'S. Blue'</i> | P5 | FS | DR, DT, FP, LB | Blue, Deep- | 24 | AG - SP | 8.95 |
| ***** | Cat Thyme see Teucrium: | | | | | | | | |
| ***** | Catchfly, Royal see Silene: | | | | | | | | |
| ***** | Catmint & Catnip see Nepeta: | | | | | | | | |
| CEL095X | Celandine, Greater (Qt.) | <i>Chelidonium majus</i> | P4 | PS - S | LB, M | Yellow | 24 | AP - MY | 6.95 |
| CEL105X | Celandine Poppy (Qt.); Wood Poppy | <i>Stylophorum diphylllum</i> | P4 | PS - S | FP, NP | Yellow | 14 | AP - MY | 6.95 |
| Celastrus: Bittersweet, Climbing, American, ... | | | | | CF | | | | |
| <p>These twining vines are known for their showy clusters of orange-red berries that remain decorative for many months. The fruit is popular in fall bouquets and attracts birds. Easy to grow, they prefer good drainage in rich to poor soil and do nicely on fences. This native grows wild in our area and will climb up shrubs and trees, sometimes exceeding 30' in height. To ensure berries, only produced on the female, plant at least one male within 30 feet.</p> | | | | | | | | | |
| CEL525X | 'Indian Brave' (Qt.) (Male) | <i>C. scandens 'Indian Brave'</i> | P3 | FS - PS | FP, NP, VN, WG | Grn;No Fruit | VN | MY - JN | 8.75 |
| CEL530X | 'Indian Maiden' (Qt.) (Female) | <i>C. scandens 'I. Maiden'</i> | P3 | FS - PS | FP, NP, VN, WG | Grn;Org-RdFrt | VN | MY - JN | 8.75 |
| Centaurea: | | | | | BF, DR | | | | |
| CEN315X | Cornflower, Perennial Blue (Qt.); Perennial Bachelor Button | <i>Centaurea montana</i> | P3 | FS - PS | CF, D, FP, LB | Blue | 24 | JN - JL | 6.95 |
| CEN110X | Thistle, Red (Qt.); Knapweed | <i>Centaurea dealbata</i> | P4 | FS - PS | FP | Magenta | 24 | JN - JL | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|--|----|---------|-------------------------|----------------|----|---------|-------|
| Centranthus: Jupiter's Beard | | | | | | | | | |
| CEN005X | Valerian, Red (Qt.) | <i>Centranthus ruber</i> | P4 | FS - PS | BF, DR, LB F, FP | Pink, Deep- | 24 | JN - AG | 6.95 |
| Cerastium: Snow-in-Summer, ... | | | | | | | | | |
| CER460X | 'Silver Carpet' (Qt.) | <i>C. t. 'Silberteppich' ('S. C.)</i> | P3 | FS | DR, DT FP, GC, RG | White | 6 | MY - JN | 6.95 |
| CER465X | 'Yo Yo' (Qt.) | <i>C. tomentosum 'Yo Yo'</i> | P3 | FS | FP, RG | White | 4 | MY - JN | 6.95 |
| Chamomile, ... | | | | | | | | | |
| CHA135X | Dyer's (Qt.) | <i>Anthemis tinctoria</i> | P3 | FS - PS | D, FP, M | Gold, Lmn- | 16 | JL - AG | 6.95 |
| CHA115 | German | <i>Matricaria recutita</i> | HA | FS - PS | C, M | White; Daisy | 18 | JN - AG | 4.50 |
| CHA127 | German, 'Bodegold' | <i>Matricaria recutita 'B.'</i> | HA | FS - PS | C, M | White; Daisy | 24 | JN - AG | 4.50 |
| CHA120 | Roman | <i>Chamaemelum nobile</i> | P5 | FS - PS | C, DT, F, M, RG | White; Daisy | 4 | JN - AG | 4.50 |
| CHA130 | Roman, Double | <i>C. n. 'Ligulosum' ('Flore Pleno')</i> | P5 | FS | DT, F, M, RG | White; Dbl | 3 | JN - JL | 5.85 |
| CHA505 | 'Treneague'; Lawn Chamomile | <i>C. nobile 'T.' (Dwarf Roman)</i> | P5 | FS - PS | DT, F, GC, RG | Yellow Bttm | 2 | JL - AG | 5.85 |
| Chelone: Turtlehead, ... | | | | | | | | | |
| CHE395X | 'Hot Lips' (Qt.) | <i>Chelone lyonii 'Hot Lips'</i> | P3 | FS - PS | BF, DR, MT FP | Pink, Rose- | 36 | AG - SP | 7.75 |
| CHE390X | White (Qt.) | <i>C. glabra (obliqua 'Alba')</i> | P3 | FS - PS | FP, NP | White | 36 | AG - SP | 6.95 |
| Chenopodium: | | | | | | | | | |
| CHE015 | Epazote; Wormseed | <i>C. ambrosioides</i> | A | FS - PS | C, M | Green | 18 | JN - SP | 4.50 |
| CHE020X | Good King Henry (Qt.) | <i>C. Bonus-Henricus</i> | P3 | FS - PS | C | Yellow, Light- | 12 | JL - AG | 6.95 |
| CHE140 | Chervil | <i>Anthriscus cerefolium</i> | HA | FS - PS | C | White | 24 | JN - JL | 2.95 |
| CHI405X | Chicory (Qt.) | <i>Cichorium intybus</i> | P4 | FS - PS | C, FP, M | Blue, Bright- | 36 | JN - OC | 6.95 |
| CHI130X | Chinese Lantern, 'Gigantea' (Qt.) | <i>Physalis alkekengi 'G.'</i> | P3 | FS - PS | DF, FP | Orange | 18 | AG - SP | 7.75 |
| ***** | Chives see Allium: | | | | | | | | |
| CHO135X | Chocolate Flower (Qt.) | <i>Berlandiera lyrata</i> | P6 | FS | DR, F, FP, LB, NP | Yellow, Lht- | 18 | MY - AG | 7.75 |
| Chrysanthemum: Daisy, ... | | | | | | | | | |
| CHR650X | Daisy, Korean (Qt.) | <i>C. x morifolium x corianum</i> | P3 | FS | LB CF, DR, DT, FP | Pink | 24 | SP - OC | 6.95 |
| CHR055X | Montauk (Qt.) | <i>Chrysanthemum nipponicum</i> | P3 | FS - PS | CF, DR, DT, FP | White; Daisy | 36 | SP - OC | 7.95 |
| ***** | Cilantro see Coriander, Slow Bolting | | | | | | | | |
| ***** | Cilantro, Mexican see Eryngium: | | | | | | | | |
| Cimicifuga: (Actaea) Fairy Candles | | | | | | | | | |
| CIM545X | Cimicifuga, 'Atropurpurea' (Qt.) | <i>C. simplex (ramosa) 'A.'</i> | P3 | FS - PS | BF, DR, WG CF, F, FP | White, Crm- | 48 | AG - SP | 11.95 |
| CIM595X | Cimicifuga, 'Black Negligee' (Qt.) | <i>Cimicifuga simplex 'B. N.'</i> | P4 | FS - PS | CF, F, FP | White, Prpl- | 60 | AG - SP | 10.95 |
| She's hot, she's sexy - lacy black foliage on dark stems makes this plant as alluring as its name. An added bonus is her extremely fragrant purple-tinged white flower spikes which reach up to 5' in late-summer. Her intoxicating scent is reminiscent of vanilla, cinnamon and grape. No garden wardrobe should be without this enticing addition! | | | | | | | | | |
| CIM630X★ | Cimicifuga, 'Hillside Black Beauty' (2Q) | <i>C. s. 'H. B. B.'</i> | P4 | FS - PS | CF, F, FP | White | 54 | AG - SP | 16.95 |
| CIM615X | Cimicifuga, Japanese (Qt.) | <i>Cimicifuga japonica</i> | P4 | PS - S | CF, FP | White Spikes | 48 | AG - SP | 9.95 |
| CIM602X | Cohosh, Black (Qt.); Bugbane | <i>Cimicifuga racemosa</i> | P3 | FS - PS | FP, M, MT, NP | White Spikes | 48 | AG - SP | 6.95 |
| CIN635X | Cinnamon Tree (Qt.); True C. | <i>Cinnamomum zeylanicum</i> | TP | FS | C, O | White | AD | ADP | 15.95 |
| Citrus: (Cannot ship to FL or TX) (3" pot size approximate height 4 - 8"; Qt. pot size approximate height 1 - 2' & grafted) | | | | | | | | | |
| CIT050 | Citron, 'Buddha's Hand' | <i>Citrus medica 'Buddha's H.'</i> | TP | FS | C, O | White | AD | ADP | 10.95 |
| CIT075 | Citron, 'Etrog' | <i>Citrus medica 'Etrog'</i> | TP | FS | C, IU, O | White | AD | ADP | 11.95 |
| CIT005 | Lemon, 'Meyer' | <i>C. limon 'Meyer Improved'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 9.95 |
| CIT115X | Lemon, 'Meyer' (Qt.) | <i>C. limon 'Meyer Improved'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 23.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|------------------------------------|----|-----|-------------|--------------|----|-------|--------------|
| Citrus: (Cannot ship to FL or TX) (Continued) | | | | | | | | | |
| CIT605X | Lemon, 'Meyer' (1G) | <i>Citrus limon 'Meyer'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 34.95 |
| CIT010 | Lemon, 'Ponderosa' | <i>Citrus limon 'Ponderosa'</i> | TP | FS | C, F, IU, O | White; Frgrt | AD | ADP | 9.95 |
| CIT615X | Lemon, 'Ponderosa' (Qt.) | <i>Citrus limon 'Ponderosa'</i> | TP | FS | C, F, IU, O | White; Frgrt | AD | ADP | 23.95 |
| CIT060 | Lemon, Variegated, Pink | <i>Citrus limon 'Variegata'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 11.95 |
| CIT015 | Lime, Kaffir; Ichang Lime; Makrut | <i>Citrus hystrix</i> | TP | FS | C, F, O | White | AD | ADP | 10.95 |
| CIT125X | Lime, Kaffir (Qt.) | <i>Citrus hystrix</i> | TP | FS | C, F, O | White | AD | ADP | 24.95 |
| CIT020 | Lime, 'Key'; Mexican Lime; West Indian Lime | <i>C. aurantifolia 'K.'</i> | TP | FS | C, O | White | AD | ADP | 9.95 |
| CIT135X | Lime, 'Key' (Qt.); Mexican Lime | <i>Citrus aurantifolia 'Key'</i> | TP | FS | C, O | White | AD | ADP | 23.95 |
| CIT620X | Lime, 'Key' (3Q); Mexican Lime | <i>Citrus aurantifolia 'Key'</i> | TP | FS | C, O | White | AD | ADP | 32.95 |
| CIT025 | Lime, Persian; Tahitian Lime; Bearss Lime | <i>C. aurantifolia 'Tahiti'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 9.95 |
| CIT510X | Mandarin, 'Gold Nugget' (Qt.) | <i>C. reticulata 'Gold Nugget'</i> | TP | FS | C, F, O | White | AD | ADP | 30.95 |
| CIT515X | Orange, Blood, 'Moro' (Qt.) | <i>Citrus sinensis 'Moro'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 25.95 |
| CIT625X★ | Orange, Calamondin (Qt.) | <i>x Citrofortunella mitis</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 23.95 |
| CIT630X | Orange, Calamondin (1G) | <i>x Citrofortunella mitis</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 31.95 |
| CIT415X | Orange, Sweet, 'Midnight Valencia' (Qt.) | <i>C. s. 'M. V.'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 25.95 |
| CIT065 | Tangerine, 'Chinotto' | <i>Citrus aurantium 'Chinotto'</i> | TP | FS | C, F, O | White; Frgrt | AD | ADP | 9.95 |
| CIT045 | Tangerine, 'Dancy' | <i>Citrus reticulata 'Dancy'</i> | TP | FS | C, F, IU, O | White | AD | ADP | 9.95 |
| CIT055 | Tangerine, Mandarin, 'Satsuma' | <i>Citrus reticulata 'Satsuma'</i> | TP | FS | C, O | White | AD | ADP | 9.95 |

Claytonia:

| | | | | | | | | | |
|---------|---|----------------------------|----|---------|-----------|--------------|----|---------|-------------|
| CLA585X | Spring Beauty (Qt.); Fairy Spuds | <i>Claytonia virginica</i> | P5 | FS - PS | C, FP, NP | White, Pink- | 12 | MA - MY | 6.95 |
|---------|---|----------------------------|----|---------|-----------|--------------|----|---------|-------------|

Clematis: Clematis, ...

BF, DR, HB

A popular climbing species with abundant flowers over a long blooming period, Clematis are valued for their delightful variety of shape and color. Requiring at least six hours of sunlight, their roots need to be protected from drying out and excessive heat. This can be accomplished by mulching thickly around the base of the plant. Clematis are an excellent plant for walls, arbors or trellises.

It is a fallacy that clematis need to be pruned regularly. Even if never pruned, they would grow and bloom. General Rules: prune out all dead and misdirected growth. Direct the growth of strong stems onto support systems, gently tying growth to structures if necessary.

Prune Groups: (N/Group 1) - no pruning, remove all dead and weak stems after blooming. (M/Group 2) - moderate pruning should be done in late winter or early spring and consists of removing all dead and weak stems. Trim the remaining stems just enough to keep it under control. (H/Group 3) - hard pruning should be done in late winter or early spring. Remove old top growth to about 12 - 18" above ground level; this will give the plant a fresh start each year.

| | | | | | | | | | |
|----------|---|-------------------------------------|----|---------|-------------------|-----------------|-----|---------|--------------|
| CLE605X | Black, 'Midnight Showers' (Qt.) (M/G2) | <i>Clematis 'M. S.'</i> | P4 | FS - PS | CF, FP, LB, VN | Blk,Brgndy;-6" | 10' | MY - SP | 12.95 |
| CLE610X | Black, 'Niobe' (Qt.) (M/G2) | <i>Clematis 'Niobe'</i> | P4 | FS - PS | CF, FP, LB, VN | BlktoDpRd;-8" | 6' | JN - JL | 12.95 |
| CLE025X | Blue, Alpine, 'Stolwijk Gold' (Qt.) (N/G1) | <i>C. alpina 'S. Gold'</i> | P4 | FS - PS | CF, F, FP, LB, VN | Blue,Drk-;-2" | 6' | MY - JN | 15.95 |
| CLE560X | Blue, 'Blue Ribbons' (Qt.) | <i>C. integrifolia 'B. Ribbons'</i> | P4 | FS - PS | FP, LB | Blue,Indigo- | 16 | JN - AG | 11.95 |
| CLE675X★ | Blue, 'Crater Lake' (Qt.) (H/G3) | <i>C. 'Crater Lake' ('Mazury')</i> | P4 | FS - PS | FP, LB, VN | Blu, Sft-;-6" | 7' | JN - SP | 13.95 |
| CLE650X | Blue, 'Franziska Maria' (Qt.) (M/G2) | <i>C. 'F. M.' ('Evipo008')</i> | P4 | FS - PS | CF, FP, LB, VN | Blu,Azr-;-6"Dbl | | JN - SP | 13.95 |
| CLE565X | Blue, 'Jackmanii Superba' (Qt.) (H/G3) | <i>C. x 'J. Superba'</i> | P4 | FS - PS | FP, LB, VN | Blue,Vilt-;-5" | 10' | MY - SP | 12.95 |
| CLE810X | Blue, 'Multi Blue' (Qt.) (M/G2) | <i>Clematis 'Multi Blue'</i> | P4 | FS - PS | CF, FP, LB, VN | Blu,Ryl-;-5"Db | 8' | MY & AG | 11.95 |
| CLE815X | Blue, 'Roguchi' (Qt.) (M/G3) | <i>C. 'Roguchi' (integrifolia)</i> | P4 | FS - PS | CF, F, FP, LB, VN | Blue,CbIt-;-2" | 6' | JN - SP | 12.95 |
| CLE420X | Blue, 'Vyvyan Pennell' (Qt.) (M/G2) | <i>C. 'Vyvyan Pennell'</i> | P4 | FS - PS | CF, FP, LB, VN | Blu,Lv-;-D;-8" | 10' | MY - AG | 11.95 |
| CLE530X | Pink, 'Bees Jubilee' (Qt.) (M/G2) | <i>Clematis 'Bees Jubilee'</i> | P4 | FS - PS | CF, FP, LB, VN | Pnk,Mauv-;-8" | 10' | MY - JN | 12.95 |
| CLE820X | Pink, 'Duchess of Albany' (Qt.) (M/G3) | <i>C. texensis 'D. of A.'</i> | P4 | FS - PS | CF, FP, LB, VN | Pink;Uprht;-2" | 12' | JL - SP | 15.95 |
| CLE035X | Pink, 'Empress' (Qt.) (M/G2) | <i>Clematis 'Empress'</i> | P5 | FS - PS | CF, FP, LB, VN | Pink; 6" | 6' | JN - AG | 12.95 |
| CLE825X | Pink, 'Josephine' (Qt.) (M/G2) | <i>Clematis 'Josephine'</i> | P4 | FS - PS | CF, FP, LB, VN | Pink&Rse;-8" | 8' | JN - AG | 12.95 |
| CLE275X | Purple, 'Daniel Deronda' (Qt.) (M/G2) | <i>Clematis 'Daniel D.'</i> | P4 | FS - PS | FP, LB, VN | Prpl,Brht-;-8" | 8' | MY - SP | 11.95 |
| CLE680X★ | Purple, 'Diamantina' (Qt.) (M/G2) | <i>C. 'Diamantina' (Evipo039)</i> | P4 | FS - PS | FP, LB, VN | Prpl,Blu-;-6" | 7' | MY - AG | 13.95 |
| CLE425X | Purple, 'Fleuri' (Qt.) (M/G2) | <i>Clematis 'Fleuri' (Evipo042)</i> | P4 | FS - PS | CF, FP, LB, VN | Prpl,Dp-;-5" | 4' | MY - AG | 13.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|-------------------------------------|----|---------|----------------------|---------------|-----|---------|-------|
| Clematis: Clematis, ... (Continued) | | | | | BF, DR, HB | | | | |
| CLE540X | Red, 'Sprinkles' (Qt.) (H/G3) | <i>Clematis 'Sprinkles'</i> | P4 | FS - PS | FP, LB, VN | Rd,Mgnta-;6" | 10' | JN - SP | 13.95 |
| CLE215X | Red, 'Ville de Lyon' (Qt.) (H/G3) | <i>Clematis 'Ville de Lyon'</i> | P4 | FS - PS | CF, FP, LB, VN | Red,Prpl-;6" | 12' | JL - OC | 12.95 |
| CLE635X | White, 'Duchess of Edinburgh' (Qt.) (M/G2) | <i>C. 'D. of E.'</i> | P4 | FS - PS | CF, FP, LB, VN | Wht;Dbl; 6" | 12' | MY & SP | 12.95 |
| CLE645X | White, Sweet Autumn (Qt.) (H/G3) | <i>Clematis terniflora</i> | P4 | FS - PS | CF, F, FP, LB, VN | White; 1" | 20' | MY - JN | 8.75 |
| CLE555X | Yellow, 'Helios' (Qt.) (H/G3) | <i>Clematis tangutica 'Helios'</i> | P4 | FS - PS | F, FP, LB, VN | Yllw,Sngl-;4" | 6' | JN - OC | 12.95 |
| ***** Clover, Queens see Trifolium: | | | | | | | | | |
| COF172 | Coffee, Arabian | <i>Coffea arabica</i> | TP | FS | C, O | White | 48 | JL - AG | 8.75 |
| ***** Cohosh, Black see Cimicifuga: | | | | | | | | | |
| COH180X | Cohosh, Blue (Qt.) | <i>Caulophyllum thalictroides</i> | P4 | PS - S | FP, M, NP, WG | Purple, Grn- | 36 | JL - AG | 6.95 |
| COL195 | Coleus, 'Joseph's Coat' | <i>C. blumei 'Joseph's Coat'</i> | TP | FS - PS | O | Blue, Violet- | 12 | PRD | 5.85 |
| COL175 | Coleus, Oakleaf, 'Mars' | <i>Coleus 'Mars'</i> | TP | FS - PS | O | | 12 | | 5.85 |
| COL685★ | Coleus, 'Pineapple Splash' | <i>Coleus 'Pineapple Splash'</i> | TP | FS - PS | O | | 12 | | 7.25 |
| COL690★ | Coleus, 'Redhead' | <i>Coleus 'Redhead'</i> | TP | FS - PS | O | | 12 | | 7.25 |
| COL185X | Coltsfoot (Qt.) | <i>Tussilago farfara</i> | P5 | PS - S | BF, C, DR, M, NP | Yellow, Brht- | 12 | AP - MY | 6.95 |
| ***** Columbine see Aquilegia: | | | | | | | | | |
| ***** Comfrey see Symphytum: | | | | | | | | | |
| ***** Cone Flower see Echinacea: | | | | | | | | | |
| Convallaria: Lily of the Valley, ... | | | | | DR, F, GC, MT | | | | |
| CON445X | Pink (Qt.) | <i>Convallaria majalis 'Rosea'</i> | P2 | PS - S | CF, D, FP, WG | Pink, Mauve- | 10 | AP - MY | 6.95 |
| CON435X | White, Bigger Bell (Qt.) | <i>Convallaria m. 'Fortunei'</i> | P2 | PS - S | CF, D, FP, WG | White | 10 | AP - MY | 6.95 |
| CON650X | White, 'Bordeaux' (Qt.) | <i>Convallaria majalis 'B.'</i> | P2 | PS - S | CF, FP, WG | White; Lrg | 8 | AP - MY | 9.95 |
| CON640X | White, Double (Qt.) | <i>Convallaria m. 'Flore Pleno'</i> | P2 | PS - S | FP, WG | White; Dbl | 12 | AP - MY | 14.95 |
| CON440X | White, Old-Fashioned (Qt.) | <i>Convallaria majalis</i> | P2 | PS - S | CF, D, FP, M, WG | White | 10 | AP - MY | 6.95 |
| CON645X | White, Variegated (Qt.) (Spring Variegation) | <i>C. m. 'Aureovariegata'</i> | P2 | PS - S | FP, WG | White | 12 | AP - MY | 14.95 |
| ***** Coral Bells see Heuchera: | | | | | | | | | |
| Coreopsis: Coreopsis, ... | | | | | BF, DR, LB | | | | |
| COR350X | 'Bengal Tiger' (Qt.) | <i>Coreopsis 'Bengal Tiger'</i> | P5 | FS | CF, FP | Gold & Red | 22 | JN - OC | 8.75 |
| COR355X | 'Center Stage' (Qt.) | <i>Coreopsis 'Center Stage'</i> | P5 | FS | CF, FP | Red, Mgnta- | 22 | JN - SP | 8.75 |
| COR705X | 'Creme Brulee' (Qt.) | <i>Coreopsis 'Creme Brulee'</i> | P5 | FS | CF, FP, MT | Yellow, Soft- | 20 | JN - JL | 7.50 |
| COR625X | 'Heaven's Gate' (Qt.) | <i>Coreopsis 'Heaven's Gate'</i> | P5 | FS | CF, FP, MT | Pink & Rose | 24 | JN - JL | 7.50 |
| COR286X | 'Moonbeam' (Qt.) (92 PPA) | <i>Coreopsis verticillata 'M.'</i> | P4 | FS | CF, DT, FP | Yellow, Crm- | 18 | JL - SP | 6.95 |
| COR441X | Pink, 'American Dream' (Qt.) | <i>Coreopsis rosea 'A. Dream'</i> | P5 | FS - PS | CF, FP, MT | Pink, Bright- | 24 | JL - AG | 6.95 |
| COR440X | 'Sweet Dreams' (Qt.) | <i>Coreopsis rosea 'Sweet D.'</i> | P5 | FS - PS | CF, FP, MT | Whit&Rspbry | 24 | JN - JL | 7.75 |
| <p>She's sweet, and everything you've ever dreamed of in a coreopsis! A vigorous upright grower with dainty threadlike foliage to 24" tall, and topped with bicolor daisy blooms. The abundant flowers feature yellow button centers and a raspberry base that fades to white towards the petal tips. You'll love this attractive long bloomer!</p> | | | | | | | | | |
| COR305X | 'Zagreb' (Qt.) | <i>Coreopsis verticillata 'Z.'</i> | P4 | FS | CF, DT, FP | Yellow, Gold- | 18 | JN - JL | 7.75 |
| COR055 | Coriander, Slow Bolting, 'Calypso'; <i>Cilantro</i> (extra slow bolting) | <i>Coriandrum sativum 'C.'</i> | A | FS - PS | C | Yellow | 24 | JN | 2.95 |
| <p>An international favorite, this herb's pungent parsley-like leaves are used to flavor rice, curry, fish, bean, salad and soup dishes. The seeds, with a slight citrus flavor are used in pickles, desserts and many other recipes. 'Calypso' is slower to bolt than any other variety and will provide more leaves to harvest during the growing season.</p> | | | | | | | | | |
| ***** Coriander, Vietnamese see Polygonum: | | | | | | | | | |
| ***** Cornflower, Perennial see Centaurea: | | | | | | | | | |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|----------------------------------|--|-------------------------------------|----|---------|----------------|---------------|----|---------|-------|
| Corydalis: Corydalis, ... | | | | | | | | | |
| COR560X | 'Blue Panda' (Qt.) | <i>Corydalis flexuosa</i> 'Blue P.' | P5 | FS - PS | DR, F, FP, LB | Blue, Sky- | 8 | MY - JN | 9.95 |
| COR100X | Yellow (Qt.) | <i>Corydalis lutea</i> | P5 | PS - S | DR, FP, LB | Yellow | 12 | MY - JN | 6.95 |
| COS125X | Cosmos, 'Chocolate-Scented' (Qt.) | <i>C. atrosanguineus</i> | TP | FS | F, O | Maroon,Vlvt- | 36 | MY - SP | 7.75 |
| ***** | Costmary see Tanacetum: | | | | | | | | |
| Costus: | | | | | | | | | |
| COS405X | Insulin Plant (Qt.); Crepe Ginger | <i>Costus pictus (speciosus)</i> | TP | PS - S | C, M, O | Ylw;RdBrcts | AD | FB - MR | 7.25 |
| ***** | Cowslip see Primula: | | | | | | | | |
| ***** | Cranberry, American see Vaccinium: | | | | | | | | |
| CRO805X | Crocoshmia, 'George Davidson' (Qt.) | <i>Crocoshmia</i> 'G. D.' | P5 | FS | CF, DR, FP, HB | Yellow,Aprct- | 28 | JL - AG | 6.95 |
| CRO326X | Crocoshmia, 'Lucifer' (Qt.) | <i>Crocoshmia</i> 'Lucifer' | P5 | FS | CF, DR, FP, HB | Red, Bright- | 36 | JL - AG | 6.95 |
| CUL185X | Culver's Root (Qt.) | <i>Veronicastrum virginicum</i> | P3 | FS - PS | DR, FP, M, NP | White, Pink- | 48 | JL - AG | 7.25 |
| ***** | Cup, Indian see Silphium: | | | | | | | | |
| CUR240X | Currant, Red, 'Red Lake' (2Q) | <i>Ribes rubrum</i> 'Red Lake' | P4 | FS | C, M | Green, Yllw- | 36 | MY - JN | 14.95 |
| ***** | Curry Plant see Helichrysum: | | | | | | | | |
| ***** | Curry-Leaf see Murraya: | | | | | | | | |

Cypripedium: Lady's Slipper, ... (Spring & Fall Shipment Only) (Nursery Propagated)

Beautiful to behold, these rare orchids are becoming increasingly scarce in the wild. They are relatively easy to grow and prefer a location out of the midday sun in rich humus. Requiring vernalization - freezing during the winter months, they will not do well in warmer climates - above zone 7. Generally the Cypripediums will begin blooming in their 5th season: time of transplant, moisture levels and temperature can be a factor. We are offering blooming size plants in their 6th year - (XL) and 8th year - (XXL). The foliage may cause an allergic reaction to those with sensitive skin. Beware: deer are known to nibble on them - so protect accordingly.

| | | | | | | | | | |
|----------|--|---------------------------------|----|--------|------------------|---------------|----|---------|-------|
| CYP130X | Pink (Qt.) (Needs Acidic Soil) (XL) | <i>Cypripedium acaule</i> | P3 | PS - S | FP, MT, NP, WG | Pink | 12 | MY - JN | 19.95 |
| CYP415X | Pink, 'Philipp' (3Q) (XXL) | <i>Cypripedium</i> 'Philipp' | P4 | PS - S | FP, MT, WG | Pink & Purple | 16 | MY - JN | 64.95 |
| CYP830X★ | Red, 'Gisela' (Qt.) (XXL) | <i>Cypripedium</i> 'Gisela' | P4 | PS - S | FP, MT, WG | Red, Brgndy- | 16 | MY - JN | 59.95 |
| CYP420X | Showy, Pink (Qt.) (XXL) | <i>Cypripedium reginae</i> | P2 | PS - S | FP, MT, NP, WG | Pink & White | 18 | MY - JN | 59.95 |
| CYP430X | Showy, White (3Q) (XXL) | <i>Cypripedium reginae alba</i> | P2 | PS - S | FP, MT, NP, WG | White | 18 | MY - JN | 69.95 |
| CYP835X | White, 'Rita Alba' (2Q) (XXL) | <i>Cypripedium</i> 'Rita Alba' | P3 | PS - S | FP, MT, WG | White & Brn | 10 | MY - JN | 47.95 |
| CYP435X | Yellow, Moccasin (Qt.) (XXL) | <i>C. parviflorum makasin</i> | P3 | PS - S | F, FP, M, MT, NP | Yellow & Brn | 14 | MY - JN | 59.95 |

Cyrtanthus: African Fire Lily

| | | | | | | | | | |
|--------|-----------------------------------|------------------------------------|----|---------|---|--------------|----|-----|------|
| CYR340 | Cyrtanthus, 'Dark-Orange' | <i>C. x Doc McNeil</i> 'Dark-O.' | TP | FS - PS | O | Orange, Drk- | 12 | PRD | 6.60 |
| CYR345 | Cyrtanthus, 'Light-Orange' | <i>C. x Doc McNeil</i> 'L.-Orange' | TP | FS - PS | O | Orange, Lht- | 12 | PRD | 6.60 |

***** **Daisy see Ajania:, Aster:, Chrysanthemum:, Leucanthemum:, Tanacetum:**

| | | | | | | | | | |
|--------|----------------------------|----------------------------|----|----|----------|--------------|----|---------|------|
| DAM085 | Damiana, Large-Leaf | <i>Turnera ulmifolia</i> | TP | FS | IU, M, O | Yllw;BrnCntr | 14 | JL - AG | 7.25 |
| DAT110 | Date Palm | <i>Phoenix dactylifera</i> | TP | FS | C, O | Cream | AD | ADP | 7.75 |

Datura: Datura, ...

| | | | | | | | | | |
|--------|-------------------------------------|-------------------------------------|----|---------|--------------|-------------|----|---------|------|
| DAT305 | Double, 'Blackcurrant Swirl' | <i>Datura x candida</i> 'B. Swirl' | TP | FS - PS | M, O | Purple | 36 | PRD | 8.75 |
| DAT310 | Double, 'Golden Queen' | <i>Datura x candida</i> 'G. Q.' | TP | FS - PS | M, O | Yellow | 36 | PRD | 8.75 |
| DAT315 | Double, 'White Lady' | <i>Datura x candida</i> 'W. Lady' | TP | FS - PS | M, O | White | 36 | PRD | 8.75 |
| DAT440 | 'Pink Delight' | <i>D. suaveolens</i> 'Pink Delight' | TP | FS - PS | F-(PM), O | Pink, Rich- | 42 | PRD | 8.75 |
| DAT445 | Moonflower | <i>Datura innoxia</i> | HA | FS - PS | F-(PM), M, O | White | 36 | JL - SP | 8.75 |

***** **Day Lily see Hemerocallis:**

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|-----------------------------------|------------------------------|----------------------------------|-----|-----|----------------|--------------|----|---------|-------|
| Delosperma: Ice Plant, ... | | | | | | | | | |
| DEL400X | Orange, 'Fire Spinner' (Qt.) | <i>Delosperma 'Fire Spinner'</i> | P5 | FS | DT, FP, GC, RG | Orange & Pnk | 3 | MY - JL | 8.75 |
| DEL410X | Pink (Qt.) | <i>Delosperma cooperi</i> | P6* | FS | DT, FP, GC, RG | Purple | 3 | JL - AG | 6.95 |
| DEL415X | Yellow (Qt.) | <i>Delosperma nubigenum</i> | P5 | FS | DT, FP, GC, RG | Yellow | 3 | JL - AG | 6.95 |

Delphinium: Delphinium, ...

| | | | | | | | | | |
|---------|------------------------|----------------------------------|----|----|--------|-------------|----|---------|------|
| DEL222X | 'Blue Butterfly' (Qt.) | <i>D. grandiflorum 'Blue B.'</i> | P3 | FS | DT, FP | Blue, Deep- | 10 | JN - JL | 6.95 |
|---------|------------------------|----------------------------------|----|----|--------|-------------|----|---------|------|

Delphinium: Delphinium, Pacific Giant, ...

| | | | | | | | | | |
|---------|----------------------|----------------------------------|----|---------|------------|--------------|----|---------|------|
| DEL126X | 'Black Knight' (Qt.) | <i>Delphinium 'Black Knight'</i> | P3 | FS | CF, DF, FP | Violet, Dp- | 48 | JN - JL | 6.95 |
| DEL224X | 'Blue Bird' (Qt.) | <i>Delphinium 'Blue Bird'</i> | P3 | FS - PS | FP | Blue;WhtCtr | 48 | JN - JL | 6.95 |
| DEL129X | 'King Arthur' (Qt.) | <i>Delphinium 'King Arthur'</i> | P3 | FS | CF, DF, FP | Purpl;WhtCtr | 48 | JN - JL | 6.95 |
| DEL130X | 'Summer Skies' (Qt.) | <i>Delphinium 'Summer Skies'</i> | P3 | FS | CF, DF, FP | Blue, Light- | 36 | JN - JL | 6.95 |

Dianthus: Dianthus, ... (Flower petals edible on listed cultivars; remove petal ends.)

Varieties listed with a ☆ afterwards are compact mound forming species referred to as Moss Pinks - with growth that actually looks like moss. While those with a ° after their name are clump forming dwarf specimens with silvery blue foliage and covered with masses of 6-8" flowers in bloom - some extremely fragrant. All dianthus benefit by cutting back spent flowers which promotes reblooming. They prefer well-drained soil; some tolerating less than a full day of sun.

| | | | | | | | | | |
|---------|-----------------------------------|---------------------------------------|----|----|--------------|----------------|----|---------|------|
| DIA350X | 'Chomley Farran' (Qt.) | <i>Dianthus 'Chomley Farran'</i> | P6 | FS | CF, F, RG | Red & Grey | 18 | JN & SP | 9.95 |
| DIA362X | 'Clove Pink' (Qt.) | <i>D. gratianopolitanus 'C. P.'</i> | P3 | FS | C, F, RG | Pink | 12 | JN - JL | 6.95 |
| DIA405X | 'Coral Reef' (Qt.) | <i>Dianthus 'Coral Reef'</i> | P5 | FS | CF, F, RG | Coral,Dp-;Dbl | 10 | JN - JL | 8.95 |
| DIA225X | 'Dragon Fruit' (Qt.) | <i>Dianthus 'Dragon Fruit'</i> | P4 | FS | CF, F, RG | Pink, Mgnta- | 8 | JN - JL | 8.75 |
| DIA410X | 'Fire Star' (Qt.) | <i>Dianthus 'Fire Star'</i> | P5 | FS | CF, F, RG | Red, Vivid- | 8 | JN & SP | 8.75 |
| DIA375X | 'Firewitch' (Qt.) (06 PPA) | <i>Dianthus g. 'Feuerhexe'</i> | P3 | FS | F, RG | Pink, Mgnta- | 8 | JN - JL | 7.50 |
| DIA377 | Freyonii ☆ | <i>Dianthus freynii</i> | P5 | FS | RG | Pink, Bright- | 4 | JL - AG | 6.60 |
| DIA805X | 'Frosty Fire' (Qt.)° | <i>D. x allwoodii 'Frosty Fire'</i> | P4 | FS | CF, F, RG | Red, Cherry- | 6 | JN - AG | 7.75 |
| DIA360X | 'Kinsey Blue' (Qt.) | <i>D. 'K. B.' (gratianopolitanus)</i> | P5 | FS | CF, RG | Pink | 12 | JN - JL | 7.75 |
| DIA395X | 'McFarland' (Qt.)° | <i>Dianthus 'McFarland'</i> | P5 | FS | CF, RG | Pink, Bright- | 6 | JN - JL | 6.95 |
| DIA379 | 'Petite'° | <i>D. gratianopolitanus 'Petite'</i> | P3 | FS | F, RG | Pink | 2 | JL - AG | 6.60 |
| DIA235X | 'Pink Frills, Well-Sweep' (Qt.)° | <i>D. 'Well-Sweep Pink Frills'</i> | P4 | FS | RG | Pink,Sft-;Fryl | 3 | JN - JL | 7.75 |
| DIA381 | Simulans ☆ | <i>Dianthus simulans</i> | P4 | FS | RG | Rose | 2 | JN - JL | 6.60 |
| DIA383X | 'Snow Flurries' (Qt.)° | <i>D. arenarius 'Snow Flurries'</i> | P3 | FS | F, RG | White | 3 | JL - AG | 6.95 |
| DIA925X | 'Sternkissen Dick's Select (Qt.)° | <i>D. g. 'S. Dick's Select'</i> | P3 | FS | F, RG | Pink, Mgnta- | 5 | JN - JL | 7.25 |
| DIA385 | Subacaulis ☆ | <i>Dianthus subacaulis</i> | P4 | FS | RG | Pink, Deep- | 2 | JN - JL | 6.60 |
| DIA505X | 'Sweetness' (Qt.) | <i>Dianthus plumarius 'S.'</i> | P5 | FS | C, CF, F, RG | Pinks; Mixed | 6 | JN - JL | 6.95 |
| DIA185X | 'Tiny Rubies' (Qt.)° | <i>D. gratianopolitanus 'T. R.'</i> | P3 | FS | C, F, RG | Pink, Rose- | 2 | JN - JL | 6.95 |

Dianthus: Sweet William, ...

| | | | | | | | | | |
|---------|-----------------------------|-----------------------------------|----|---------|---------------|-------------|----|---------|------|
| DIA397X | 'Dwarf Indian Carpet' (Qt.) | <i>D. b. 'Indianer Teppich'</i> | P3 | FS - PS | DR, F, FP, RG | Mixed | 6 | MY - JN | 7.75 |
| DIA810X | 'Heart Attack' (Qt.) | <i>D. barbatus 'Heart Attack'</i> | P4 | FS - PS | DR, FP, RG | Red, Crmsn- | 12 | MY - JN | 8.75 |

Dicentra:

| | | | | | | | | | |
|---------|---------------------------|----------------------------|----|--------|------------|-------|---|---------|------|
| DIC365X | Dutchman's Breeches (Qt.) | <i>Dicentra cucullaria</i> | P4 | FS - S | FP, NP, WG | White | 8 | AP - MY | 7.25 |
|---------|---------------------------|----------------------------|----|--------|------------|-------|---|---------|------|

Dicentra: Bleeding Heart, ...

| | | | | | | | | | |
|---------|-------------------------------------|-------------------------------------|----|--------|------------|--------------|----|---------|-------|
| DIC330X | Dwarf, Pink, 'Luxuriant' (Qt.) | <i>D. formosa 'Luxuriant'</i> | P3 | FS - S | FP, LB, WG | Pink, Deep- | 15 | EVB | 7.75 |
| DIC335X | Dwarf, Red, 'Burning Hearts' (Qt.) | <i>Dicentra 'Burning Hearts'</i> | P5 | FS - S | FP, LB, WG | Red, Cherry- | 10 | EVB | 14.95 |
| DIC405X | Dwarf, Rose, 'King Of Hearts' (Qt.) | <i>Dicentra 'K. Of Hearts'</i> | P5 | FS - S | FP, LB, WG | Rose | 10 | EVB | 9.95 |
| DIC350X | Old-Fashioned, Pink (Qt.) | <i>Dicentra spectabilis</i> | P3 | FS - S | FP, WG | Pink, Deep- | 30 | AP - MY | 7.50 |
| DIC450X | Old-Fashioned, 'Valentine' (Qt.) | <i>Dicentra spectabilis 'V.'</i> | P3 | FS - S | FP, WG | Red, Deep- | 30 | AP - MY | 10.95 |
| DIC453X | Old-Fashioned, 'Valentine' (2Q) | <i>Dicentra spectabilis 'V.'</i> | P3 | FS - S | FP, WG | Red, Deep- | 30 | AP - MY | 13.95 |
| DIC355X | Old-Fashioned, White (Qt.) | <i>Dicentra spectabilis 'Alba'</i> | P3 | FS - S | FP, WG | White | 30 | AP - MY | 7.75 |
| DIC415X | Pink, 'Gold Heart' (Qt.) | <i>Dicentra spectabilis 'G. H.'</i> | P5 | PS - S | FP, LB, WG | Pink, Rose- | 26 | MY - JL | 9.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--------------------------------|---------------------------------------|----|---------|----------------|---------------|----|---------|-------|
| Dictamnus: | | | | | | | | | |
| DIC123X | Gasplant, Pink (Qt.) | <i>D. a. 'Purpureus' (f. 'Rubra')</i> | P3 | FS - PS | FP, IU | Pink | 30 | JN - JL | 8.75 |
| DIC128X | Gasplant, White (Qt.) | <i>D. albus (fraxinella 'Alba')</i> | P3 | FS - PS | FP, IU | White | 30 | JN - JL | 8.75 |
| Digitalis: Foxglove, ... (Cutting off seed heads when finished blooming helps plants perform as a perennial.) | | | | | | | | | |
| DIG285X | 'Apricot, Beauty' (Qt.) | <i>Digitalis purpurea 'A. B.'</i> | P4 | FS - PS | DR, FP, HB | Apricot, Pnk- | 36 | JN - JL | 6.95 |
| DIG635X★ | 'Camelot Rose' (2Q) | <i>Digitalis purpurea 'C. Rose'</i> | P5 | FS - PS | DR, FP, HB | Pink, Deep- | 48 | JN - JL | 9.50 |
| DIG290X | 'Candy Mountain' (Qt.) | <i>Digitalis purpurea 'C. M.'</i> | P4 | FS - PS | DR, FP, HB | Pink, Rose- | 48 | JN - JL | 6.95 |
| DIG455X | 'Dalmation Rose' (Qt.) | <i>Digitalis purpurea 'D. Rose'</i> | P4 | FS - PS | DR, FP, HB | Rose, Lav.- | 20 | JN - JL | 6.95 |
| DIG083X | Grecian (Qt.) | <i>Digitalis lanata</i> | P4 | FS - PS | DR, FP, HB, M | Cream | 24 | JL - AG | 6.95 |
| DIG085X | Medicinal (Qt.) | <i>Digitalis purpurea</i> | P4 | FS - PS | DR, FP, HB, M | Purple | 48 | JN - JL | 6.95 |
| DIG640X★ | 'Pam's Split' (2Q) | <i>Digitalis purpurea 'P. Split'</i> | P5 | FS - PS | DR, FP, HB | Wht&Brgndy | 48 | JN - JL | 9.50 |
| DIG235X | 'Strawberry' (Qt.) | <i>Digitalis 'Mertonensis'</i> | P4 | FS - PS | DR, FP, HB | Pink, Red- | 36 | JN - JL | 7.50 |
| DIG090X | White (Qt.) | <i>Digitalis purpurea 'Alba'</i> | P4 | FS - PS | DR, FP, HB, M | White | 48 | JN - JL | 6.95 |
| DIG105X | Yellow (Qt.) | <i>Digitalis grandiflora</i> | P4 | FS - PS | DR, FP, HB | Yellow | 30 | JN - JL | 6.95 |
| DIG115X | Yellow, Cream- (Qt.) | <i>Digitalis lutea</i> | P4 | FS - PS | DR, FP, HB, WG | Yellow, Crm- | 24 | JL - AG | 6.95 |
| ***** | Dill see Anethum: | | | | | | | | |
| Dipsacus: Teasel, ... | | | | | | | | | |
| DIP210X | Fuller's (Qt.) | <i>Dipsacus sativus</i> | B3 | FS | DF, FA, IU | White | 36 | JL - AG | 6.95 |
| Disporum: | | | | | | | | | |
| DIS605X | Fairy Bells, Yellow (Qt.) | <i>Disporum flavens (flavum)</i> | P4 | PS - S | FP, WG | Yellow | 30 | MY - JN | 8.95 |
| ***** | Dittany of Crete see Origanum: | | | | | | | | |
| Dodecatheon: Shooting Stars, ... (Summer Dormant) | | | | | | | | | |
| DOD590X | Pink, 'Aphrodite' (Qt.) | <i>Dodecatheon meadia 'A.'</i> | P4 | PS - S | DR, FP, NP, WG | Pink, Lilac- | 12 | MY - JN | 8.75 |
| DOD585X | White (Qt.) | <i>Dodecatheon m. 'Album'</i> | P5 | PS - S | DR, FP, NP, WG | White | 18 | MY - JN | 8.95 |
| DRA505X | Dragon Head, 'Fugi Blue' (Qt.) | <i>Dracocephalum a. 'Fugi B.'</i> | P4 | FS | FP, LB, RG | Blue, Violet- | 18 | JN - JL | 6.95 |
| DYE010X | Dyer's Madder (Qt.) | <i>Rubia tinctorum</i> | P5 | FS - PS | D | White | 12 | JL - AG | 6.95 |
| DYE210X | Dyer's Woad (Qt.) | <i>Isatis tinctoria</i> | B4 | FS - PS | M, D | Yellow | 48 | AG - SP | 6.95 |
| Echinacea: Cone Flower, ... | | | | | | | | | |
| ECH045X | 'Bright Star' (Qt.) | <i>E. p. 'Leuchstern' ('B. Star')</i> | P3 | FS - PS | CF, FP | Red, Rose- | 32 | JL - AG | 7.25 |
| ECH550X | 'Firebird' (Qt.) | <i>Echinacea 'Firebird'</i> | P4 | FS - PS | CF, DF, F, FP | Red | 25 | JL - AG | 11.95 |
| ECH530X | 'Flame Thrower' (Qt.) | <i>Echinacea 'Flame Thrower'</i> | P4 | FS | CF, DF, F, FP | Orng & Yllw | 40 | JN - SP | 12.95 |
| ECH460X | 'Fragrant Angel' (Qt.) | <i>E. purpurea 'Fragrant A.'</i> | P4 | FS - PS | CF, F, FP | White | 30 | JL - AG | 9.95 |
| ECH835X | 'Gum Drop' (Qt.) | <i>Echinacea 'Gum Drop'</i> | P4 | FS - PS | CF, DF, F, FP | Pink, Dark- | 32 | JL - AG | 10.95 |
| ECH840X | 'Hot Lava' (Qt.) | <i>Echinacea 'Hot Lava'</i> | P4 | FS - PS | CF, DF, F, FP | Red, Orng- | 32 | JL - AG | 12.95 |
| ECH845X | 'Hot Papaya' (Qt.) | <i>Echinacea 'Hot Papaya'</i> | P4 | FS - PS | CF, DF, F, FP | Orange, Rd- | 36 | JL - AG | 12.95 |
| ECH044X | 'Kim's Knee High' (Qt.) | <i>E.purpurea 'Kim's Knee H.'</i> | P3 | FS - PS | CF, FP | Pink | 18 | JL - AG | 10.95 |
| ECH850X | 'Mama Mia' (Qt.) | <i>Echinacea 'Mama Mia'</i> | P4 | FS - PS | CF, DF, F, FP | Orng,Rd-;Lrg | 26 | JL - SP | 11.95 |
| ECH085X | 'Maui Sunshine' (Qt.) | <i>Echinacea 'Maui Sunshine'</i> | P4 | FS - PS | CF, DF, F, FP | Yellow, Brht- | 48 | JL - AG | 12.95 |
| ECH040X | Narrow-Leaf (Qt.) | <i>Echinacea angustifolia</i> | P3 | FS - PS | FP, M, NP | Purple, Rse- | 24 | JL - AG | 7.25 |
| ECH555X | 'Pink Poodle' (Qt.) | <i>Echinacea 'Pink Poodle'</i> | P4 | FS - PS | CF, FP | Pink, Bright- | 32 | JL - AG | 10.95 |
| ECH015X | Purple (Qt.) | <i>Echinacea purpurea</i> | P3 | FS - PS | CF, FP, M, NP | Purple, Rse- | 32 | JL - AG | 6.95 |
| ECH065X | 'Ruby Giant' (Qt.) | <i>Echinacea purpurea 'R. G.'</i> | P3 | FS - PS | CF, FP | Red, Rose- | 30 | JL - AG | 9.95 |
| ECH830X | 'Sundown' (Qt.) | <i>Echinacea 'Sundown'</i> | P4 | FS - PS | CF, DF, F, FP | Orange,Brht- | 32 | JL - AG | 11.95 |
| ECH046X | Tennessee (Qt.) | <i>Echinacea tennesseensis</i> | P4 | FS - PS | CF, FP, NP | Pink | 24 | JL - AG | 7.25 |
| ECH090X | 'Tiki Torch' (Qt.) | <i>Echinacea 'Tiki Torch'</i> | P4 | FS - PS | CF, DF, F, FP | Orange, Drk- | 36 | JL - AG | 12.95 |
| ECH095X | 'Tomato Soup' (Qt.) | <i>Echinacea 'Tomato Soup'</i> | P4 | FS - PS | CF, DF, F, FP | Red, Flame- | 32 | JL - AG | 12.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|-------------------------------------|----|---------|-----------------------|---------------|----|---------|-------|
| Echinacea: Cone Flower, ... (Continued) | | | | | BF, DR, DT, LB | | | | |
| ECH025X | 'White Swan' (Qt.) | <i>E. purpurea</i> 'White Swan' | P3 | FS - PS | CF, FP | White | 24 | JL - AG | 7.75 |
| ECH075X | Yellow (Qt.) | <i>Echinacea paradoxa</i> | P3 | FS - PS | CF, FP, NP | Yellow | 36 | JL - AG | 6.95 |
| Echinops: Echinops, ... ; Globe Thistle | | | | | BF, DR, DT, HB | | | | |
| ECH030X | 'Taplow Blue' (Qt.) | <i>E. bannaticus</i> 'Taplow Blue' | P5 | FS | CF, DF, FP | Blue, Bright- | 36 | JL - AG | 6.95 |
| ECH205X | 'Veitch's Blue' (Qt.) | <i>Echinops ritro</i> 'Veitch's B.' | P4 | FS | CF, DF, FP | Blue, Vivid- | 42 | JL - AG | 7.75 |
| ***** | Edelweiss see Leontopodium: | | | | | | | | |
| ***** | Elderberry see Sambucus: | | | | | | | | |
| Elecampane, ... | | | | | | | | | |
| ELE020X | Elecampane (Qt.) | <i>Inula helenium</i> | P5 | FS | BF, FP, LB, M | Yellow | 72 | AG - SP | 6.95 |
| ELE025X | Fringed (Qt.) | <i>Inula magnifica</i> | P5 | FS | BF, FP, LB | Yellow; Daisy | 72 | AG - SP | 6.95 |
| ELE030X | Swordleaf (Qt.) | <i>Inula ensifolia</i> | P4 | FS | BF, DT, FP, LB | Yellow, Gld- | 18 | JL - AG | 7.75 |
| Elfin Herb, ... ; False Heather; Mexican Heather | | | | | | | | | |
| ELF027 | Dwarf | <i>Cuphea h. compacta</i> | TP | FS - PS | M, O | Pink | 8 | EVB | 5.85 |
| ELF030 | 'Lavender' | <i>Cuphea hyssopifolia</i> 'L.' | TP | FS - PS | M, O | Lavender | 15 | EVB | 5.85 |
| ELF035 | 'Pink, Dark-' | <i>C. hyssopifolia</i> 'Dark-Pink' | TP | FS - PS | M, O | Pink, Dark- | 15 | EVB | 5.85 |
| ELF045 | 'Rose' | <i>Cuphea hyssopifolia</i> 'Rose' | TP | FS - PS | M, O | Rose | 15 | EVB | 5.85 |
| ELF055 | 'Rose, Large' | <i>Cuphea hyssopifolia</i> 'L. R.' | TP | FS - PS | M, O | Red, Large- | 15 | EVB | 5.85 |
| ELF050 | White | <i>Cuphea hyssopifolia</i> 'Alba' | TP | FS - PS | M, O | White | 15 | EVB | 5.85 |
| ***** | Epazote see Chenopodium: | | | | | | | | |
| Ephedra: Ephedra, ... | | | | | | | | | |
| EPH302X | American (Qt.) | <i>Ephedra nevadensis</i> | P5 | FS | C, DT, M, NP | Green, Yllw- | 48 | JL - AG | 8.95 |
| EPH315X | Chinese (Qt.); Cao Ma Huang | <i>Ephedra sinica</i> | P5 | FS | DT, M | Yellow, Grn- | 18 | JL - AG | 8.95 |
| EPH320X | Green (Qt.) | <i>Ephedra viridis</i> | P5 | FS | C, DT, M, NP | Green, Yllw- | 36 | JL - AG | 8.95 |
| Epimedium: Epimedium, ... ; Fairy Wings | | | | | DR, DT, HB, WG | | | | |
| EPI620X | Pink, 'Lilafee' (Qt.) | <i>E. grandiflorum</i> 'Lilafee' | P4 | PS - S | BF, FP, GC | Pink, Lilac- | 8 | MY - JN | 8.95 |
| EPI645X★ | 'Purple Prince' (Qt.) | <i>E. grandiflorum</i> 'P. Prince' | P4 | PS - S | BF, FP, GC | Purple, Rich- | 12 | MY - JN | 14.95 |
| EPI835X | Red (Qt.) | <i>Epimedium x rubrum</i> | P4 | PS - S | BF, FP, GC | Red & White | 12 | MY - JN | 9.95 |
| EPI200X | 'Rose Queen' (Qt.) | <i>E. grandiflorum</i> 'R. Queen' | P4 | PS - S | BF, FP, GC | Rose, Dp- | 12 | MY - JN | 10.95 |
| EPI225X | White, 'Niveum' (Qt.) | <i>E. youngianum</i> 'Niveum' | P5 | PS - S | BF, FP | White | 10 | MY - JN | 10.95 |
| EPI230X | Yellow, 'Frohnleiten' (Qt.) | <i>E. perralchicum</i> 'F.' | P5 | PS - S | BF, FP, GC | Yellow | 10 | MY - JN | 9.95 |
| Equisetum: Horsetail, ... | | | | | DR, MT, WG | | | | |
| EQU055X | Common (Qt.) (Used like sandpaper) | <i>Equisetum hyemale</i> | P3 | FS - S | IU, M, NP, O | Brown | 30 | JN - JL | 6.95 |
| <p>Considered a living fossil - in prehistoric days this plant grew to tree heights, but today only reaches a few feet tall. Horsetail's unusual reed stems contain silica crystals which give them an abrasive quality, similar to emery cloth. This plant is superb for fine sanding of wood and metal and can even be used to file fingernails. Early cabinetmakers used horsetail grass to put a finish on their prized works which gave the wood a fine luster and patina. Irish women discovered that sanding their famous meerschaum pipes with horsetail grass under water produced a glass-like finish. From dry sand to swampy land, this plant thrives in any soil type and is not particular about light conditions.</p> | | | | | | | | | |
| EQU060X | Dwarf (Qt.); Dwarf Scouring Rush | <i>Equisetum scirpoides</i> | P5 | FS - S | NP, O | Brown | 8 | JN - JL | 7.25 |
| EQU072X | Field (Qt.); Common Scouring Rush | <i>Equisetum arvense</i> | P3 | FS - S | D, IU, M | Brown | 12 | JN - JL | 6.95 |
| Eremurus: | | | | | LB | | | | |
| ERE065X | Lily, Foxtail, Yellow (2Q) | <i>Eremurus stenophyllus</i> | P6 | FS | CF, DR, DT, FP | Yellow, Brht- | 48 | JL - AG | 10.45 |
| ERI305X | Erigeron, 'Tiny' (Qt.); Rock Fleabane | <i>Erigeron scopulinus</i> | P5 | FS - PS | DR, DT, LB, NP | White & Yllw | 1 | MY - JN | 7.75 |

Eryngium:

| | | | | | | | | | |
|--|--|--------------------------|----|----|---|-------|----|---------|-------------|
| ERY160 | Cilantro, Mexican; <i>Culantro; Recao</i> | <i>Eryngium foetidum</i> | TP | FS | C | Green | 10 | JL - AG | 6.25 |
| <p>A highly esteemed Mexican herb that grows like a low thistle with long serrated leaves and prickly flowers. A tender perennial, it prefers full sun and rich, well-drained soil and must be protected from freezing. Cutting off the seed heads will ensure a bounty of leaves - the prized part of this herb. Mexican Cilantro's leaves are stronger and more pungent in flavor than regular Slow Bolting Coriander, <i>Coriandrum sativum</i>, but not as potent or productive as the Vietnamese Coriander, <i>Polygonum odoratum</i>. The fresh or dried leaves of this cilantro are used for making soups, curries, bean and rice dishes.</p> | | | | | | | | | |

Eryngium: Eryngium, ... ; Sea Holly

| | | | | | | | | | | |
|---------|---------------------------------|--------------------------------|----|---------|--|----------------|--------------|----|---------|-------------|
| ERY645X | 'Blaukappe' (Qt.) | <i>E. planum 'Blaukappe'</i> | P5 | FS | | BF, CF, DF, FP | Blue, Deep- | 26 | JL - AG | 6.95 |
| ERY665X | 'Blue Hobbit' (Qt.) | <i>E. planum 'Blue Hobbit'</i> | P4 | FS | | BF, CF, DF, FP | Blue | 18 | JL - SP | 7.75 |
| ERY530X | Giganteum (Qt.) | <i>Eryngium giganteum</i> | P5 | FS | | CF, DF, FP | Blue, Steel- | 36 | JL - AG | 7.25 |
| ERY600X | Rattlesnake Master (Qt.) | <i>Eryngium yuccifolium</i> | P5 | FS - PS | | FP, NP | White | 48 | JL - SP | 7.25 |

| | | | | | | | | | | |
|---------|--|---------------------------|----|----|--|--------|------------|----|---------|-------------|
| ERY305X | Erysimum, 'John Codrington' (Qt.) | <i>Erysimum 'John C.'</i> | P6 | FS | | FP, RG | Rd,Ylw&Pnk | 10 | MY - JN | 7.75 |
|---------|--|---------------------------|----|----|--|--------|------------|----|---------|-------------|

Eucalyptus: Eucalyptus, ... ; Gum

| | | | | | | | | | | |
|--------|----------------------|-------------------------------|----|----|--|-------------|--------------|----|-----|-------------|
| EUC073 | Apple | <i>Eucalyptus bridgesiana</i> | TP | FS | | F, O | Green, Blue- | AD | ADP | 6.60 |
| EUC075 | Lemon | <i>Eucalyptus citriodora</i> | TP | FS | | F, M, O | Green, Blue- | AD | ADP | 6.60 |
| EUC080 | Medicinal | <i>Eucalyptus globulus</i> | TP | FS | | F, M, O | Green, Blue- | AD | ADP | 7.75 |
| EUC085 | Silver Dollar | <i>Eucalyptus cinerea</i> | TP | FS | | D, DF, F, O | Green, Blue- | AD | ADP | 5.85 |

Eupatorium:

| | | | | | | | | | | |
|---------|--------------------------------------|-----------------------------------|----|---------|--|----------------|--------------|----|---------|-------------|
| EUP465X | Eupatorium, 'Baby Joe' (Qt.) | <i>Eupatorium dubium 'B. Joe'</i> | P4 | FS - PS | | FP | Purple, Pnk- | 24 | AG - SP | 8.75 |
| EUP035X | Eupatorium, 'Chocolate' (Qt.) | <i>Eupatorium rugosum 'C.'</i> | P4 | FS - PS | | FP | White | 60 | AG - SP | 7.75 |
| EUP065X | Joe-Pye Weed (Qt.) | <i>Eupatorium purpureum</i> | P3 | FS - PS | | CF, DF, FP, NP | Purple, Pnk- | 60 | AG - SP | 7.25 |

Euphorbia:

| | | | | | | | | | | |
|---------|---|--------------------------------|----|---------|--|----------------|---------------|----|---------|-------------|
| EUP535X | Euphorbia, 'Ascot Rainbow' (Qt.) | <i>E. x martinii 'A. R.'</i> | P6 | FS - PS | | DR, FP, RG | Green, Yllw- | 20 | JN - JL | 8.95 |
| EUP230X | Euphorbia, Robbiae (Qt.) | <i>E. amygdaloides robbiae</i> | P6 | FS - PS | | DR, FP, LB, RG | Yellow | 24 | JN - JL | 8.75 |
| EUP225 | Moleplant | <i>Euphorbia lathyris</i> | HA | FS | | DR, IU | Gray, Grn- | 36 | AG - SP | 4.50 |
| EUP520X | Spurge (Qt.); Milkwort | <i>Euphorbia polychroma</i> | P4 | FS - PS | | DR, FP, M, RG | Yellow | 16 | MY - JN | 6.95 |
| EUP845X | Spurge, Myrsine (Qt.) | <i>Euphorbia myrsinites</i> | P5 | FS - PS | | DR, LB, FP, RG | Yellow, Brht- | 8 | MY - JN | 7.25 |

***** Fairy Bells see Disporum:

***** Fairy Candles see Cimicifuga:

***** Fairy Spuds see Claytonia:

| | | | | | | | | | | |
|---------|---|----------------------------|----|--------|--|-----------|--------------|----|---------|-------------|
| FAI935X | Fairy Wand (Qt.); False Unicorn Root | <i>Chamaelirium luteum</i> | P4 | PS - S | | FP, M, NP | White Spikes | 32 | MY - JN | 8.95 |
|---------|---|----------------------------|----|--------|--|-----------|--------------|----|---------|-------------|

***** Fairy Wings see Epimedium:

***** Fennel see Foeniculum:

Fern, ...

| | | | | | | | | | | |
|---------|-----------------------------------|------------------------------------|----|--------|--|---------------|----------------|----|---------|-------------|
| FER705X | Autumn, 'Brilliance' (Qt.) | <i>Dryopteris erythrosora 'B.'</i> | P4 | PS - S | | EG, O, WG | Grn,Dk-;Frds | 24 | | 7.75 |
| FER107X | Christmas (Qt.) | <i>Polystichum acrostichoides</i> | P3 | PS - S | | EG, NP, O, WG | Grn,Glsy-;Frds | 18 | | 7.25 |
| FER115X | Cinnamon (Qt.) | <i>Osmunda cinnamomea</i> | P3 | PS - S | | C, FP, NP, WG | Brown,Cnm- | 32 | AG - SP | 7.25 |
| FER605X | Deer (Qt.) | <i>Blechnum spicant</i> | P5 | PS - S | | NP, O, WG | Grn,Dk-;Frds | 20 | | 8.75 |
| FER125X | Dixie Wood (Qt.) | <i>Dryopteris x australis</i> | P5 | PS - S | | O, WG | Grn,Dk-;Frds | 54 | | 7.50 |
| FER850X | Eastern Wood (Qt.) | <i>Dryopteris marginalis</i> | P3 | PS - S | | EG, O, WG | Grn,Dk-;Frds | 30 | | 7.75 |
| FER113X | Eastern Wood (2Q) | <i>Dryopteris marginalis</i> | P3 | PS - S | | EG, O, WG | Grn,Dk-;Frds | 30 | | 9.95 |

***** Faerie see Leptinella:

| | | | | | | | | | | |
|---------|----------------------|-------------------------|----|--------|--|-------|----------------|----|--|-------------|
| FER710X | 'Ghost' (Qt.) | <i>Athyrium 'Ghost'</i> | P4 | PS - S | | O, WG | Grn,Frst-;Frds | 36 | | 8.95 |
|---------|----------------------|-------------------------|----|--------|--|-------|----------------|----|--|-------------|

| | | | | | | | | | | |
|---------|----------------------------|--|----|--------|--|-----------|-----------------|----|--|-------------|
| FER155X | Hart's Tongue (Qt.) | <i>Asplenium (Phyllitis) scolopendrium</i> | P3 | PS - S | | NP, O, WG | Grn,Lstrs-;Frds | 20 | | 9.95 |
|---------|----------------------------|--|----|--------|--|-----------|-----------------|----|--|-------------|

| | | | | | | | | | | |
|---------|--|------------------------------------|----|--------|--|-------|---------------|----|--|-------------|
| FER109X | Japanese Painted (Qt.) (04 PPA) | <i>Athyrium niponicum 'Pictum'</i> | P3 | PS - S | | O, WG | Rd,Prpl-;Frds | 18 | | 8.75 |
|---------|--|------------------------------------|----|--------|--|-------|---------------|----|--|-------------|

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|--------------------------------------|------------|---------|-----------------|-------------------|----|---------|--------------|
| Fern, ... (Continued) | | | | | | DR, GC, MT | | | |
| FER470X | Japanese Painted, 'Godzilla' (Qt.) | <i>Athyrium n. 'Pictum G.'</i> | P3 | PS - S | O, WG | Rd,Prpl;-Frds | 36 | | 9.95 |
| FER610X | Japanese, Crested, 'Applecourt' (Qt.) | <i>A. n. 'Pictum-A.'</i> | P3 | PS - S | O, WG | Rd,Prpl;-Frds | 18 | | 7.75 |
| FER150X | Japanese, 'Silver Falls' (Qt.) | <i>Athyrium niponicum 'S. F.'</i> | P3 | PS - S | O, WG | Slvr&Rd;Frds | 15 | | 10.95 |
| FER715X | Japanese, 'Ursula's Red' (Qt.) | <i>Athyrium niponicum 'U. R.'</i> | P4 | PS - S | O, WG | Rd&Slvr;Frds | 16 | | 9.95 |
| FER160X | Lady (Qt.) | <i>Athyrium filix-femina</i> | P3 | PS - S | NP, O, WG | Green; Frds | 18 | | 7.75 |
| FER135X | 'Lady in Red' (Qt.) | <i>Athyrium filix-f. 'L. in R.'</i> | P3 | PS - S | O, WG | Grn&Rd;Frds | 32 | | 7.75 |
| FER725X | Lady, Dwarf (Qt.) | <i>Athyrium f.-f. 'Minutissimum'</i> | P4 | PS - S | O, WG | Grn,Lht;-Frds | 8 | | 9.95 |
| A regal treat in the shade garden; dainty, well behaved and a stunning miniature clump - she's a real looker! | | | | | | | | | |
| FER615X | Lady, 'Victoria' (Qt.) | <i>Athyrium f.-f. 'Victoriae'</i> | P4 | PS - S | O, WG | Grn;Frds;X-Lf | 24 | | 8.75 |
| FER110X | Maidenhair, Five-Fingered (Qt.) | <i>Adiantum pedatum</i> | P3 | PS - S | NP, O, WG | Grn,Dk;-Frds | 24 | | 7.25 |
| FER745X | 'Ocean's Fury' (Qt.) | <i>Athyrium 'Ocean's Fury'</i> | P5 | PS - S | O, WG | Grn,Slvr;-Frds | 36 | | 9.95 |
| FER140X | Ostrich (Qt.) | <i>Matteuccia struthiopteris</i> | P2 | PS - S | C, FP, NP, WG | Brown,Dark- | 60 | AG - SP | 8.95 |
| FER515X | Ostrich (2Q) | <i>Matteuccia struthiopteris</i> | P2 | PS - S | C, FP, NP, WG | Brown,Dark- | 60 | AG - SP | 11.95 |
| FER620X | Ostrich, 'The King' (Qt.) | <i>Matteuccia s. 'Jumbo'</i> | P2 | PS - S | C, FP, NP, WG | Brown,Dark- | 84 | AG - SP | 9.95 |
| FER525X | Ostrich, 'The King' (2Q) | <i>M. struthiopteris 'Jumbo'</i> | P2 | PS - S | C, FP, NP, WG | Brown,Dark- | 84 | AG - SP | 12.95 |
| A selected cultivar of the Ostrich Fern, 'Jumbo' has enormous feathery fronds that can reach up to 7' given the right conditions. Easy to grow, it does best in rich, moist, shaded sites and is good for naturalizing, foliage backdrop and foundation plantings. The fiddleheads are edible and considered a delicacy on both varieties. | | | | | | | | | |
| FER145X | Royal, American (Qt.) | <i>Osmunda regalis spectabilis</i> | P2 | PS - S | FP, NP, WG | Rust | 48 | JL - AG | 7.25 |
| FER940X | Sensitive (Qt.) | <i>Onoclea sensibilis</i> | P4 | PS - S | FP, NP, WG | Brown,Dark- | 24 | AG - SP | 7.25 |
| FER315X | Sweet (Qt.) | <i>Comptonia peregrina</i> | P4 | FS - PS | C, F, FP, M, NP | Green, Yllw- | 36 | JL - AG | 8.75 |
| FER165X | Tatting, 'Frizelliae' (Qt.) | <i>Athyrium filix-femina 'F.'</i> | P5 | PS - S | O, WG | Grn,Lht;-Frds | 18 | | 8.95 |
| ***** | Feverfew see Tanacetum: | | | | | | | | |
| ***** | Feverfew, American see Parthenium: | | | | | | | | |
| Fig, (Edible), ... | | | | | | Fruit | | | |
| FIG505X | 'Alma' (Qt.) | <i>Ficus carica 'Alma'</i> | P7* | FS | C, FP, M | Green, Yllw- | AD | AG - SP | 15.95 |
| FIG305X | 'Black Mission' (Qt.) | <i>Ficus carica 'Black Mission'</i> | P7 | FS | C, FP, M | Purple, Drk- | AD | AG - SP | 15.95 |
| FIG650X | 'Black Mission' (4Q) (2'~Extra S&H) | <i>Ficus carica 'Black M.'</i> | P7 | FS | C, FP, M | Purple, Drk- | AD | AG - SP | 28.95 |
| FIG475X | 'Brown Turkey' (Qt.) | <i>Ficus carica 'Brown Turkey'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 13.95 |
| FIG655X | 'Brown Turkey' (4Q) (2'~Extra S&H) | <i>Ficus carica 'B. Turkey'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 28.95 |
| FIG480X | 'Cape Cod Hardy' (Qt.) | <i>Ficus carica 'C. Cod Hardy'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 15.95 |
| FIG515X | 'Celeste' (Qt.) | <i>Ficus carica 'Celeste'</i> | P6* | FS | C, FP, M | Brown, Vilt- | AD | AG - SP | 15.95 |
| FIG025X | 'Celeste' (3Q) (2'~Extra S&H) | <i>Ficus carica 'Celeste'</i> | P6* | FS | C, FP, M | Brown, Vilt- | AD | AG - SP | 35.95 |
| FIG870X | 'Chicago Hardy' (Qt.) | <i>Ficus carica 'Chicago H.'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 13.95 |
| FIG310X | 'Chicago Hardy' (4Q) (2'~Extra S&H) | <i>F. carica 'Chicago H.'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 28.95 |
| FIG315X | 'Hartford Hardy' (Qt.) | <i>Ficus carica 'Hartford H.'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 15.95 |
| FIG660X | 'Hartford Hardy' (4Q) (2'~Extra S&H) | <i>Ficus carica 'H. H.'</i> | P6* | FS | C, FP, M | Brown, Prpl- | AD | AG - SP | 28.95 |
| FIG485X | 'LSU Purple' (Qt.) | <i>Ficus carica 'LSU Purple'</i> | P6* | FS | C, FP, M | Purple, Dp- | AD | AG - SP | 15.95 |
| FIG665X | 'LSU Purple' (4Q) (2'~Extra S&H) | <i>Ficus carica 'LSU Purple'</i> | P6* | FS | C, FP, M | Purple, Dp- | AD | AG - SP | 28.95 |
| FIG520X | 'Melanzana' (Qt.) | <i>Ficus carica 'Melanzana'</i> | P7* | FS | C, FP, M | Brown, Yllw- | AD | AG - SP | 15.95 |
| FIG670X | 'Melanzana' (4Q) (2'~Extra S&H) | <i>Ficus carica 'Melanzana'</i> | P7* | FS | C, FP, M | Brown, Yllw- | AD | AG - SP | 28.95 |
| FIG235X | 'Sicilian' (Qt.) | <i>Ficus carica 'Sicilian'</i> | P7* | FS | C, FP, M | Purple, Drk- | AD | AG - SP | 15.95 |
| FIG675X | 'Sicilian' (4Q) (2'~Extra S&H) | <i>Ficus carica 'Sicilian'</i> | P7* | FS | C, FP, M | Purple, Drk- | AD | AG - SP | 28.95 |
| Fig, (Ornamental), ... | | | | | | | | | |
| FIG049 | Creeping, Variegated | <i>Ficus pumila 'Variegata'</i> | TP | PS - S | O | | 1 | | 5.85 |
| FIG055 | Trailing, Miniature | <i>Ficus pumila 'Minima'</i> | TP | PS - S | O | | .5 | | 5.85 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|--|------------|---------|-----------------------|---------------|----|---------|--------------|
| Filipendula: Meadowsweet, ... | | | | | <u>DR, MT</u> | | | | |
| FIL015X | Dwarf, Pink (Qt.) | <i>Filipendula palmata</i> 'Nana' | P3 | FS - PS | FP, WG | Pink | 24 | JN - JL | 7.25 |
| FIL030X | Fernleaf, White (Qt.); Dropwort | <i>Filipendula vulgaris</i> | P3 | FS - PS | FP, M, WG | White | 24 | JN - JL | 6.95 |
| FIL080X | Fernleaf, White, Double- (Qt.) | <i>F. vulgaris</i> 'Multiplex' | P3 | FS - PS | FP, WG | Wht;Ultr-Dbl | 16 | JN - JL | 7.75 |
| FIL025X | Golden (Qt.) | <i>Filipendula ulmaria</i> 'Aurea' | P3 | FS - PS | FP, WG | White | 24 | JN - JL | 7.75 |
| FIL075X | Japanese, Dwarf, Light-Rose (Qt.) | <i>F. palmata</i> 'Kokome' | P3 | FS - PS | FP, WG | Rose | 10 | JL - AG | 7.25 |
| FIL061X | Pink (Qt.) | <i>Filipendula species</i> | P3 | FS - PS | FP, WG | Pink | 42 | JN - JL | 7.25 |
| FIL055X | Pink, Double- (Qt.) | <i>F. purpurea</i> 'Elegans' | P3 | FS - PS | FP, WG | Pink; Dbl | 48 | JN - JL | 7.25 |
| FIL062X | Pink, Rose- (Qt.); Queen-of-the-Prairie | <i>F. rubra</i> 'Venusta' | P3 | FS - PS | FP, NP, WG | Pink, Rose- | 60 | JN - JL | 7.50 |
| FIL060X | White, Double- (Qt.) | <i>F. u. 'Plena'</i> ('Flore Pleno') | P3 | FS - PS | FP, WG | White; Dbl | 16 | JN - JL | 7.25 |
| FIL063X | White, Variegated (Qt.) | <i>F. ulmaria</i> 'Variegata' | P3 | FS - PS | FP, WG | White | 24 | JN - JL | 7.75 |
| ***** | Flax, Perennial see Linum: | | | | | | | | |
| FLO680★ | Flowering Maple, 'Red Tiger' | <i>Abutilon</i> 'Red Tiger' | TP | FS - PS | O, FP | Yellow & Rd | 24 | EVB | 10.95 |
| ***** | Fo-Ti see Polygonum: | | | | | | | | |
| ***** | Foam Flower see Tiarella: | | | | | | | | |
| Foeniculum: Fennel, ... | | | | | | | | | |
| FOE005 | Bronze (Seeds & leaves used) | <i>F. v. 'Rubrum'</i> ('Purpureum') | HA | FS - PS | BF, C, DT, O | Yellow | 24 | JL - SP | 4.50 |
| FOE010 | Florence; <i>Finocchio</i> Leaf stalk & bulb used) | <i>F. vulgare azoricum</i> | A | FS | BF, C, DT | Yellow | 24 | | 2.95 |
| FOE015 | Sweet (Seeds & leaves used) | <i>Foeniculum vulgare</i> 'Dulce' | A | FS | BF, C, D, DT | Yellow | 36 | JN - JL | 2.95 |
| ***** | Forget-Me-Not, Perennial see Brunnera: | | | | | | | | |
| FOR500X | Forsythia, Variegated, 'Well-Sweep' (Qt.) | <i>Forsythia intermedia</i> 'Well-Sweep Herb Farm' | P5 | FS - PS | CF, DR, FP, O | Yellow, Brht- | 36 | MR - AP | 9.95 |
| ***** | Foxglove see Digitalis: | | | | | | | | |
| ***** | Fragaria: see Strawberry | | | | | | | | |
| FRA875 | Frankincense, Arabian (3-5" Tall); <i>Bible Frankincense</i> (Needs bottom heat during cooler months.) (Call for availability) | <i>Boswellia sacra</i> (carteri) | TP | FS | F, C, D, IU, O, M | White | AD | ADP | 49.95 |
| FRI945X | Fringe Cups (Qt.) | <i>Tellima grandiflora</i> | P5 | PS - S | DR,DT,FP,M,NP | Pink | 32 | MY - JN | 7.75 |
| Fuchsia: Fuchsia, ... | | | | | | | | | |
| FUC130 | Hardy | <i>Fuchsia magellanica</i> | P6* | FS - PS | FP, HB | Pink&Mgnta | AD | JN - SP | 7.50 |
| FUC120 | 'Little Jewel' | <i>Fuchsia</i> 'Little Jewel' | TP | PS | BF, HB, O | Rose & Prpl | 12 | EVB | 6.60 |
| FUC535 | Thyme-Leaf | <i>Fuchsia thymifolia</i> | TP | PS - S | BF, HB, O | Mgnta, Rse- | 12 | EVB | 6.60 |
| FUC125 | 'Tom-Thumb' | <i>Fuchsia</i> 'Tom-Thumb' | TP | PS | BF, HB, O | Rose & Prpl | 8 | EVB | 6.60 |
| Gaillardia: Gaillardia, ... ; Blanket Flower | | | | | <u>BF, DR, DT, LB</u> | | | | |
| GAI545X | 'Arizona Apricot' (Qt.) | <i>Gaillardia aristata</i> 'A. A. | P3 | FS | FP, RG | Yellow&Aprct | 12 | JN - AG | 7.25 |
| GAI210X | 'Goblin' (Qt.) | <i>Gaillardia</i> 'Kobold' ('Goblin') | P3 | FS | FP, RG | Rd;YlwMrgns | 12 | JN - AG | 6.95 |
| GAI655X | 'Oranges & Lemons' (Qt.) | <i>Gaillardia</i> 'Oranges and L.' | P4 | FS | FP, RG | Orng, Aprct- | 18 | JN - SP | 7.75 |
| GAI685X★ | 'Red Sun' (Qt.) | <i>G. grandiflora</i> 'Red Sun' | P3 | FS | FP, RG | Red, Orng- | 14 | MY - SP | 7.75 |
| Galax: | | | | | <u>DR, WG</u> | | | | |
| GAL695X | Beetleweed (2Q); Wandflower | <i>Galax urceolata</i> (aphylla) | P5 | PS - S | EG, FP, GC, NP | White, Milk- | 24 | MY - JL | 11.95 |
| Galium: | | | | | <u>DR</u> | | | | |
| GAL230X | Bedstraw, Yellow (Qt.) | <i>Galium verum</i> | P3 | FS - PS | C, D, DT, FP, M | Yellow | 10 | JL - AG | 6.95 |
| GAL075X | Woodruff, Sweet (Qt.) | <i>Galium odoratum</i> | P4 | PS - S | C, F, FP, GC, WG | White | 8 | MY - JN | 7.50 |
| GAR880 | Gardenia, 'Aimee' | <i>Gardenia</i> 'Aimee Yoshioka' | TP | FS - PS | F, O | White; 5" | 36 | PRD | 8.75 |
| GAR003 | Gardenia, Dwarf; Cape Jasmine | <i>G. jasminoides</i> 'Radicans' | TP | FS - PS | F, O | White | 6 | EVB | 7.25 |
| GAR015 | Gardenia, 'First Love' | <i>Gardenia</i> 'First Love' | TP | FS - PS | F, O | White | 36 | EVB | 7.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|-------------------------------------|----|---------|----------------|---------------|----|---------|-------|
| ***** | Gas Plant see Dictamnus: | | | | | | | | |
| Gaura: Gaura, ... | | | | | DR, DT | | | | |
| GAU115X | 'Siskiyou Pink' (Qt.) | <i>Gaura lindheimeri</i> 'S. Pink' | P6 | FS | FP, LB | Pink, Rose- | 24 | JN - SP | 7.25 |
| GAU005X | 'Whirling Butterflies' (Qt.) | <i>G. lindheimeri</i> 'Whirling B.' | P6 | FS | FP, LB | White | 36 | JN - OC | 6.95 |
| GAZ105X | Gazania, 'Colorado Gold' (Qt.) | <i>Gazania linearis</i> 'C. Gold' | P4 | FS - PS | DR, DT, FP, LB | Yellow, Brht- | 3 | JN - SP | 7.50 |
| Gentiana: Gentian, ... | | | | | | | | | |
| GEN300X | Closed (Qt.); <i>Bottle Gentian</i> | <i>Gentiana andrewsii</i> | P4 | FS - S | DR, FP, WG | Blue | 18 | AG - SP | 9.95 |
| GEN323X | Dahurica (Qt.) | <i>Gentiana dahurica</i> | P3 | FS - PS | DR, FP, WG | Blue, Deep- | 16 | AG - SP | 7.75 |
| GEN605X | Lagodechi, Dwarf (Qt.) | <i>G. septemfida lagodechiana</i> | P3 | FS - PS | DR, FP, RG | Blue, Intns- | 8 | AG - SP | 7.50 |
| GEN340X | 'True Blue' (Qt.) | <i>Gentiana</i> 'True Blue' | P4 | FS - PS | DR, FP, LB, RG | Blue, Vivid- | 24 | AG - SP | 10.95 |
| GEN495X | Trumpet, 'Holzmann' (Qt.) | <i>G. acaulis</i> 'Holzmann' | P4 | FS - PS | DR,FP,LB,M,RG | Blue, Dark- | 3 | MY & AG | 15.95 |
| GEN690X★ | Trumpet, 'Maxima' (Qt.) | <i>Gentiana acaulis</i> 'Maxima' | P4 | FS - PS | DR,FP,LB,M,RG | Blue, Deep- | 3 | MY & AG | 16.95 |
| GEN695X | Trumpet, 'Maxima' (2Qt) | <i>Gentiana acaulis</i> 'Maxima' | P4 | FS - PS | DR,FP,LB,M,RG | Blue, Deep- | 3 | MY & AG | 22.95 |
| GEN505X | Trumpet, 'Undulatifolia' (Qt.) | <i>G. acaulis</i> 'Undulatifolia' | P4 | FS - PS | DR,FP,LB,M,RG | Blue, Velvet- | 3 | MY & AG | 16.95 |
| Extra large, intense velvet-blue, upward facing trumpets; clump forming - extraordinary! One of the best trumpet gentians to grow; very adaptable - needs good drainage. Spring blooming, can rebloom throughout season. | | | | | | | | | |
| ***** | Geranium, Scented see Pelargonium: | | | | | | | | |
| Geranium: | | | | | DR, LB | | | | |
| GER040X | Herb Robert (Qt.) | <i>Geranium robertianum</i> | HA | PS | FA, M | Pink | 12 | JN - OC | 6.95 |
| Geranium: Perennial Geranium, ... | | | | | DR, LB | | | | |
| GER065X | 'Ballerina' (Qt.) | <i>Geranium cinereum</i> 'B.' | P4 | FS - PS | FP, RG | Pink, Lilac- | 6 | MY - JN | 7.95 |
| GER315X | 'Biokovo' (Qt.) (15 PPA) | <i>G. x cantabrigiense</i> 'B.' | P4 | FS - PS | FP, RG | White, Pink- | 12 | JN - AG | 6.95 |
| GER066X | 'Claridge Druce' (Qt.) | <i>G. x oxonianum</i> 'C. Druce' | P4 | FS - PS | FP, RG | Pink, Lilac- | 22 | JN - SP | 7.25 |
| GER067X | Cranesbill, Pink (Qt.) | <i>G. sanguineum striatum</i> | P3 | FS - PS | DT, FP, RG | Pink, Light- | 8 | MY & AG | 7.75 |
| GER355X | Cranesbill, White (Qt.) | <i>G. sanguineum</i> 'Album' | P3 | FS - PS | DT, FP, RG | White | 12 | JL - AG | 6.95 |
| GER395X | 'Dark Reiter' (Qt.) | <i>G. pratense</i> 'Dark Reiter' | P4 | FS - PS | DT, FP, RG | Blue, Lilac- | 10 | JL - AG | 8.95 |
| GER490X | 'Espresso' (Qt.) | <i>G. maculatum</i> 'Espresso' | P4 | PS - S | FP | Pink, Lav.- | 18 | MY - JN | 8.75 |
| GER070X | 'Johnson's Blue' (Qt.) | <i>Geranium</i> 'Johnson's Blue' | P4 | FS - PS | FP, RG | Blue, Bright- | 16 | MY - SP | 7.75 |
| GER325X | 'Karmina' (Qt.) | <i>G. x cantabrigiense</i> 'K.' | P4 | FS - PS | FP, RG | Pink, Deep- | 9 | JN - AG | 6.95 |
| GER354X | 'Laurence Flatman' (Qt.) | <i>G. cinereum</i> 'L. Flatman' | P4 | FS - PS | FP, RG | Lilac & Prpl | 6 | JN - AG | 8.75 |
| GER320X | 'Max Frei' (Qt.) | <i>G. sanguineum</i> 'Max Frei' | P3 | FS - PS | FP, RG | Purple, Red- | 8 | JN - SP | 7.75 |
| GER075X | Musk (Qt.) | <i>Geranium macrorrhizum</i> | P4 | FS - PS | DT, F, FP, RG | Magenta | 14 | MY - JN | 7.75 |
| GER615X | Native (Qt.) | <i>Geranium maculatum</i> | P4 | PS - S | FP, M, NP | Pink, Lav.- | 18 | MY - JN | 6.95 |
| GER890X | Native, White (Qt.) | <i>G. maculatum</i> 'Album' | P4 | PS - S | FP, M, NP | White | 18 | MY - JN | 7.75 |
| GER575X | 'Patricia' (Qt.) | <i>Geranium</i> 'Patricia' | P4 | FS - PS | FP, RG | Pink, Mgnta- | 25 | JN - JL | 7.95 |
| GER356X | 'Philippe Vapelle' (Qt.) | <i>Geranium</i> 'Philippe Vapelle' | P4 | FS - PS | FP, RG | Blue, Prpl- | 15 | JN - JL | 7.75 |
| GER580X | 'Purple Pillow' (Qt.) | <i>G. cinereum</i> 'Purple Pillow' | P4 | FS - PS | FP, RG | Purple, Red- | 12 | JN - JL | 9.95 |
| GER620X | 'Rozanne' (Qt.) (08 PPA) | <i>Geranium</i> 'Rozanne' | P5 | FS - PS | FP, RG | Blue, Violet- | 30 | JN - AG | 9.95 |
| GER350X | 'Wargrave Pink' (Qt.) | <i>G. endressii</i> 'Wargrave P.' | P4 | FS - PS | FP, RG | Pink, Slmn- | 18 | JN - SP | 6.95 |
| GER475 | German Healing Onion | <i>Ornithogalum caudatum</i> | TP | FS - PS | M, O | White | 12 | ADP | 6.60 |
| GER650X | German Statice, 'Woodcreek' (Qt.) | <i>Gonolimon tataricum</i> W.' | P5 | FS | DF, FP, LB, RG | White | 12 | JL - SP | 6.95 |
| ***** | Germander see Teucrium: | | | | | | | | |
| Geum: Geum, ... | | | | | | | | | |
| GEU565X | Double, 'Red Dragon' (Qt.) | <i>Geum chilense</i> 'Red D.' | P5 | FS - PS | DR, FP | Red, Scrlt- | 18 | JN - JL | 7.75 |
| GEU540X | Prairie Smoke (Qt.) | <i>Geum triflorum</i> | P3 | FS - PS | DR, FP, MT, NP | Purple, Rse- | 12 | MY - JN | 6.95 |
| ***** | Ginger, Perennial Varieties see Asarum: | | | | | | | | |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|---|-----|---------|---------------|----------------|-----|---------|-------|
| GIN575X | Ginger, Thai (Qt.); <i>Greater Galangal</i> | <i>Alpinia galanga</i> | TP | FS - PS | C, O, M | White | 48 | ADP | 9.95 |
| GIN535 | Ginger, True; <i>Common Ginger</i> | <i>Zingiber officinale</i> | TP | PS - S | C, M | Green, Yllw- | 16 | ADP | 6.95 |
| GIN540X | Ginger, Variegated (Qt.) | <i>Alpinia zerumbet 'Variegata'</i> | TP | PS - S | C, O | Pink | 36 | JL - AG | 9.95 |
| GIN515X | Ginkgo Biloba (2Q); <i>Maidenhair Tree</i> | <i>Ginkgo biloba</i> | P4 | FS | DR, M | Yellow | AD | SP | 10.95 |
| GOJ605X | Goji Berry (Qt.); <i>Gau-Gei; Chinese Boxthorn</i> | <i>Lycium chinense</i> | P6 | FS - PS | C, M | Prpl;ScritBry | 24 | MY - JN | 6.95 |
| GOL115X | Goldenrod, 'Fireworks' (Qt.) | <i>Solidago rugosa 'Fireworks'</i> | P4 | FS - PS | BF,D,DT,DR,FP | Yellow, BrInt- | 36 | AG - SP | 7.75 |
| GOL565X | Goldenseal (Qt.) (4th Season) | <i>Hydrastis canadensis</i> | P4 | PS - S | D, DR, M, NP | Yellow;Rd Frt | 12 | AP - MY | 13.95 |
| ***** | Good King Henry see Chenopodium: | | | | | | | | |
| GOO505X | Gooseberry, Pink (Qt.) | <i>Ribes grossularia 'Pink'</i> | P4 | FS - PS | C | Frt:Pink,Rd- | 24 | MY - JN | 9.95 |
| GOO510X | Gooseberry, Red, 'Jeanne' (Qt.) | <i>Ribes grossularia 'Jeanne'</i> | P4 | FS - PS | C | Frt:Red,Dp- | 36 | JN - JL | 10.95 |
| GOT570 | Gotu Kola | <i>Centella asiatica</i> | TP | PS - S | IU, M | Beige | 4 | PRD | 6.60 |
| GOT420 | Gotu Kola, Large-Leaf | <i>Centella asiatica major</i> | TP | PS - S | IU, M | Beige | 6 | PRD | 6.60 |
| GOT815 | Gotu Kola, Variegated | <i>Hydrocotyle sibthorpioides 'Variegata'</i> | TP | FS - S | FP, GC, MT | White, Grn- | .5 | JN - JL | 5.85 |
| ***** | Gout Weed, Silver-Edged see Aegopodium: | | | | | | | | |
| GRA305X | Grape, 'Concord' (2Q) | <i>Vitis labrusca 'Concord'</i> | P5 | FS | C, M, VN | Frt:Blu,Prpl- | 12' | JN - JL | 9.95 |
| Grass, ... | | | | | | | | | |
| GRA510 | Grass, Black Mondo, Dwarf | <i>Ophiopogon japonicus n. 'Nana'</i> | P6* | PS - S | DR, FP, O | Pink | 6 | | 11.95 |
| GRA505X | Grass, Black Mondo (Qt.) | <i>O. planiscapus 'Nigrescens'</i> | P6* | PS - S | DR, FP, O | Pink | 6 | JL - AG | 13.95 |
| GRA406X | 'Bowles Golden' (Qt.) | <i>Carex elata 'Aurea' ('B. Golden')</i> | P5 | PS - S | DR, FP, MT | Brown | 30 | | 9.95 |
| GRA105X | Citronella (Qt.) | <i>Cymbopogon nardus</i> | TP | FS | C, DR, F | Green, Lht- | 36 | NV - JA | 6.95 |
| GRA310 | 'Fiber-Optic' | <i>Eleocharis radicans</i> | TP | FS - PS | O, MT, NP | Brown | 2 | JN - JL | 6.60 |
| GRA825X | Japanese Forest, 'All Gold' (Qt.) | <i>Hakonechloa macra 'A. G.'</i> | P5 | PS - S | DR, FP, WG | Red | 24 | AG - SP | 9.95 |
| GRA210X | Japanese Forest, Variegated (Qt.) | <i>H. macra 'Aureola'</i> | P5 | PS - S | DR, FP, WG | Red | 24 | AG - SP | 10.95 |
| GRA110X | Lemon (Qt.) | <i>Cymbopogon citratus</i> | TP | FS | C, F, M, MT | Green, Lht- | 30 | JL - AG | 6.95 |
| <p>Particularly popular in Indian and Thai cuisine, this native perennial of Southern India and Ceylon is a culinary jewel - with a distinct and refreshing taste of lemon. The lower six inches of the fresh succulent stalks offer the best flavor. To harvest, remove the side shoots which allow the main plant to continue growing. The hearts are eaten as a vegetable with rice, and the chopped stalks are used for sauces, curries and pastes, as well as in fish, poultry and pork dishes. A refreshing hot or cold tea is made from the leaves and is recognized for its antiseptic properties.</p> | | | | | | | | | |
| GRA115X | Oat (Qt.); <i>Wild Oats</i> | <i>Chasmanthium latifolium</i> | P3 | FS - PS | DR, FP, LB | Tan | 30 | JL - AG | 6.95 |
| GRA135X | Russian Buffalo (Qt.) | <i>Hierochloe odorata</i> | P4 | FS | C, F, NP | Tan | 12 | JL - AG | 6.95 |
| GRA145X | Sweet Vernal (Qt.); <i>Indian Sweet G.</i> | <i>Anthoxanthum odoratum</i> | P4 | FS | C, F, FP | Green | 14 | AG | 6.95 |
| ***** | Greek Mountain Tea see Sideritis: | | | | | | | | |
| GUA370 | Guava, Strawberry; <i>CattleyGuava</i> | <i>Psidium littorale longipes</i> | TP | FS - PS | C, O | White;Rd Frt | AD | ADP | 8.75 |
| GYN405 | Gynura; <i>Leaves of the Gods; Diabetes Plant</i> | <i>Gynura procumbens</i> | TP | FS - PS | C, M | Yellow | 12 | | 8.95 |
| Gypsophila: Baby's Breath, ... | | | | | | | | | |
| GYP035X | 'Compacta Plena' (Qt.) | <i>G. paniculata 'C. Plena'</i> | P3 | FS | CF, DF, FP | White; Dbl | 18 | JL - AG | 7.50 |
| GYP040X | Creeping, 'Alba' (Qt.) | <i>Gypsophila repens 'Alba'</i> | P3 | FS | FP, GC, RG | White | 8 | MY - JN | 7.50 |
| GYP036X | Creeping, 'Rosea' (Qt.) | <i>Gypsophila repens 'Rosea'</i> | P3 | FS | FP, GC, RG | Pink | 6 | MY - JN | 6.95 |
| GYP007X | 'Fairy Perfect' (Qt.) | <i>G. p. 'Fairy P.' ('Perfecta')</i> | P3 | FS | CF, DF, FP | White;LrgDbl | 36 | JL - AG | 9.95 |
| GYP014X | 'Pink Fairy' (Qt.) | <i>G. paniculata 'Pink Fairy'</i> | P3 | FS | CF, DF, FP | Pink | 18 | JL - AG | 7.75 |
| HAR905 | Hardy Orange, 'Flying Dragon' | <i>Poncirus trifoliata 'F. D.'</i> | P6* | FS | FP, F, LB, O | White | AD | MY - JN | 8.75 |
| Haskap, ... ; Honeyberry (need one of each for cross pollination) | | | | | | | | | |
| HAS610X★ | 'Honeybee' (6Q) | <i>Lonicera caerulea 'H. Bee'</i> | P3 | FS - PS | C, FP, NP | White;BluFrt | 6' | MY - JL | 19.95 |
| HAS615X★ | 'Tundra' (6Q) | <i>Lonicera caerulea 'Tundra'</i> | P | FS - PS | C, FP, NP | White;BluFrt | 6' | MY - JL | 19.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|-----------------------------|-----------------------------------|--------------------------------------|----|---------|----------------|--------------|----|---------|-------|
| Heather, Scotch, ... | | | | | | | | | |
| HEA825X | Lavender, 'Winter Chocolate' (3Q) | <i>Calluna vulgaris</i> 'W. C.' | P4 | FS - PS | CF, DT, FP, LB | Lav., Light- | 10 | AG - SP | 13.95 |
| HEA850X | Pink, 'Firefly' (Qt.) | <i>Calluna vulgaris</i> 'Firefly' | P5 | FS | CF, DT, FP, LB | Pink, Prpl- | 18 | AG - SP | 9.95 |
| HEA843X | Pink, 'Firefly' (3Q) | <i>Calluna vulgaris</i> 'Firefly' | P5 | FS | CF, DT, FP, LB | Pink, Prpl- | 18 | AG - SP | 13.95 |
| HEA855X | Pink, 'Multicolor' (Qt.) | <i>Calluna vulgaris</i> 'Multicolor' | P4 | FS - PS | CF, DT, FP, LB | Mauve,Pale- | 6 | AG - SP | 9.95 |
| HEA410X | Pink, 'Multicolor' (3Q) | <i>Calluna vulgaris</i> 'Multicolor' | P4 | FS - PS | CF, DT, FP, LB | Mauve,Pale- | 6 | AG - SP | 13.95 |

Hedeoma:

| | | | | | | | | | |
|--------|----------------------|----------------------------|----|--------|-------------|-------|----|---------|------|
| HED045 | Pennyroyal, American | <i>Hedeoma pulegioides</i> | HA | FS - S | C, F, M, NP | White | 12 | JL - AG | 4.50 |
|--------|----------------------|----------------------------|----|--------|-------------|-------|----|---------|------|

Helianthus: Artichoke, Jerusalem, ...

| | | | | | | | | | |
|---------|------------------|-----------------------------------|----|----|---------------|--------------|----|---------|------|
| HEL325X | Red Root (Qt.) | <i>Helianthus tuberosus</i> 'Red' | P4 | FS | C, DT, FP | Yellow;Daisy | 80 | AG - SP | 6.95 |
| HEL330X | White Root (Qt.) | <i>Helianthus tuberosus</i> | P4 | FS | C, DT, FP, NP | Yellow;Daisy | 96 | AG - SP | 6.95 |

Helianthus: Helianthus, ...

| | | | | | | | | | |
|---------|---------------------|---------------------------------|----|----|----------------|---------------|----|---------|------|
| HEL459X | 'Lemon Queen' (Qt.) | <i>Helianthus</i> 'Lemon Queen' | P5 | FS | CF, DT, FP, LB | Yellow, Pale- | 72 | JN - JL | 6.95 |
|---------|---------------------|---------------------------------|----|----|----------------|---------------|----|---------|------|

Helichrysum:

| | | | | | | | | | |
|--------|-----------------------------|------------------------------------|----|----|------|--------|----|---------|------|
| HEL333 | Curry Plant | <i>Helichrysum italicum</i> | TP | FS | F, O | Yellow | 12 | JN - JL | 6.25 |
| HEL334 | Curry Plant, 'Giant' | <i>Helichrysum i.</i> 'Giant' | TP | FS | F, O | Yellow | 12 | JN - JL | 6.25 |
| HEL335 | Curry Plant, Miniature | <i>H. italicum microphyllum</i> | TP | FS | F, O | Yellow | 6 | JN - JL | 6.25 |
| HEL337 | Curry Plant, 'Pointed-Leaf' | <i>Helichrysum i.</i> 'Pointed-L.' | TP | FS | F, O | Yellow | 12 | JN - JL | 6.25 |

Heliopsis: Heliopsis, ...

| | | | | | | | | | |
|---------|------------------------------|-------------------------------------|----|---------|----------------|--------------|----|---------|------|
| HEL105X | 'Summer Sun' (Qt.) | <i>H. helianthoides</i> 'S. Sun' | P3 | FS - PS | CF, DT, FP, LB | Yellow | 48 | JL - AG | 6.95 |
| HEL420X | Variegated, 'Sunburst' (Qt.) | <i>H. helianthoides scabra</i> 'S.' | P4 | FS - PS | CF, DT, FP, LB | Yellow,Gold- | 36 | JN - SP | 8.75 |

***** Heliotrope, Garden see Valeriana:

Heliotropium: Heliotrope, Fragrant, ...

| | | | | | | | | | |
|--------|--------------|------------------------------------|----|----|----------|-------------|----|-----|------|
| HEL005 | Purple | <i>Heliotropium arborescens</i> | TP | FS | BF, F, O | Purple | 15 | EVB | 5.85 |
| HEL210 | 'Strawberry' | <i>H. arborescens</i> 'Strawberry' | TP | FS | BF, F, O | Blue, Lav.- | 8 | EVB | 6.25 |
| HEL015 | White | <i>H. arborescens</i> 'Alba' | TP | FS | BF, F, O | White | 12 | EVB | 5.85 |

| | | | | | | | | | |
|---------|---|------------------------|----|--------|----------------|--------------|----|---------|------|
| HEL830X | Hellebore, False (2Q) (All Parts Toxic) | <i>Veratrum viride</i> | P3 | PS - S | DR, LB, MT, NP | Yellow, Grn- | 48 | MY - JL | 9.95 |
|---------|---|------------------------|----|--------|----------------|--------------|----|---------|------|

Helleborus:

Heralding in the season, these attractive early-spring bloomers are a welcome sight to the gardener. Dark-green shiny leaves are topped with masses of long-lasting blooms offered in a kaleidoscope of colors - great in fresh arrangements. These tough deer resistant perennials prefer a moderately shady location with rich, well-drained, sweet soil.

| | | | | | | | | | |
|----------|---------------------------------------|-------------------------------------|----|--------|------------|--------------|----|---------|------|
| HEL605X | Christmas Rose (Qt.); Black Hellebore | <i>Helleborus niger</i> | P4 | PS - S | FP, LB, WG | White, Pink- | 12 | MR - AP | 9.95 |
| HEL620X★ | Christmas Rose, 'Loretta's' (Qt.) | <i>H. niger</i> 'Loretta's' (major) | P4 | PS - S | FP, LB, WG | White to Crm | 16 | MR - AP | 9.95 |

Helleborus: Hellebore, ...

| | | | | | | | | | |
|---------|-----------------------------------|-------------------------------------|----|--------|----------------|--------------|----|---------|-------|
| HEL345X | Bear's Foot (Qt.) | <i>Helleborus foetidus</i> | P5 | PS - S | CF, FP, LB, WG | Green,Lime- | 24 | MR - AP | 10.95 |
| HEL870X | Double, 'Amber Gem' (Qt.) | <i>H. x hybridus</i> 'Amber Gem' | P5 | PS - S | FP, LB, WG | Yellow & Red | 14 | AP - MY | 16.95 |
| HEL735X | Double, 'Cotton Candy' (Qt.) | <i>H. x hybridus</i> 'Cotton C.' | P5 | PS - S | FP, LB, WG | White, Pink- | 14 | AP - MY | 16.95 |
| HEL740X | Double, 'Golden Lotus' (Qt.) | <i>H. x hybridus</i> 'G. Lotus' | P5 | PS - S | FP, LB, WG | Yellow & Pnk | 14 | AP - MY | 15.95 |
| HEL965X | Double, 'Harlequin Gem' (Qt.) | <i>H. x hybridus</i> 'Harlequin G.' | P5 | PS - S | FP, LB, WG | Ylw,Rd&Prpl | 14 | AP - MY | 16.95 |
| HEL350X | Double, 'Onyx Odyssey' (Qt.) | <i>H. x hybridus</i> 'O. Odyssey' | P5 | PS - S | FP, LB, WG | Purple, Blk- | 14 | AP - MY | 16.95 |
| HEL375X | Double, 'Painted Doubles' (Qt.) | <i>H. x hybridus</i> 'P. Doubles' | P5 | PS - S | FP, LB, WG | White & Red | 14 | AP - MY | 16.95 |
| HEL750X | Double, 'Peppermint Ice' (Qt.) | <i>H. x hybridus</i> 'P. Ice' | P5 | PS - S | FP, LB, WG | Pink, Multi- | 14 | AP - MY | 15.95 |
| HEL380X | Double, 'Red Sapphire' (Qt.) | <i>H. x hybridus</i> 'R. Sapphire' | P5 | PS - S | FP, LB, WG | Red, Rose- | 14 | AP - MY | 16.95 |
| HEL385X | Double, 'Rose Quartz' (Qt.) | <i>H. x hybridus</i> 'Rose Quartz' | P5 | PS - S | FP, LB, WG | White & Rse | 14 | AP - MY | 16.95 |
| HEL875X | Double, 'Sparkling Diamond' (Qt.) | <i>H. x hybridus</i> 'S. D.' | P5 | PS - S | FP, LB, WG | White, Pure- | 14 | AP - MY | 16.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|--------------------------------------|----|---------|-----------------------|---------------|----|---------|-------|
| Helleborus: Hellebore, ... (Continued) | | | | | DR | | | | |
| HEL510X | 'Ivory Prince' (Qt.) | <i>H. 'I. Prince' ('Walhelivor')</i> | P4 | PS - S | FP, LB, WG | Pink, Ivory- | 18 | AP - MY | 12.95 |
| HEL525X | 'Ivory Prince' (2Q) | <i>H. 'Ivory P.' ('Walhelivor')</i> | P4 | PS - S | FP, LB, WG | Pink, Ivory- | 18 | AP - MY | 15.95 |
| HEL625X★ | 'Joker' (Qt.) | <i>H. x ericsmithii 'HCG Joker'</i> | P5 | PS - S | FP, LB, WG | White & Pnk | 12 | AP - MY | 15.95 |
| HEL630X★ | 'Merlin's Magic' (Qt.) | <i>H.x ballardiae 'Merlin'</i> | P5 | PS - S | FP, LB, WG | Pink, Rose- | 12 | AP - MY | 15.95 |
| HEL515X | Orientalis, Mauve (Qt.) (05 PPA) | <i>Helleborus orientalis</i> | P4 | PS - S | FP, LB, WG | Mauve | 18 | AP - MY | 10.95 |
| HEL520X | 'Royal Heritage' (Qt.) | <i>Helleborus 'Royal H. Strain'</i> | P4 | PS - S | FP, LB, WG | Mixed; 2" | 24 | AP - MY | 10.95 |
| HEL635X★ | 'Spring Promise' (2Q) | <i>Helleborus 'Spring Promise'</i> | P4 | PS - S | FP, LB, WG | Crn to Pnk | 18 | AP - MY | 27.95 |
| Hemerocallis: Day Lily, ... | | | | | BF, HB, LB, MT | | | | |
| HEM120X | 'Stella De Oro' (Qt.) | <i>Hemerocallis 'S. De Oro'</i> | P3 | FS - PS | F, FP | Yellow, Gold- | 15 | JN - AG | 7.25 |
| HEM122X | Variegated (Qt.) | <i>H. fulva 'Kwanso Variegata'</i> | P3 | FS - PS | C, F, FP | Orange; Dbl | 18 | JL - AG | 9.50 |
| ***** | Hens & Chicks see Sempervivum: | | | | | | | | |
| Hepatica: Hepatica, ... | | | | | | | | | |
| HEP030X | Round-Lobed (Qt.) | <i>Hepatica americana</i> | P4 | PS - S | FP, NP, O, WG | Blu,Wht,Pnk | 6 | AP - MY | 8.95 |
| HEP036X | Sharp-Lobed (Qt.) | <i>Hepatica acutiloba</i> | P4 | PS - S | FP, NP, WG | Lilac | 6 | AP - MY | 6.95 |
| ***** | Herb Robert see Geranium: | | | | | | | | |
| Heuchera: | | | | | DR, HB, LB | | | | |
| HEU280X | Alumroot (Qt.) | <i>Heuchera americana</i> | P4 | FS - PS | FP, NP, WG | White, Grn- | 18 | AP - JN | 6.95 |
| Heuchera: Coral Bells, ... | | | | | DR, HB, LB | | | | |
| HEU340X | 'Amber Waves' (Qt.) | <i>Heuchera 'Amber Waves'</i> | P4 | FS - PS | BF, FP, WG | Rose | 17 | MY - JN | 10.95 |
| HEU620X | 'Berry Smoothie' (Qt.) | <i>Heuchera 'Berry Smoothie'</i> | P4 | PS | BF, FP, WG | White | 28 | MY - JN | 9.95 |
| HEU425X | 'Fire Alarm' (Qt.) | <i>Heuchera 'Fire Alarm'</i> | P4 | FS - S | BF, DT, FP, WG | White | 9 | JN - SP | 11.95 |
| HEU575X | 'Fire Chief' (Qt.) | <i>Heuchera 'Fire Chief'</i> | P4 | FS - S | BF, DT, FP, WG | Pink & White | 9 | JN - SP | 10.95 |
| HEU625X | 'Lime Marmalade' (Qt.) | <i>Heuchera 'L. Marmalade'</i> | P4 | PS - S | BF, FP, WG | White | 15 | MY - JN | 10.95 |
| HEU545X | 'Marmalade' (Qt.) | <i>Heuchera 'Marmalade'</i> | P4 | FS - PS | BF, FP, WG | Cream | 16 | MY - JN | 10.95 |
| HEU870X | 'Midnight Rose' (Qt.) | <i>Heuchera 'Midnight Rose'</i> | P4 | FS - PS | BF, FP, WG | White | 16 | MY - JN | 10.95 |
| HEU610X | 'Obsidian' (Qt.) | <i>Heuchera 'Obsidian'</i> | P4 | FS - PS | BF, FP, WG | Cream | 24 | MY - JN | 10.95 |
| HEU275X | 'Palace Purple' (Qt.) (91 PPA) | <i>Heuchera micrantha 'P. P.'</i> | P4 | FS - PS | BF, DT, FP, WG | Chartreuse | 24 | MY - JL | 6.95 |
| HEU550X | 'Silver Scrolls' (Qt.) | <i>Heuchera 'Silver Scrolls'</i> | P4 | FS - PS | BF, DT, FP, WG | White | 24 | AP - JN | 8.75 |
| HEU640X | 'Snow Angel' Variegated (2Q) | <i>H. sanguinea 'Snow Angel'</i> | P3 | FS - PS | BF, DT, FP, WG | Pink | 12 | MY - JL | 13.95 |
| Heucherella: Heucherella, ... | | | | | HB, LB | | | | |
| HEU555X | 'Dayglow Pink' (Qt.) | <i>xHeucherella 'D. Pink'</i> | P4 | FS - PS | FP, WG | Pink, Brllnt- | 16 | JN - JL | 8.95 |
| HEU585X | 'Gold Zebra' (Qt.) | <i>xHeucherella 'G. Zebra'</i> | P4 | PS - S | FP, WG | White; 18" | 8 | JN - JL | 10.95 |
| HEU570X | 'Solar Eclipse' (Qt.) | <i>xHeucherella 'S. Eclipse'</i> | P4 | FS - S | FP, WG | White | 16 | JN - JL | 11.95 |
| HEU565X | 'Stoplight' (Qt.) | <i>xHeucherella 'Stoplight'</i> | P4 | PS | FP, WG | White | 12 | JN - JL | 10.95 |
| ***** | Hollyhock see Alcea: | | | | | | | | |
| HON325X | Honesty (Qt.); Money Plant | <i>Lunaria annua</i> | HA | FS - PS | BF, DF, DR, FP | Purple | 42 | MY - JN | 6.95 |
| HOP045X | Hops, 'Brewer's Gold' (Qt.) (Antique Variety) | <i>H. l. 'B. Gold'</i> | P4 | FS - PS | BF, C, M, VN | Yellow, Grn- | VN | AG - SP | 9.95 |
| HOP645X★ | Hops, 'Cascade' (Qt.) | <i>H. lupulus 'Cascade'</i> | P4 | FS - PS | BF, C, M, VN | Yellow, Grn- | VN | AG - SP | 10.95 |
| HOP650X★ | Hops, 'Chinook' (Qt.) | <i>Humulus lupulus 'Chinook'</i> | P4 | FS - PS | BF, C, M, VN | Yellow, Grn- | VN | AG - SP | 10.95 |
| HOP050X | Hops, Golden (Qt.) | <i>Humulus lupulus 'Aureus'</i> | P4 | FS - PS | BF, C, M, VN | Yellow, Grn- | VN | AG - SP | 8.75 |
| Horehound, ... | | | | | DR, DT | | | | |
| HOR050 | Black | <i>Ballota nigra</i> | P4 | FS | M | Lavender | 14 | JL - AG | 4.50 |
| HOR055 | Silver | <i>Marrubium incanum</i> | P3 | FS | O | White | 18 | JL - AG | 6.60 |
| HOR065 | White | <i>Marrubium vulgare</i> | P3 | FS | M | White | 24 | JL - AG | 4.50 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|-------------------------------------|-----------|---------|--------------|-------------------|----|---------|--------------|
| HOR070X | Horseradish (Qt.) | <i>Armoracia rusticana</i> | P3 | FS | C | White | 30 | JL - AG | 6.95 |
| HOR075X | Horseradish, Variegated (Qt.) (Variegation appears in second year growth.) | <i>Armoracia r. 'Variegata'</i> | P3 | FS - PS | C, O | White | 30 | JL - AG | 9.95 |
| ***** | Horsetail see Equisetum: | | | | | | | | |
| Hosta: Hosta, ... ; Plantain Lily | | | | | | HB, MT, WG | | | |
| HOS650X★ | Dwarf, 'Blue Mouse Ears' (Qt.) | <i>Hosta 'Blue Mouse Ears'</i> | P5 | PS - S | FP, O | Purple; 12" | 8 | JN - JL | 12.95 |
| HOS430X | Dwarf, 'Cherish' (Qt.) | <i>Hosta 'Cherish'</i> | P5 | PS - S | FP, O | Prpl,Dk-;18" | 8 | JN - JL | 12.95 |
| HOS660X★ | Dwarf, 'Cookie Crumb' (Qt.) | <i>Hosta 'Cookie Crumb'</i> | P5 | PS - S | FP, O | Purple; 18" | 8 | JN - JL | 14.95 |
| HOS435X | Dwarf, 'Cracker Crumbs' (Qt.) | <i>Hosta 'Cracker Crumbs'</i> | P5 | PS - S | FP, O | Purple; 12" | 8 | JN - JL | 12.95 |
| HOS440X | Dwarf, 'Green with Envy' (Qt.) | <i>Hosta 'Green with Envy'</i> | P5 | PS - S | FP, O | Purple; 24" | 12 | JN - JL | 11.95 |
| HOS665X★ | Dwarf, 'Holy Mouse Ears' (Qt.) | <i>Hosta 'Holy Mouse Ears'</i> | P5 | PS - S | FP, O | Purple; 12" | 6 | JN - JL | 12.95 |
| HOS445X | Dwarf, 'Hope' (Qt.) | <i>Hosta 'Hope'</i> | P5 | PS - S | FP, O | Purple; 12" | 6 | JN - JL | 10.95 |
| HOS455X | Dwarf, 'Little Wonder' (Qt.) | <i>Hosta 'Little Wonder'</i> | P5 | PS - S | FP, O | Prpl,Dp-;24" | 9 | JN - JL | 10.95 |
| HOS460X | Dwarf, 'Twist of Lime' (Qt.) | <i>Hosta 'Twist of Lime'</i> | P5 | PS - S | FP, O | Purple; 24" | 12 | JN - JL | 10.95 |
| HOS105X | 'Albomarginata' (Qt.) | <i>H. 'Undulata Albomarginata'</i> | P3 | FS - S | FP, GC | Lavender | 22 | JN - JL | 7.25 |
| HOS620X | 'Blue Angel' (Qt.) | <i>Hosta 'Blue Angel'</i> | P3 | FS - S | FP, GC | Lav., Light- | 36 | JN - JL | 8.95 |
| HOS635X | 'Cherry Berry' (Qt.) | <i>Hosta 'Cherry Berry'</i> | P3 | PS - S | F, FP, GC | Violet;RdPds | 14 | JN - JL | 8.95 |
| HOS640X | 'Earth Angel' (Qt.) | <i>Hosta 'Earth Angel'</i> | P3 | PS - S | F, FP, GC | White | 26 | JN - JL | 9.95 |
| HOS655X | 'Fire & Ice' (Qt.) | <i>Hosta 'Fire & Ice'</i> | P3 | PS - S | FP, GC | Lavender | 14 | JN - JL | 11.95 |
| HOS705X | 'Ginko Craig' (Qt.) | <i>H. 'Ginko C.' (sieboldiana)</i> | P3 | FS - S | F, FP, GC | Purple;Strpd | 12 | JN - JL | 9.95 |
| HOS910X | 'Green Gold' (Qt.) | <i>Hosta 'Green Gold'</i> | P3 | PS - S | FP, GC | Lav., Light- | 24 | JN - JL | 8.75 |
| HOS880X | 'High Society' (Qt.) | <i>Hosta 'High Society'</i> | P3 | PS - S | FP, GC | Lav., Light- | 8 | JN - JL | 12.95 |
| HOS235X | 'June' (Qt.) | <i>Hosta 'June'</i> | P3 | PS - S | FP, GC | Violet | 15 | JN - JL | 9.95 |
| HOS245X | 'June' (2Q) | <i>Hosta 'June'</i> | P3 | PS - S | FP, GC | Violet | 15 | JN - JL | 12.95 |
| HOS210X | 'Old August Lily' (Qt.) | <i>H. plantaginea 'Old A. Lily'</i> | P3 | FS - S | F, FP, GC | White | 22 | JL - AG | 7.25 |
| HOS225X | 'Patriot' (Qt.) | <i>Hosta 'Patriot'</i> | P3 | FS - S | FP, GC | Lavender | 24 | JN - JL | 7.75 |
| HOS130X | 'Royal Standard' (Qt.) | <i>Hosta 'Royal Standard'</i> | P3 | FS - S | F, FP, GC | White | 24 | AG | 7.25 |
| HOS625X | 'Stained Glass' (Qt.) | <i>Hosta 'Stained Glass'</i> | P3 | FS - S | F, FP, GC | Lav.,Lht-;Lrg | 30 | JL - AG | 10.95 |
| HOS645X | 'Striptease' (Qt.) | <i>Hosta 'Striptease'</i> | P3 | PS - S | FP, GC | Violet, Pale- | 20 | JL - AG | 12.95 |
| Houttuynia: Houttuynia, ... | | | | | | | | | |
| HOU075X | 'Chameleon' (Qt.) | <i>H. cordata 'Chameleon'</i> | P5 | FS - PS | GC, MT, O | White | 10 | JL - AG | 6.95 |
| HOU080 | Vietnamese; Vietnamese Herb | <i>Houttuynia cordata</i> | P5 | FS - PS | C, M, MT | White | 6 | JL - AG | 5.85 |
| Hydrangea: Hydrangea, ... | | | | | | | | | |
| HYD505X | Mophead, 'Perfection' (2Q) | <i>H. macrophylla 'Perfection'</i> | P5 | FS - PS | DR, FP, LB | Pink-Blu;Dbl | 36 | JN - SP | 18.95 |
| HYD510X | Oakleaf, 'Ruby Slippers' (Qt.) | <i>H. quercifolia 'R. Slippers'</i> | P5 | FS - PS | DR, FP, LB | Pink,Rby-;9" | 36 | JN - JL | 10.95 |
| Hypericum: | | | | | | | | | |
| HYP525X | St. John's Wort (Qt.) | <i>Hypericum perforatum</i> | P3 | FS - PS | D, DR, DT, M | Yellow | 18 | JL - AG | 6.95 |
| ***** | Hyssop, Anise see Agastache: | | | | | | | | |
| Hyssopus: Hyssop, ... | | | | | | BF | | | |
| HYS090 | Common, Blue | <i>Hyssopus officinalis</i> | P6 | FS | FP, M | Blue | 14 | JL - AG | 4.50 |
| HYS095 | Common, Pink | <i>H. officinalis 'Roseus'</i> | P6 | FS | FP, M | Pink | 14 | JL - AG | 4.50 |
| HYS105 | Common, White | <i>Hyssopus officinalis 'Albus'</i> | P6 | FS | FP, M | White | 14 | JL - AG | 4.50 |
| HYS110 | Dwarf | <i>H. officinalis aristatus</i> | P6 | FS | B, FP, M | Blue | 10 | JL - AG | 4.50 |
| Iberis: Iberis, ... ; Candytuft | | | | | | DR, GC, LB | | | |
| IBE195X | 'Alexander's White' (2Q) | <i>Iberis sempervirens 'A. W.'</i> | P5 | FS - PS | FP, RG | White | 10 | MY - JN | 9.50 |
| IBE225X | 'Snowflake' (Qt.) | <i>I. sempervirens 'Snowflake'</i> | P5 | FS - PS | FP, RG | White | 12 | MY - JN | 6.95 |
| IBE235X | 'Snowflake' (2Q) | <i>I. sempervirens 'Snowflake'</i> | P5 | FS - PS | FP, RG | White | 12 | MY - JN | 9.50 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|----------------------------------|---|--|-----|---------|------------------|---------------|-----|---------|-------|
| IBO099 | Iboza; <i>Nutmeg Bush</i> | <i>Iboza (Tetradenia) riparia</i> | TP | PS | F, IU, M, O | White | 30 | DC - JN | 7.25 |
| ***** | Ice Plant see Delosperma: | | | | | | | | |
| IND965X | Indian Pink (Qt.) | <i>Spigelia marilandica</i> | P6 | FS - PS | BF, FP, HB NP | Red, Brillnt- | 18 | MY - JN | 7.75 |
| IND055X | Indigo, True (Qt.) | <i>Indigofera tinctoria (suffruticosa)</i> | P4 | FS - PS | D, FP | Pink | AD | JL - AG | 12.95 |
| ***** | Insulin Plant see Costus: | | | | | | | | |
| Iris: Iris, Japanese, ... | | | | | | | | | |
| IRI885X | 'Eden's Paintbrush' (Qt.) | <i>Iris ensata 'Eden's P.'</i> | P4 | FS - PS | CF, DR, FP, MT | White & Prpl | 32 | JN - JL | 7.75 |
| IRI175X | 'Gekkeikan' (Qt.) | <i>Iris ensata 'Gekkeikan'</i> | P4 | FS - PS | CF, DR, FP, MT | Wht;PrplEdg | 36 | JN - JL | 7.75 |
| IRI580X | 'Innocence' (Qt.) | <i>Iris ensata 'Innocence'</i> | P4 | FS - PS | CF, DR, FP, MT | White & Blue | 20 | JN - JL | 7.75 |
| IRI179X | 'Mt. Fuji' (Qt.) | <i>Iris ensata 'Mt. Fuji'</i> | P4 | FS - PS | CF, DR, FP, MT | Wht & Mgnta | 32 | JN - JL | 6.95 |
| IRI890X | 'Pink Lady' (Qt.) | <i>Iris ensata 'Pink Lady'</i> | P4 | FS - PS | CF, DR, FP, MT | Pink, Soft- | 32 | JN - JL | 7.75 |
| IRI180X | 'Variegated' (Qt.) | <i>Iris ensata 'Variegata'</i> | P4 | FS - PS | DR, CF, FP, MT | Purple | 32 | JN - JL | 8.75 |
| Iris: Iris, Siberian, ... | | | | | | | | | |
| IRI465X | 'Contrast in Styles' (Qt.) | <i>Iris sibirica 'C. in Styles'</i> | P3 | FS - PS | CF, DR, FP, MT | Purpl & Blu | 28 | JL - AG | 8.75 |
| IRI045X | 'Dreaming Spires' (Qt.) | <i>Iris sibirica 'Dreaming S.'</i> | P3 | FS - PS | CF, DR, FP, MT | Blue, Royal- | 36 | JL - AG | 7.50 |
| IRI082X | 'Eric The Red' (Qt.) | <i>Iris sibirica 'Eric The Red'</i> | P3 | FS - PS | CF, DR, FP, MT | Red, Wine- | 36 | JL - AG | 7.50 |
| Iris: Iris, ... | | | | | | | | | |
| IRI905X | Japanese Roof (Qt.) | <i>Iris tectorum 'Alba'</i> | P4 | FS - PS | CF, DR, FP | White | 12 | JN - JL | 7.75 |
| IRI170X | Orris Root (Qt.) | <i>Iris germanica 'Florentina'</i> | P4 | FS | FP, IU | White, Blue- | 24 | JL - AG | 8.75 |
| IRI235X | Sweet, Golden-Edged, Variegated (Qt.) <i>I. pallida 'Aureo V.'</i> | | P4 | FS - PS | C, CF, DR, F, FP | Blue, Lav.- | 22 | JL - AG | 12.95 |
| IRI040X | Sweet, White-Edged, Variegated (Qt.) <i>I. p. 'Albo Variegata'</i> | | P4 | FS - PS | C, DR, F, FP | Blue, Lav.- | 30 | JL - AG | 12.95 |
| IRI075X | Yellow Flag (Qt.) | <i>Iris pseudacorus</i> | P4 | FS - PS | DR, FP, MT, NP | Yellow, Brht- | 32 | JL - AG | 6.95 |
| IRO505X | Ironweed, New York (Qt.) | <i>Vernonia noveboracensis</i> | P5 | FS - PS | BF, DR, MT, NP | Purple, Dp- | 60 | AG - SP | 7.50 |
| ***** | Isotoma see Star Creeper | | | | | | | | |
| IVY085X | Ivy, Kenilworth (Qt.) | <i>Cymbalaria muralis</i> | P4 | FS - S | RG, WG | Lavender | 4 | JL - AG | 6.95 |
| IVY095 | Ivy, Kenilworth, Miniature | <i>Cymbalaria m. 'Globosa'</i> | TP | FS - S | O | Lilac | 2 | ADP | 6.25 |
| ***** | Jack-In-The-Pulpit see Arisaema: | | | | | | | | |
| ***** | Jacob's Ladder see Polemonium: | | | | | | | | |
| Jasmine, ... | | | | | | | | | |
| JAS085★ | Jasmine, 'Arabian Knights' | <i>J. sambac 'A. Knights'</i> | TP | FS - PS | F, O | White | 8 | ADP | 8.95 |
| JAS010 | 'Belle of India'; Doler Mogra | <i>Jasminum sambac 'B. of I.'</i> | TP | PS | F | White; Dbl | 12 | ADP | 8.95 |
| JAS015 | Chinese Tea; Poet Jasmine | <i>J. officinale grandiflorum</i> | TP | PS | C, F, O | White; Dbl | 18 | EVB | 7.95 |
| JAS020 | Golden Leaf | <i>J. o. affine 'Pailler Gold'</i> | TP | FS - PS | F, O | White | 12 | ADP | 7.95 |
| JAS025 | 'Grand Duke of Tuscany'; Button Mogra | <i>J. s. 'G. D. of T.'</i> | TP | FS - PS | C, F | White;UltrDbl | 12 | JL - AG | 8.95 |
| JAS150X | 'Grand Duke of Tuscany' (Qt.) | <i>J. sambac 'Grand D. of T.'</i> | TP | FS - PS | C, F | White;UltrDbl | 12 | JL - AG | 13.95 |
| JAS030X | Hardy, Pink (Qt.) | <i>Jasminum stephanense</i> | P6* | FS - PS | F, FP | Pink | AD | JL - AG | 8.75 |
| JAS035X | Hardy, White (Qt.) | <i>Jasminum officinale</i> | P6* | FS - PS | F, FP | White | AD | JL - AG | 9.50 |
| JAS040 | 'Maid of Orleans'; Arabian Tea Jasmine; Sampaguita (National Flower - Philippines) | <i>J. sambac 'Maid of Orleans'</i> | TP | PS | C, F | Wht;Smi-Dbl | 10 | EVB | 7.95 |
| JAS670X | 'Maid of Orleans' (2G) | <i>J. sambac 'M. of Orleans'</i> | TP | PS | C, F | Wht;Smi-Dbl | 10 | EVB | 26.95 |
| JAS090 | Molle | <i>Jasminum molle</i> | TP | FS - PS | F, O | White | 30 | ADP | 8.95 |
| JAS045 | Night Blooming | <i>Cestrum nocturnum</i> | TP | FS - PS | F, O | Cream | AD | PRD | 7.95 |
| ***** | Orange see Murraya: | | | | | | | | |
| JAS805 | Pandorea | <i>Pandorea jasminoides</i> | TP | FS - PS | F, O, VN | Pink, Light- | 15' | PRD | 8.95 |
| JAS050 | Star; Royal Jasmine | <i>Jasminum nitidum</i> | TP | PS | F, O | White; Stars | 8 | EVB | 7.95 |
| JAS055 | Tortuosum (Lily-of-the-Valley Fragrance) | <i>Jasminum tortuosum</i> | TP | FS - PS | F, O | White | 8 | EVB | 7.95 |
| JAS060 | White Winter | <i>Jasminum polyanthum</i> | TP | FS - PS | F, O, VN | Wht;PnkBds | 12 | FB - MR | 7.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|-------------------------------------|----|---------|--------------|---------------|-----|---------|-------|
| Jasmine, ... (Continued) | | | | | | | | | |
| JAS915 | White Winter, Variegated, | <i>J. polyanthum variegata</i> | TP | FS - PS | F, O, VN | Wht;PnkBds | 12 | FB - MR | 11.95 |
| JAS605 | Yellow | <i>J. humile (azoricum)</i> | TP | PS | F, M, O | Yellow, Brht- | 18 | ADP | 7.95 |
| JAS610 | Yellow, Dwarf (World's Smallest Jasmine) | <i>Jasminum parkeri</i> | TP | FS - PS | F, LB, O | Yellow, Brht- | 6 | JN - AG | 8.95 |
| ***** | Joe-Pye Weed see Eupatorium: | | | | | | | | |
| ***** | Johnny Jump Up see Viola: | | | | | | | | |
| JOJ425 | Jojoba | <i>Simmondsia chinensis</i> | TP | FS | M | Yellow, Pale- | 48 | MY - JN | 15.95 |
| ***** | Kiss-Me-Over-The-Garden-Gate see Persicaria: | | | | | | | | |
| Kiwi, Hardy, ... (Need both male & female within 50' of each other for pollination; ideally plant 15' apart.) | | | | | | | | | |
| KIW470X | 'Anna' (Qt.) (Female) | <i>Actinidia arguta 'Anna'</i> | P3 | FS - PS | C, VN | White | 15' | JN - JL | 14.95 |
| KIW475X | 'Meader' (Qt.) (Male) | <i>Actinidia arguta 'Meader'</i> | P3 | FS - PS | C, VN | White | 15' | JN - JL | 14.95 |
| KNA300X | Knautia Macedonica (Qt.) | <i>Knautia macedonica</i> | P5 | FS | FP, LB | Maroon | 24 | JL - SP | 6.95 |
| Kniphofia: Tritoma, ... ; Poker Plant | | | | | | | | | |
| KNI590X | 'Alcazar'(Qt.) | <i>Kniphofia 'Alcazar'</i> | P5 | FS | BF, CF, FP | Yellow,Orng- | 48 | JL - AG | 6.95 |
| KUM010 | Kumquat, Dwarf | <i>Fortunella hindsii</i> | TP | FS | C, O | White | AD | JN - JL | 7.95 |
| LAB035 | Labdanum; Laudanum; Ladanum | <i>Cistus ladanifer</i> | TP | FS | C, DT, F, IU | White & Yllw | 14 | JN - JL | 6.60 |
| ***** | Lady's Mantle see Alchemilla: | | | | | | | | |
| ***** | Lady's Slipper see Cypripedium: | | | | | | | | |
| ***** | Lamb's Ears see Stachys: | | | | | | | | |
| Lamiae: Lamiastrum, ... | | | | | | | | | |
| LAM405X | 'Herman's Pride' (Qt.) | <i>L. galeobdolon 'H. Pride'</i> | P4 | PS - S | FP, WG | Yellow | 12 | MY - JN | 6.95 |
| LAM105X | Yellow (Qt.) | <i>Lamiastrum galeobdolon</i> | P4 | PS - S | FP, GC, WG | Yellow | 14 | MY - JN | 6.95 |
| Lamium: Nettle, Dead, ... | | | | | | | | | |
| LAM120X | 'Anne Greenaway' (Qt.) | <i>Lamium 'Anne Greenaway'</i> | P3 | PS - S | FP, GC, WG | Mauve | 8 | MY - JN | 6.95 |
| LAM080X | 'Beacon Silver' (Qt.) | <i>L. maculatum 'B. Silver'</i> | P3 | PS - S | FP, GC, WG | Pink | 8 | MY - JN | 7.50 |
| LAM125X | 'Purple Dragon' (Qt.) | <i>L. maculatum 'P. Dragon'</i> | P3 | PS - S | FP, GC, WG | Purple, Dp- | 8 | MY - JN | 7.50 |
| LAM086X | 'Shell Pink' (Qt.) | <i>L. maculatum 'Shell Pink'</i> | P3 | PS - S | FP, GC, WG | Pink, Shell- | 8 | MY - JN | 6.95 |
| LAM087X | White (Qt.) | <i>Lamium maculatum 'Album'</i> | P3 | PS - S | FP, GC, WG | White | 8 | MY - JN | 6.95 |
| LAM090X | 'White Nancy' (Qt.) | <i>L. maculatum 'W. Nancy'</i> | P3 | PS - S | FP, GC, WG | White | 8 | MY - JN | 6.95 |
| Laurus: Bay, ... | | | | | | | | | |
| Native to the Mediterranean, Sweet Bay also known as Sweet Laurel or Bay Leaf, is one of the most widely known culinary herbs. With a very pungent and distinctive flavor; Bay Leaf is added to many meat, sauce and soup dishes - usually removed before serving. Medicinally the tea is known to aid digestion. Golden Bay with similar growth and uses is more decorative - new and fall growth having a spectacular golden tinge. They work great in containers, providing flavor and decoration year round; especially as a topiary. Larger sizes are available. | | | | | | | | | |
| LAU190 | Golden (5") | <i>Laurus nobilis 'Aurea'</i> | TP | FS - PS | C, M, O | Cream | AD | SLD | 12.95 |
| LAU195 | Sweet (3") | <i>Laurus nobilis</i> | TP | FS - PS | C, M | Cream | AD | SLD | 6.95 |
| LAU205 | Sweet (5") | <i>Laurus nobilis</i> | TP | FS - PS | C, M | Cream | AD | SLD | 9.95 |
| LAU210 | Sweet (7") | <i>Laurus nobilis</i> | TP | FS - PS | C, M | Cream | AD | SLD | 12.95 |
| LAU215X | Sweet (10") (Qt.) | <i>Laurus nobilis</i> | TP | FS - PS | C, M | Cream | AD | SLD | 16.95 |
| LAU220X | Sweet (15") (Qt.) | <i>Laurus nobilis</i> | TP | FS - PS | C, M | Cream | AD | SLD | 21.95 |
| LAU675X | Sweet (18 - 24") (1G) | <i>Laurus nobilis</i> | TP | FS - PS | C, M | Cream | AD | SLD | 31.95 |
| LAU855 | Sweet, Variegated (3 - 5") (Call for availability) | <i>L. n. 'Variegata'</i> | TP | FS - PS | C, M, O | Cream | AD | SLD | 45.95 |
| LAU235 | Sweet, Willow-Leaf (3") | <i>Laurus nobilis 'Salicifolia'</i> | TP | FS - PS | C, M, O | Cream | AD | SLD | 9.95 |

Lavandula: Lavender, ... : (Hardy Varieties)

| |
|--------------------|
| BF, DF, DR, DT, LB |
|--------------------|

The traditional scent of lavender has been savored for centuries and it is valued in the home as well as commercially. Potpourris, sachets, perfumes, bath products, and flavoring are just a few of its myriad uses. An herb that was once woven into hats in order to ease tension, today it is used in aromatherapy as a relaxant.

Well-Sweep offers an enormous selection of lavenders in various flower sizes and colors. Bloom time, height and type of plant growth make them an interesting and attractive perennial. Most varieties have purple flowers with silvery-gray foliage, but there are exceptions. The lavenders thrive in full sun and well-drained soil, and mulching with sand will promote healthy growth. A sweet soil, accomplished by adding pulverized or granulated lime, will increase plant vigor and oil production - which creates a stronger scent and helps to produce an abundance of flowers. Since these plants nearly double in size each year, they should be spaced two or more feet apart for optimum growth. Note that all our lavender cultivars are cutting propagated, therefore ensuring that they are true to type.

The Lavandins are natural and bred hybrids of *Lavandula angustifolia* and *Lavandula latifolia*, including some of their subspecies; all indicated in the lavender listing. These lavenders are great for the novice gardener because they are noted for vigorous growth, high oil yield and are easy to grow. It was recently brought to our attention that the Lavandins should not be used for culinary purposes. Some popular Lavandins are: 'Provence,' with its strong scent and robust growth; and 'Fat Spike,' with large spiked flower heads which is great for weaving lavender wands.

Over the past several years we have conducted an evaluation of lavender hardiness and wintering reliability. Though results may vary depending on location and weather conditions, in the list below, the **lavenders followed by a *** indicate varieties that have been consistently reliable here at the farm - zone 6(a). **Lavenders followed by a ♦** indicate varieties that, when spent flowers are removed, have consistently bloomed twice per year for us.

| | | | | | | | | | |
|----------|----------------------------------|---------------------------------------|----|----|----------|---------------|----|---------|------|
| LAV810X | 'Ashdown Forest' * (Qt.) | <i>L. angustifolia</i> 'A. Forest' | P6 | FS | C, F, FP | Blue, Pale- | 24 | JL - AG | 7.75 |
| LAV745X | 'Baby Blue' (Qt.) | <i>L. angustifolia</i> 'Baby Blue' | P6 | FS | C, F, FP | Blue, Dark- | 12 | JL - AG | 8.75 |
| LAV855X | 'Backhouse Nana' (Qt.) | <i>L. angustifolia</i> 'B. Purple' | P6 | FS | C, F, FP | Purple | 24 | JL - AG | 8.75 |
| LAV627X | 'Betty's Blue' (Qt.) | <i>L. angustifolia</i> 'Betty's Blue' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.75 |
| LAV760X | 'Bleu des Collines' (Qt.) | <i>L. angustifolia</i> 'Bleu des C.' | P6 | FS | C, F, FP | Violet, Dark- | 18 | JL - AG | 8.75 |
| LAV985X | 'Buena Vista' ♦ (Qt.) | <i>L. angustifolia</i> 'Buena Vista' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.75 |
| LAV820X | 'Cedar Blue' * (Qt.) | <i>L. angustifolia</i> 'Cedar Blue' | P6 | FS | C, F, FP | Purple | 24 | JL - AG | 7.75 |
| LAV990X | 'Chelsea Pink' (Qt.) | <i>L. angustifolia</i> 'Chelsea P.' | P6 | FS | C, F, FP | Pink, Light- | 18 | JL - AG | 8.75 |
| LAV765X | 'Coconut Ice' (Qt.) | <i>L. angustifolia</i> 'Coconut Ice' | P6 | FS | C, F, FP | White, Pink- | 16 | JL - AG | 8.75 |
| LAV410X | 'Compacta' * (Qt.) (Very Hardy) | <i>L. angustifolia</i> 'Compacta' | P5 | FS | C, F, FP | Blue, Lav.- | 18 | JL - AG | 7.50 |
| LAV412X | 'Croxtton's Wild' * (Qt.) | <i>L. angustifolia</i> 'C. Wild' | P6 | FS | C, F, FP | Blue, Light- | 24 | JL - AG | 7.75 |
| LAV680X★ | 'Cy's Everblooming' * ♦ (Qt.) | <i>L. 'Cy's Everblooming'</i> | P6 | FS | F, FP | Blue, Dark- | 16 | JL - AG | 8.75 |
| LAV415X | 'Dark Supreme' (Qt.) | <i>L. angustifolia</i> 'W. K. Doyle' | P6 | FS | C, F, FP | Blue, Dark- | 18 | JL - AG | 7.75 |
| LAV420X | 'Delphinensis' * (Qt.) | <i>L. angustifolia delphinensis</i> | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.50 |
| LAV425X | 'Dutch' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'Dutch' | P6 | FS | F, FP | Blue, Lav.- | 30 | JL - AG | 7.50 |
| LAV430X | 'Dwarf' * (Qt.) | <i>L. a. 'Nana Atropurpurea'</i> | P6 | FS | C, F, FP | Blue, Lav.- | 8 | JL - AG | 7.75 |
| LAV050X | 'Dwarf, 'Super Blue' (Qt.) | <i>L. angustifolia</i> 'Super Blue' | P6 | FS | C, F, FP | Blue, Deep- | 12 | JL - AG | 7.50 |
| LAV435X | 'Dwarf, White' * (Qt.) | <i>L. angustifolia</i> 'Nana Alba' | P6 | FS | C, F, FP | White | 12 | JL - AG | 8.75 |
| LAV815X | 'Edelweiss' (Qt.) (A Lavandin) | <i>L. x i. 'E.'</i> ('Cathy Blanc') | P6 | FS | F, FP | White | 30 | JL - AG | 7.75 |
| LAV440X | 'Fat Spike' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'Grosso' | P6 | FS | F, FP | Blue, Lav.- | 30 | JL - AG | 7.75 |
| LAV445X | 'Folgate' * (Qt.) | <i>L. angustifolia</i> 'Folgate' | P6 | FS | C, F, FP | Blue, Lav.- | 20 | JL - AG | 7.75 |
| LAV450X | 'Grappenhall' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'G.' | P6 | FS | F, FP | Blue, Lav.- | 36 | JL - AG | 7.75 |
| LAV455X | 'Graves' * (Qt.) | <i>L. angustifolia</i> 'Graves' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.50 |
| LAV460X | 'Gray Lady' * (Qt.) | <i>L. angustifolia</i> 'Gray Lady' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.50 |
| LAV770X | 'Gros Bleu' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'Gros Bleu' | P6 | FS | F, FP | Purple, True- | 30 | JL - AG | 8.75 |

| | | | | | | | | | |
|---------|------------------------------------|----------------------------------|----|----|----------|-------------|----|---------|-------|
| LAV465X | 'Hidcote' * ♦ (Qt.) (Strong Scent) | <i>L. angustifolia</i> 'Hidcote' | P5 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.50 |
| LAV055X | 'Hidcote' * ♦ (2Q) (Strong Scent) | <i>L. angustifolia</i> 'Hidcote' | P5 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 9.95 |
| LAV685X | 'Hidcote' * ♦ (4Q) (Strong Scent) | <i>L. angustifolia</i> 'Hidcote' | P5 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 14.95 |

A show-stopping plant for its strong-scented dark-purple flowers and lush silver-gray leaves. 'Hidcote' is our most popular variety and personal favorite for fragrance, cooking, crafting and aromatherapy.

| | | | | | | | | | |
|---------|--------------------------------------|----------------------------------|----|----|----------|-------------|----|---------|------|
| LAV995X | 'Hidcote Blue' * (2Q) (Strong Scent) | <i>L. angustifolia</i> 'H. Blue' | P5 | FS | C, F, FP | Blue, Dark- | 18 | JL - AG | 8.95 |
|---------|--------------------------------------|----------------------------------|----|----|----------|-------------|----|---------|------|

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|--|----|-----|---------------------------|---------------|----|---------|-------|
| Lavandula: Lavender, ... : (Hardy Varieties) (Continued) | | | | | BF, DF, DR, DT, LB | | | | |
| LAV470X | 'Hidcote Giant' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'H. Giant' | P6 | FS | F, FP | Blue, Lav.- | 32 | JL - AG | 7.75 |
| LAV785X | 'Hidcote Pink' (Qt.) | <i>L. angustifolia</i> 'Hidcote P.' | P6 | FS | C, F, FP | Pink, Lav.- | 24 | JL - AG | 8.75 |
| LAV905X | 'Impress Purple' (Qt.) (A Lavandin) | <i>L. x i. 'I. P.'</i> ('Arabian Night') | P6 | FS | F, FP | Purple, Drk- | 36 | JL - AG | 7.75 |
| LAV475X | 'Jean Davis' * (Qt.) | <i>L. angustifolia</i> 'Jean Davis' | P6 | FS | C, F, FP | Pink | 18 | JL - AG | 7.50 |
| LAV480X | Latifolia (Qt.) | <i>L. latifolia</i> (Medicus) | P6 | FS | F, FP | Blue, Lav.- | 30 | JL - AG | 7.50 |
| LAV865X | 'Lisa Marie' (Qt.) | <i>Lavandula</i> 'Lisa Marie' | P6 | FS | F, FP | Violet, Blue- | 18 | JL - AG | 8.75 |
| LAV840X | 'Little Lottie' (Qt.) | <i>L. a. 'Clarmo'</i> ('Little Lottie') | P6 | FS | C, F, FP | Pink | 15 | JL - AG | 7.75 |
| LAV690X | 'Loddon Blue' (Qt.) | <i>L. angustifolia</i> 'Loddon B.' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.75 |
| LAV650X | 'Maillette' (Qt.) | <i>L. angustifolia</i> 'Maillette' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.75 |
| LAV655X | 'Martha Roderick' (Qt.) | <i>L. angustifolia</i> 'M. Roderick' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.75 |
| LAV845X | 'Melissa' (Qt.) | <i>L. angustifolia</i> 'Melissa' | P6 | FS | C, F, FP | White, Pink- | 18 | JL - AG | 7.75 |
| LAV485X | 'Mitcham Gray' * (Qt.) | <i>L. angustifolia</i> 'Mitcham G.' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.50 |
| LAV490X | 'Munstead' * (Qt.) | <i>L. angustifolia</i> 'Munstead' | P6 | FS | C, F, FP | Blue, Lav.- | 12 | JL - AG | 7.50 |
| LAV495X | 'Pastor's Pride' ♦ (Qt.) | <i>L. angustifolia</i> 'Pastor's P.' | P6 | FS | C, F, FP | Blue, Lav.- | 14 | JL - SP | 7.75 |
| LAV060X | 'Phenomenal' (Qt.) (A Lavandin) | <i>Lavandula x intermedia</i> 'P.' | P5 | FS | F, FP | Lav., Purple- | 36 | JL - AG | 7.75 |
| LAV645X | 'Phenomenal' (2Q) (A Lavandin) | <i>Lavandula x intermedia</i> 'P.' | P5 | FS | F, FP | Lav., Purple- | 36 | JL - AG | 10.45 |
| LAV705X | 'Premier' * ♦ (Qt.) | <i>L. angustifolia</i> 'Premier' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - SP | 7.75 |
| LAV505X | 'Provence' (Qt.) (A Lavandin - Strong Scent) | <i>L. x intermedia</i> 'P.' | P6 | FS | F, FP | Blue, Lav.- | 30 | JL - AG | 7.75 |
| LAV065X | 'Provence' (2Q) (A Lavandin - Strong Scent) | <i>L. x intermedia</i> 'P.' | P6 | FS | F, FP | Blue, Lav.- | 30 | JL - AG | 10.45 |
| LAV790X | 'Provence White' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'P. White' | P6 | FS | F, FP | White | 30 | JL - AG | 8.75 |
| LAV640X | 'Rebecca Kay' ♦ (Qt.) | <i>L. angustifolia</i> 'Rebecca K.' | P6 | FS | C, F, FP | Blue, Lav.- | 18 | JL - AG | 8.75 |
| LAV780X | 'Royal Purple' (Qt.) | <i>L. angustifolia</i> 'R. Purple' | P6 | FS | C, F, FP | Purple, Drk- | 20 | JL - AG | 8.75 |
| LAV710X | 'Royal Velvet' * (Qt.) | <i>L. angustifolia</i> 'Royal Velvet' | P6 | FS | C, F, FP | Blue, Dark- | 20 | JL - AG | 7.75 |
| LAV070X | 'Sachet' (Qt.) | <i>L. angustifolia</i> 'Sachet' | P6 | FS | C, F, FP | Violet, Dark- | 18 | JL - AG | 7.50 |
| LAV795X | 'Sawyer's' (Qt.) | <i>Lavandula</i> 'Sawyer's' | P6 | FS | F, FP | Blue, Dark- | 24 | JL - AG | 7.75 |
| LAV520X | 'Seals Seven Oaks' (Qt.) | <i>L. angustifolia</i> 'S. S. Oaks' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.75 |
| LAV523X | 'Sharon Roberts' * ♦ (Qt.) | <i>L. angustifolia</i> 'S. Roberts' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - SP | 7.75 |
| LAV850X | 'Skylark' (Qt.) | <i>L. angustifolia</i> 'Skylark' | P6 | FS | C, F, FP | Blue, Med- | 24 | JL - AG | 7.75 |
| LAV525X | Sleeping Beauty * (Qt.) | <i>L. angustifolia</i> 'Carolyn Dille' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.75 |
| LAV530X | Spica * (Qt.) | <i>L. angustifolia</i> 'H. B. Spica' | P6 | FS | C, F, FP | Blue, Light- | 24 | JL - AG | 7.75 |
| LAV535X | 'Summerland Supreme' (Qt.) | <i>L. angustifolia</i> 'S. Supreme' | P6 | FS | C, F, FP | Blue, Lav.- | 18 | JL - AG | 7.75 |
| LAV540X | 'Super' (Qt.) (A Lavandin) | <i>L. x intermedia</i> 'Super' | P6 | FS | F, FP | Lavender | 30 | JL - AG | 7.75 |
| LAV875X | 'Sussex' (Qt.) | <i>L. x intermedia</i> 'Sussex' | P6 | FS | F, FP | Blue, Violet- | 36 | JL - AG | 7.75 |
| LAV542X | 'Tucker's Early Purple' (Qt.) | <i>L. angustifolia</i> 'T. E. P.' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.75 |
| LAV545X | 'Twickel Purple' * (Qt.) | <i>L. angustifolia</i> 'T. Purple' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - AG | 7.50 |
| LAV910X | 'Two Amys' ♦ (Qt.) | <i>L. angustifolia</i> 'Two Amys' | P6 | FS | C, F, FP | Purple | 18 | JL - AG | 8.75 |
| LAV550X | Two Seasons (Qt.) | <i>L. angustifolia</i> 'Irene Doyle' | P6 | FS | C, F, FP | Blue, Lav.- | 24 | JL - SP | 7.75 |
| LAV555X | Vera * (Qt.); True or English Lav. | <i>L. angustifolia</i> (officinalis) | P5 | FS | C, F, FP, M | Lavender | 16 | JL - AG | 7.50 |
| LAV880X | 'Victorian Amethyst' (Qt.) | <i>L. 'Victorian Amethyst'</i> | P6 | FS | F, FP | Blue, Violet- | 24 | JL - AG | 7.75 |
| LAV885X | 'Violet Intrigue' (Qt.) | <i>L. angustifolia</i> 'V. Intrigue' | P6 | FS | C, F, FP | Blue, Violet- | 24 | JL - AG | 7.75 |
| LAV560X | White (Qt.) (Strong Scent) | <i>L. angustifolia</i> 'Alba' | P6 | FS | C, F, FP | White | 24 | JL - AG | 7.75 |
| LAV665X | White, Compact * (Qt.) | <i>L. angustifolia</i> 'Alba' ssp. | P6 | FS | C, F, FP | White | 14 | JL - AG | 7.75 |
| LAV562X | 'Wyckoff' (Qt.) | <i>L. angustifolia</i> 'Wyckoff' | P6 | FS | C, F, FP | Blue, Dark- | 24 | JL - AG | 7.75 |
| Lavandula: Lavender, ... : (Tender Varieties) | | | | | BF, DR, DT, LB | | | | |
| LAV715 | Canary Island | <i>Lavandula canariensis</i> | TP | FS | F, O | Purple, Blue- | 20 | JL - AG | 7.25 |
| LAV580 | Dentate, Variegated, 'Linda Ligon' | <i>L. dentata</i> 'Linda Ligon' | TP | FS | F, O | Lav., Light- | 24 | JL - AG | 7.25 |
| LAV585 | Fernleaf | <i>Lavandula multifida</i> | TP | FS | F, O | Blue, Dark- | 18 | JL - AG | 7.25 |
| LAV675 | 'Goodwin Creek Grey' | <i>L. 'Goodwin Creek Grey'</i> | TP | FS | F, O | Blue, Lav.- | 20 | JL - AG | 7.25 |
| LAV590 | Heterophylla | <i>L. x heterophylla formaspika</i> | TP | FS | F, O | Lav., Light- | 24 | JL - AG | 7.25 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|--|-------------|---------|-----------------------|----------------|-----|---------|-------|
| Lavandula: Lavender, ... : (Tender Varieties) | | | (Continued) | | BF, DR, DT, LB | | | | |
| LAV647 | 'Lambkins' | <i>L. dentata</i> 'Lambkins' | TP | FS | F, O | Blue, Pale- | 16 | JL - AG | 7.25 |
| LAV600 | Pedunculata | <i>L. stoechas pedunculata</i> | TP | FS | F, O | Blue, Dark- | 18 | JL - AG | 7.25 |
| LAV610 | Pinnata | <i>Lavandula pinnata</i> | TP | FS | F, O | Blue, Light- | 16 | JL - AG | 7.25 |
| LAV620 | Spanish | <i>Lavandula stoechas</i> | TP | FS | F, O | Blue, Dark- | 24 | JL - AG | 7.25 |
| LEA373X | Leadwort (Qt.) | <i>Ceratostigma plumbaginoides</i> | P5 | FS - PS | BF,FP,DT,GC,LB | Blue, Dark- | 8 | AG - SP | 7.75 |
| LEA305 | Leaf-of-Life | <i>Kalanchoe (Bryophyllum) pinnata</i> | TP | FS - PS | IU, M, O | Cream, Red- | 24 | JN - FB | 5.85 |
| ***** | Leek see Allium: | | | | | | | | |
| ***** | Lemon Balm see Melissa: | | | | | | | | |
| Leontopodium: | | | | | DF, DT | | | | |
| LEO585X | Edelweiss (Qt.) | <i>Leontopodium alpinum</i> | P3 | FS | DR, FP, M, RG | White | 8 | JN - JL | 6.95 |
| Leptinella: | | | | | | | | | |
| LEP025 | Brass Buttons, 'Platt's Black' | <i>L. squalida</i> 'Platt's Black' | P6* | FS - PS | FP, GC, MT, O | Green, Yllw- | 3 | MY - JN | 4.50 |
| LEP030 | Faerie Fern | <i>Leptinella squalida</i> | TP | FS - PS | GC, MT, O | Green, Yllw- | 2 | MY - JN | 6.25 |
| LEP035 | Faerie Fern, Dwarf | <i>Leptinella minor</i> | TP | FS - PS | GC, MT, O | Green, Yllw- | 1 | MY - JN | 6.25 |
| LEP040 | Faerie Fern, Miniature, 'Tiny Tim' | <i>Leptinella gruveri</i> | TP | FS - PS | GC, MT, O | Green, Yllw- | 1 | MY - JN | 6.60 |
| Leptospermum: | | | | | | | | | |
| LEP390 | Tea Rose, Australian, Dwarf | <i>L. scoparium</i> 'Nanum Ruru' | TP | FS | O | Rose, Rd-; Dbl | 8 | JA - MR | 8.75 |
| LEP385 | Tea Rose, Australian, 'Ruby Glow'; Manuka | <i>L. scoparium</i> 'Ruby Glow' | TP | FS | C, M, O | Rose, Rd-; Dbl | AD | JA - MR | 7.75 |
| LEP405 | Tea Tree, Lemon | <i>L. petersonii</i> (citratum) | TP | FS | C, F, O | White | 10' | MY - JL | 8.75 |
| Leucanthemum: Daisy, Shasta, ... | | | | | BF, DR, DT, LB | | | | |
| LEU167X | 'Alaska' (Qt.) | <i>Leucanthemum</i> 'Alaska' | P5 | FS - PS | CF, FP | White | 24 | JL - AG | 6.95 |
| LEU205X | 'Banana Cream' (Qt.) | <i>Leucanthemum</i> 'Banana C.' | P5 | FS - PS | CF, FP | Yellow, Lmn- | 18 | JL - AG | 8.95 |
| LEU690X | 'Banana Cream' (2Q) | <i>Leucanthemum</i> 'B. Cream' | P5 | FS - PS | CF, FP | Yellow, Lmn- | 18 | JL - AG | 11.95 |
| LEU170X | 'Becky' (Qt.) (03 PPA) | <i>Leucanthemum</i> 'Becky' | P5 | FS - PS | CF, FP | Wht;GldCntr | 36 | JL - SP | 6.95 |
| LEU480X | 'Crazy Daisy' (Qt.) | <i>Leucanthemum</i> 'Crazy D.' | P5 | FS - PS | CF, FP | White; Dbl | 28 | JL - SP | 6.95 |
| LEU087X | 'Snowcap' (Qt.) | <i>Leucanthemum</i> 'Snowcap' | P5 | FS - PS | CF, FP | White; Daisy | 12 | JL - AG | 6.95 |
| Liatris: Liatris, ... | | | | | BF, LB | | | | |
| LIA400X | 'Kobold Original' (Qt.) | <i>Liatris spicata</i> 'K. Original' | P3 | FS | DF, DR, DT, FP | Rose, Lav.- | 24 | JN - JL | 8.75 |
| LIA395X | White (Qt.) | <i>L. spicata</i> 'Floristan Weiss' | P3 | FS | DF, DR, DT, FP | White | 32 | JL - AG | 7.95 |
| LIC425X | Licorice, True (Qt.) | <i>Glycyrrhiza glabra</i> | P6 | FS | BF, C, M | Blue | 48 | AG - SP | 8.95 |
| Ligularia: Ligularia, ... | | | | | | | | | |
| LIG915X | 'Britt-Marie' (2Q) | <i>L. dentata</i> 'Britt-Marie C.' | P4 | FS - PS | BF, DR, FP, MT | Gold; Daisy | 36 | AG - SP | 10.95 |
| <p>Chocolate lover's beware! With broad 12" glossy leaves burgundy-chocolate in color, 'Britt-Marie' will steal your heart. Even darker coloring in shadier conditions; her display is accentuated in late summer with golden-orange daisies that skyrocket out from the center. She likes a moisture retentive soil, even enjoying wet feet, and appreciates ample elbow room. This ligularia has strong vigor and eye-catching beauty - enjoy her today in your garden!</p> | | | | | | | | | |
| Lilium: Lily, ... | | | | | | | | | |
| LIL535X | Asiatic, 'Black Out' (Qt.) | <i>Lilium</i> 'Black Out' | P3 | FS - PS | CF, FP | Red, Deep- | 48 | JL - AG | 6.95 |
| LIL565X | Asiatic, 'Cancun' (Qt.) | <i>Lilium</i> 'Cancun' | P3 | FS - PS | CF, FP | Orng & Yllw | 48 | JL - AG | 6.95 |
| LIL540X | Asiatic, 'Grand Cru' (Qt.) | <i>Lilium</i> 'Grand Cru' | P3 | FS - PS | CF, FP | Yellow & Red | 38 | JL - AG | 6.95 |
| LIL450X | Asiatic, 'Landini' (Qt.) | <i>Lilium</i> 'Landini' | P3 | FS - PS | CF, FP | Red, Brgndy- | 42 | JL - AG | 6.95 |
| LIL550X | Asiatic, 'Lionheart' (Qt.) | <i>L. 'Lionheart' (x hybrida)</i> | P3 | FS - PS | CF, FP | Black & Yllw | 36 | JN - JL | 8.95 |
| LIL555X | Hybrid, 'Big Brother' (2Q) | <i>Lilium</i> 'Big Brother' | P3 | FS - PS | CF, F, FP | Yellow; 12" | 48 | JN - JL | 9.95 |
| LIL560X | Oriental, Double, 'Distant Drum' (Qt.) | <i>Lilium</i> 'D. Drum' | P3 | FS - PS | CF, F, FP | Pink, Rse- | 32 | JL - AG | 8.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE | |
|--------------------------------------|---|--------------------------------------|------------|---------|------------------|-----------------------|----|---------|--------------|--|
| Lilium: Lily, ... (Continued) | | | | | | | | | | |
| LIL495X | Oriental, 'Star Gazer' (Qt.) | <i>Lilium 'Star Gazer'</i> | P3 | FS - PS | CF, F, FP | Pink, Deep- | 36 | JL - AG | 6.95 | |
| LIL525X | Tango, 'Cappuccino' (Qt.) | <i>Lilium asiatic 'Cappuccino'</i> | P3 | FS - PS | CF, FP | Whit;ChcltCtr | 48 | JL - AG | 6.95 | |
| ***** | Lily of the Valley see Convallaria: | | | | | | | | | |
| ***** | Lily, Blackberry see Belamcanda: | | | | | | | | | |
| ***** | Lily, Toad see Tricyrtis: | | | | | | | | | |
| Linum: Flax, Perennial, ... | | | | | | | | | | |
| | | | | | | DR, LB | | | | |
| LIN050X | Blue (Qt.) | <i>Linum perenne</i> | P5 | FS - PS | FP, M, RG | Blue | 18 | MY - JN | 6.95 | |
| LIN053X | Dwarf, 'Sapphire' (Qt.) | <i>L. p. 'Saphir' ('Sapphire')</i> | P5 | FS - PS | FP, RG | Blue, Bright- | 12 | MY - JN | 7.50 | |
| LIN235X | Native (Qt.) | <i>Linum perenne lewisii</i> | P3 | FS - PS | C, FP, IU, M, NP | Blue, Pastel- | 24 | JN - AG | 6.95 | |
| Linum: | | | | | | | | | | |
| | | | | | | DR, LB | | | | |
| LIN240X | Flaxseed (Qt.) | <i>Linum usitatissimum</i> | A | FS - PS | C, FA, IU, LB, M | Blue, Sky- | 30 | JN - AG | 6.95 | |
| ***** | Lippia Dulcis see Phyla: | | | | | | | | | |
| Lobelia: Cardinal Flower, ... | | | | | | | | | | |
| | | | | | | BF, DR, HB, WG | | | | |
| LOB510X | Blue (Qt.); Great Lobelia | <i>Lobelia siphilitica</i> | P5 | FS - PS | FP, M, NP | Blue, Bright- | 30 | AG - SP | 6.95 | |
| LOB545X | Red (Qt.) | <i>Lobelia cardinalis</i> | P3 | FS - PS | FP, MT, NP | Red | 30 | AG - SP | 7.50 | |
| LOB520X | Red, 'Queen Victoria' (Qt.) | <i>Lobelia fulgens 'Q. Victoria'</i> | P5 | FS - PS | FP, MT | Red | 30 | AG - SP | 6.95 | |
| ***** | Loosestrife see Lysimachia: | | | | | | | | | |
| LOV553X | Lovage (Qt.) | <i>Levisticum officinale</i> | P5 | FS - PS | BF, C, M | Yellow | 72 | AG - SP | 6.95 | |
| ***** | Lungwort see Pulmonaria: | | | | | | | | | |
| Lupinus: Lupine, ... | | | | | | | | | | |
| | | | | | | BF, DR | | | | |
| LUP570X | Dwarf, 'Minarette' (Qt.) | <i>L. (polyphyllus) 'Minarette'</i> | P4 | FS - PS | DT, FP, HB, RG | Mix, Vibrant- | 24 | JN - JL | 6.95 | |
| LUP205X | 'Gallery Blue' (Qt.) | <i>Lupinus 'Gallery Blue'</i> | P4 | FS - PS | DT, FP, HB | Blue, Deep- | 36 | JN - JL | 6.95 | |
| LUP210X | 'Gallery Pink' (Qt.) | <i>Lupinus 'Gallery Pink'</i> | P4 | FS - PS | DT, FP, HB | Pink & White | 36 | JN - JL | 6.95 | |
| LUP215X | 'Gallery Red' (Qt.) | <i>Lupinus 'Gallery Red'</i> | P4 | FS - PS | DT, FP, HB | Red, Lpstck- | 36 | JN - JL | 6.95 | |
| LUP220X | 'Gallery Yellow' (Qt.) | <i>Lupinus 'Gallery Yellow'</i> | P4 | FS - PS | DT, FP, HB | Yellow | 36 | JN - JL | 6.95 | |
| Lychnis: | | | | | | | | | | |
| | | | | | | BF, DR, DT, HB | | | | |
| LYC602X | Campion, 'Angel Blush' (Qt.) | <i>Lychnis coronaria 'A. Blush'</i> | P4 | FS | CF, FP, LB | Pink | 30 | JN - JL | 6.95 | |
| LYC585X | Campion, Rose (Qt.) | <i>Lychnis coronaria</i> | P4 | FS | FP, LB | Red, Mgnta- | 30 | JN - JL | 6.95 | |
| LYC605X★ | Catchfly, German, Alpine (Qt.) | <i>Lychnis (viscaria) alpina</i> | P4 | FS | FP, LB, RG | Rose, Brht- | 4 | JN - JL | 7.75 | |
| LYC645X | Catchfly, German, Double-Pink (Qt.) | <i>L. viscaria 'Plena'</i> | P4 | FS | FP, LB, RG | Pink, Bright- | 12 | JN - JL | 7.75 | |
| LYC615X★ | Catchfly, German, 'Firebird' (Qt.) | <i>Lychnis viscaria 'Feuer'</i> | P4 | FS | FP, LB, RG | Red, Bright- | 18 | JN - JL | 7.75 | |
| LYC650X★ | Catchfly, German, 'Snowbird' (Qt.) | <i>Lychnis viscaria 'S.'</i> | P4 | FS | FP, LB, RG | White | 12 | JN - JL | 7.75 | |
| LYC580X | Maltese Cross (Qt.) | <i>Lychnis chalcedonica</i> | P4 | FS | CF, FP, LB | Scarlet | 24 | JN - JL | 6.95 | |
| Lysimachia: | | | | | | | | | | |
| | | | | | | DR, LB, MT | | | | |
| LYS546X | Loosestrife, Gooseneck (Qt.) | <i>Lysimachia clethroides</i> | P3 | FS - PS | C, CF, FP | White | 36 | AG - SP | 6.95 | |
| LYS582X | Moneywort (Qt.) | <i>Lysimachia nummularia</i> | P5 | FS - S | F, FP, GC, WG | Yellow | 2 | JN - JL | 6.95 | |
| LYS505X | Moneywort, Golden (Qt.) | <i>L. nummularia 'Aurea'</i> | P5 | FS - S | FP, GC | Yellow | 2 | JN - JL | 6.95 | |
| Malva: Mallow, ... | | | | | | | | | | |
| | | | | | | BF, DT, LB | | | | |
| MAL015X | Pink (Qt.) | <i>Malva alcea 'Fastigiata'</i> | P4 | FS - PS | FP, M | Pink | 42 | JL - AG | 6.95 | |
| MAL020X | Purple, Rose- (Qt.) | <i>M. sylvestris mauritanica</i> | P4 | FS - PS | FP, M | Purple, Rse- | 48 | AG - SP | 6.95 | |
| MAN033 | Mandevilla, 'Red Riding Hood' | <i>Mandevilla sanderi 'R. R. H.'</i> | TP | FS - PS | HB, LB, O | Red;YlwThrt | 18 | EVB | 6.95 | |
| MAN520 | Mandrake, Autumn | <i>Mandragora autumnalis</i> | TP | FS | IU, M | Violet | 12 | AG - SP | 15.95 | |
| MAN545 | Mandrake, European | <i>Mandragora officinarum</i> | P6* | FS - PS | IU, M | White, Grn- | 6 | AP - MY | 15.95 | |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|---------------------------------------|----|---------|------------------|--------------|----|---------|-------|
| MAR485X | Maralroot (Qt.) | <i>Leuzea carthamoides</i> 'Lujza' | P2 | FS | FP, M | Violet | 60 | JN - JL | 8.75 |
| ***** | Marigold see Tagetes: | | | | | | | | |
| ***** | Marjoram, Sweet see Origanum: Marjoram, Sweet | | | | | | | | |
| MAR110X | Marsh Mallow (Qt.) | <i>Althaea officinalis</i> | P3 | FS - PS | C, FP, LB, M, MT | Pink | 48 | JL - AG | 6.95 |
| MAR125X | Marsh Mallow, 'Erfurter' (Qt.) | <i>Althaea officinalis</i> 'Erfurter' | P3 | FS - PS | FP, LB, M, MT | White | 48 | JL - AG | 6.95 |
| MAY425X | Mayapple (Qt.); American Mandrake | <i>Podophyllum peltatum</i> | P4 | PS - S | DR, FP, M, NP | White;RdFr | 18 | MY - JN | 6.95 |
| <p>A woodland native that colonizes into large patches, it is a joy to behold with its large umbrella-like foliage achieving 18" in height. White flowers are followed by edible yellowish-green fruit beneath its leaves. When ripe, it is eaten raw or made into jams, jellies and pies. Used by the American Indians as a medicine, all parts except for the ripe fruit are considered toxic. Well known as a laxative, the rhizome is antiviral, and extracts are now used in drugs for warts and certain cancers.</p> | | | | | | | | | |
| MAZ350X | Mazus Reptans (Qt.) | <i>Mazus reptans</i> | P5 | FS - PS | FP, GC, LB | Blue | 2 | MY - JN | 6.95 |
| ***** | Meadow Rue see Thalictrum: | | | | | | | | |
| ***** | Meadowsweet see Filipendula: | | | | | | | | |
| <u>Meehania:</u> | | | | | | | | | |
| MEE705X | Meehan's Mint (Qt.) | <i>Meehania cordata</i> | P4 | PS - S | FP, GC, NP, WG | Blue, Lav.- | 4 | MY - JN | 7.75 |
| <u>Melaleuca:</u> | | | | | | | | | |
| MEL405 | Tea Tree | <i>Melaleuca alternifolia</i> | TP | FS | M | White | AD | ADP | 8.75 |
| <u>Melissa: Balm, ...</u> | | | | | | | | | |
| MEL120 | 'Citronella' | <i>M. officinalis</i> 'Citronella' | P5 | FS - PS | C, F | White | 16 | JL - AG | 4.50 |
| MEL105 | Lemon | <i>Melissa officinalis</i> | P5 | FS - PS | C, F, M | White | 24 | JL - AG | 4.50 |
| MEL108 | Lemon, Golden | <i>Melissa officinalis</i> 'Aurea' | P5 | FS - PS | C, F, O | White | 16 | JL - AG | 4.50 |
| MEL110 | Lemon, Variegated | <i>M. officinalis</i> 'Variegata' | P5 | FS - PS | C, F, O | White | 24 | JL - AG | 4.50 |
| MEL115 | 'Lime' | <i>Melissa officinalis</i> 'Lime' | P5 | FS - PS | C, F | White | 20 | JL - AG | 4.50 |
| MEL125 | 'Strawberry Lemonade' | <i>M. officinalis</i> 'S. Lemonade' | P5 | FS - PS | C, F | White | 16 | JL - AG | 5.85 |
| <u>Mentha: Mint, ...</u> | | | | | | | | | |
| MEN465 | 'Amsterdam Lemon' | <i>M. 'Amsterdam Lemon'</i> | P5 | FS - PS | C, F | White | 24 | AG - SP | 5.85 |
| MEN073 | Apple | <i>Mentha suaveolens</i> | P5 | FS - PS | C, F | White | 30 | AG - SP | 4.50 |
| MEN435 | 'Banana' | <i>Mentha arvensis</i> 'Banana' | P6 | FS - PS | C, F | Pink, Lav.- | 12 | AG - SP | 4.50 |
| MEN080 | 'Bergamot' | <i>M. aquatica</i> 'Bergamot' | P5 | FS - PS | C, F | Lavender | 18 | AG - SP | 4.50 |
| MEN085 | 'Blue Balsam Tea' | <i>M. x piperita</i> 'Blue B. Tea' | P4 | FS - PS | C, F, M | Lavender | 24 | AG - SP | 4.50 |
| MEN433 | 'Chewing Gum' | <i>M. x piperita</i> 'Chewing G.' | P4 | FS - PS | C, F | Pink | 24 | AG - SP | 4.50 |
| MEN425 | Chinese | <i>Mentha haplocalyx</i> | P6 | FS - PS | C, F | Pink, Lav.- | 24 | AG - SP | 5.85 |
| MEN087 | 'Chocolate' | <i>M. x piperita</i> 'Chocolate' | P4 | FS - PS | C, F | Lavender | 24 | AG - SP | 4.50 |
| MEN090 | Corsican | <i>Mentha requienii</i> | TP | FS - PS | F, RG | Purple | .3 | AG - SP | 4.50 |
| MEN095 | Curly | <i>Mentha spicata</i> 'Crispa' | P4 | FS - PS | C, F | Lavender | 24 | AG - SP | 4.50 |
| MEN105 | Curly, Green | <i>Mentha spicata</i> 'Crispata' | P4 | FS - PS | C, F | Lav., Light- | 24 | AG - SP | 4.50 |
| MEN107 | 'Eau de Cologne' | <i>M. rotundifolia</i> 'Eau de C.' | P5 | FS - PS | C, F | Pink | 24 | AG - SP | 4.50 |
| MEN109 | Egyptian | <i>Mentha niliaca</i> | P5 | FS - PS | C, F | Pink, Light- | 30 | AG - SP | 4.50 |
| MEN430 | Epicurean | <i>Mentha epicuratus</i> | P6 | FS - PS | C | | 12 | AG - SP | 4.50 |
| MEN115 | 'Ginger' | <i>Mentha x gentilis</i> 'Ginger' | P6 | FS - PS | C, F | Pink, Light- | 12 | AG - SP | 4.50 |
| MEN062 | 'Habak' (Bible mint from Israel) | <i>M. longifolia</i> 'H.' ('Habek') | P6 | FS - PS | C, IU | Lavender | 15 | AG - SP | 5.85 |
| MEN230 | 'Hillary's Sweet Lemon' | <i>M. 'Hillary's Sweet Lemon'</i> | P6 | FS - PS | C, F | Lavender | 24 | AG - SP | 4.50 |
| MEN235 | 'Himalayan Silver' | <i>Mentha longifolia</i> 'H. Silver' | P5 | FS - PS | C, F | Pink | 24 | AG - SP | 4.50 |
| MEN125 | Horsemint | <i>Mentha longifolia</i> | P5 | FS - PS | C | Pink | 30 | AG - SP | 4.50 |
| ***** | Jamaican see Satureja: | | | | | | | | |
| MEN135 | Japanese Field | <i>M. arvensis piperescens</i> | P6 | FS - PS | C, F, M | Lavender | 24 | AG - SP | 4.50 |
| ***** | Korean see Agastache: | | | | | | | | |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|---|----|---------|-----------------------|---------------|----|---------|-------|
| Mentha: Mint, ... (Continued) | | | | | BF, DR, MT | | | | |
| MEN143 | 'Lavender' | <i>Mentha aquatica</i> 'Lavender' | P5 | FS - PS | C, F | Lilac | 18 | AG - SP | 4.50 |
| MEN507X★ | 'Margarita' (Qt.) | <i>Mentha</i> 'Margarita' | P5 | FS - PS | C, F | White | 24 | AG - SP | 7.75 |
| ***** | Meehan's see Meehania: | | | | | | | | |
| MEN505X | 'Mojito' (Qt.) | <i>Mentha x villosa</i> | P5 | FS - PS | C, F | White | 24 | AG - SP | 7.75 |
| ***** | Mountain see Pycnanthemum: | | | | | | | | |
| MEN160 | 'Orange'; <i>Perfume Mint</i> | <i>Mentha aquatica</i> 'Orange' | P4 | FS - PS | C, F | Lavender | 18 | AG - SP | 4.50 |
| MEN165 | Peppermint | <i>Mentha x piperita</i> | P4 | FS - PS | C, F, M | Lavender | 24 | AG - SP | 4.50 |
| MEN440 | Peppermint, Black | <i>Mentha x piperita piperita</i> | P5 | FS - PS | C, F | Lavender | 24 | AG - SP | 4.50 |
| MEN450 | Peppermint, 'Dwarf' | <i>Mentha x piperita</i> 'Dwarf' | P4 | FS - PS | C, F | Lavender | 6 | AG - SP | 5.85 |
| MEN455 | Peppermint, 'French' | <i>Mentha x piperita</i> 'French' | P4 | FS - PS | C, F | Lavender | 24 | AG - SP | 5.85 |
| MEN167 | Peppermint, 'Todd Mitcham' | <i>M.x piperita</i> 'Mitcham' | P4 | FS - PS | C, F, IU | Lavender | 24 | AG - SP | 4.50 |
| MEN180 | Pineapple | <i>M. suaveolens</i> 'Variegata' | P6 | FS - PS | C, F | White | 12 | AG - SP | 4.50 |
| MEN190 | 'Regular' | <i>Mentha</i> 'Regular' | P5 | FS - PS | C, F | White | 24 | AG - SP | 4.50 |
| One of our best for jellies, sauces, mint juleps, as well as hot & cold tea. Add a few sprigs to your favorite beverage! | | | | | | | | | |
| MEN195 | 'Silver' | <i>Mentha longifolia</i> 'Silver' | P5 | FS - PS | C, F | Lavender | 24 | AG - SP | 4.50 |
| MEN205 | Spearmint | <i>Mentha spicata</i> | P4 | FS - PS | C, F, M | Lav., Light- | 24 | AG - SP | 4.50 |
| MEN212 | Spearmint, 'Kentucky Colonel' | <i>M. spicata</i> 'Kentucky C.' | P5 | FS - PS | C, F | Lav., Light- | 24 | AG - SP | 4.50 |
| MEN215 | Spearmint, 'Large-Leaf' | <i>Mentha spicata</i> 'Large-leaf' | P4 | FS - PS | C, F | Lav., Light- | 24 | AG - SP | 4.50 |
| MEN222 | Spearmint, 'Scotch' | <i>Mentha spicata</i> 'Scotch' | P5 | FS - PS | C, F, IU | Lav., Light- | 24 | AG - SP | 4.50 |
| MEN460 | Spearmint, 'Wrigley's' | <i>Mentha spicata</i> 'Wrigley's' | P4 | FS - PS | C, F | Lav., Light- | 24 | AG - SP | 5.85 |
| ***** | St. John's see Micromeria: | | | | | | | | |
| MEN295 | 'Strawberry' | <i>M. spicata</i> 'Strawberry' | P4 | FS - PS | C, F, M | Lav., Light- | 12 | AG - SP | 5.85 |
| MEN470 | 'Swiss Ricola' | <i>Mentha x piperita</i> 'Swiss' | P5 | FS - PS | C, F, M | Lilac | 24 | AG - SP | 5.85 |
| MEN064 | Vietnamese | <i>Mentha x gracilis</i> | P5 | FS - PS | C, M | Lilac | 24 | AG - SP | 4.50 |
| MEN223 | Watermint | <i>Mentha aquatica</i> | P4 | FS - PS | C | White | 18 | AG - SP | 4.50 |
| Mentha: Pennyroyal, ... | | | | | | | | | |
| MEN050 | Dwarf | <i>M. pulegium thymioides</i> | TP | PS - S | F, M | Lavender | 2 | AG - SP | 4.50 |
| MEN055 | English | <i>Mentha pulegium</i> | TP | PS - S | F, M | Lavender | 10 | AG - SP | 4.30 |
| Mertensia: Blue Bells, ... | | | | | DR | | | | |
| MER530X | Virginia (Qt.) | <i>Mertensia virginica</i> | P4 | FS - S | FP, MT, NP, WG | Blue, Pink- | 14 | AP - MY | 6.95 |
| Micromeria: | | | | | | | | | |
| MIC060 | Mint, St. John's; West Indian Thyme | <i>Micromeria brownei</i> | TP | FS - PS | C | White | 10 | JL - AG | 6.60 |
| ***** | Milkweed, Common see Asclepias: | | | | | | | | |
| MIL650X★ | Milkwort, Creeping (Qt.) | <i>Polygala chamaebuxus</i> 'Grandiflora' | P5 | FS - PS | DR, F, FP | Mgnta & Yllw | 4 | MR - MY | 15.95 |
| ***** | Mint see Mentha: | | | | | | | | |
| MOC490X | Mock Orange, Sweet (Qt.) | <i>Philadelphus virginialis</i> | P5 | FS - PS | DR, F, FP | White; Frgrnt | 72 | MY - JN | 7.75 |
| ***** | Moleplant see Euphorbia: | | | | | | | | |
| Monarda: Bee Balm, ... ; Bergamot; Oswego Tea | | | | | BF, DR, DT, HB | | | | |
| MON495X | Annual, 'Bergamo' (Qt.) | <i>M.x hybrida</i> 'Bergamo' | A | FS - PS | FA, LB, MR | Purple, Rse- | 24 | JN - AG | 6.25 |
| MON314X | Dwarf, 'Petite Delight' (Qt.) | <i>Monarda</i> 'Petite Delight' | P4 | FS - PS | FP, LB, MR | Rose, Lav.- | 16 | JL - AG | 7.75 |
| MON325X | Dwarf, 'Petite Wonder' (Qt.) | <i>Monarda</i> 'Petite Wonder' | P4 | FS - PS | FP, LB, MR | Pink, Clear- | 12 | JL - AG | 7.75 |
| MON890X | 'Fireball' (Qt.) | <i>Monarda</i> 'Fireball' | P3 | FS - PS | CF, FP, LB, MR | Red, Deep- | 20 | JL - AG | 7.75 |
| MON287X | 'Gardenview Scarlet' (Qt.) | <i>M. 'Gardenview Scarlet'</i> | P4 | FS - PS | CF, FP, LB, MR | Red, Rich- | 32 | JN - JL | 7.75 |
| MON655X★ | 'Grape Gumball' (Qt.) | <i>Monarda</i> 'Grape Gumball' | P3 | FS - PS | CF, FP, LB, MR | Prpl, Mngta- | 24 | JL - AG | 9.95 |
| MON295X | 'Jacob Cline' (Qt.) | <i>Monarda</i> 'Jacob Cline' | P4 | FS - PS | CF, FP, LB, MR | Red | 36 | JN - AG | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|--|----|---------|-----------------------|----------------|----|---------|-------|
| Monarda: Bee Balm, ... ; Bergamot; Oswego Tea (Continued) | | | | | BF, DR, DT, HB | | | | |
| MON286 | Lemon | <i>Monarda citriodora</i> | TP | FS | C, F, LB | Lavender | 18 | JN - SP | 5.85 |
| MON290X | 'Marshall's Delight' (Qt.) | <i>M. 'Marshall's Delight'</i> | P4 | FS - PS | CF, FP, LB, MR | Pink | 36 | JL - AG | 7.95 |
| MON298X | 'Purple Mildew Resistant' (Qt.) | <i>M. 'P. Mildew Resistant'</i> | P4 | FS - PS | CF, FP, LB, MR | Purple | 36 | JL - AG | 6.95 |
| MON317X | 'Raspberry Wine' (Qt.) | <i>Monarda 'Raspberry Wine'</i> | P4 | FS - PS | CF, FP, LB, MR | Red, Wine- | 36 | JL - AG | 6.95 |
| MON292X | 'Rose Geranium' (Qt.) | <i>M. fistulosa menthifolia</i> | P5 | FS - PS | CF, FP, LB, M | Lavender | 36 | JL - AG | 7.75 |
| MON335X | White (Qt.) | <i>Monarda didyma 'Alba'</i> | P4 | FS - PS | CF, FP, LB | White | 36 | JL - AG | 6.95 |
| MON340X | Bergamont, Wild (Qt.) | <i>Monarda fistulosa</i> | P3 | FS - PS | C, FP, LB, M, NP | Purple, Lilac- | 36 | JL - AG | 6.95 |
| MOO160X | Moon Carrot (Qt.) | <i>Seseli gummiferum</i> | P5 | FS - PS | BF, CF, FP | Pink, Light- | 18 | JL - AG | 7.75 |
| MOS305X | Moss, Irish (Qt.) | <i>Minuartia verna</i> | P3 | PS - S | FP, GC, WG | White | 2 | JN - AG | 6.95 |
| MOT005X | Motherwort (Qt.) | <i>Leonurus cardiaca</i> | P4 | FS - S | D, M | White | 48 | JL - AG | 6.95 |
| ***** | Mugwort see Artemisia: | | | | | | | | |
| ***** | Mullein see Verbascum: | | | | | | | | |
| Murraya: | | | | | | | | | |
| MUR105 | Curry-Leaf (3-5" Tall) | <i>Murraya koenigii</i> | TP | FS | C, F, IU | White; Frgrt | 60 | ADP | 9.95 |
| MUR615X | Curry-Leaf (Qt.) (9-12" Tall) | <i>Murraya koenigii</i> | TP | FS | C, F, IU | White; Frgrt | 60 | ADP | 18.95 |
| MUR620X | Curry-Leaf (Qt.) (15-18" Tall) | <i>Murraya koenigii</i> | TP | FS | C, F, IU | White; Frgrt | 60 | ADP | 27.95 |
| An evergreen shrub in both its native countries India and Ceylon, this plant has pungent aromatic leaves that are used in curries, chutneys, stews, vegetables and yogurt. The fresh leaves are an essential ingredient in many Indian dishes and dried leaves are used in curry powder. | | | | | | | | | |
| Curry-Leaf needs full sun, temperatures above 60 degrees and its soil should be allowed to dry out between waterings. It is also used medicinally to promote digestion and circulation. | | | | | | | | | |
| MUR110 | Jasmine, Orange; Satinwood | <i>Murraya paniculata</i> | TP | FS | C, F, O | White; Frgrt | 24 | PRD | 7.95 |
| MUR660★ | Jasmine, Orange, 'Dwarf' | <i>Murraya paniculata 'Dwarf'</i> | TP | FS | C, F, O | White; Frgrt | 24 | PRD | 8.95 |
| Myrtus: Myrtle, ... | | | | | | | | | |
| MYR245 | Boetica | <i>Myrtus communis boetica</i> | TP | FS - PS | F, O | White | 12 | PRD | 7.75 |
| MYR250 | Greek; Merta | <i>Myrtus communis</i> | TP | FS - PS | C, F, O | White | 12 | PRD | 7.25 |
| MYR255 | 'Microphylla' | <i>M. communis 'Microphylla'</i> | TP | FS - PS | C, F, O | White | 12 | PRD | 7.25 |
| MYR260 | Microphylla, Variegated | <i>M. communis 'M. Variegata'</i> | TP | FS - PS | C, F, O | White | 12 | PRD | 7.25 |
| MYR265 | Roman, Variegated | <i>M. communis 'Romana V.'</i> | TP | FS - PS | F, O | White | 12 | PRD | 7.25 |
| MYR270 | Tarentina | <i>Myrtus communis tarentina</i> | TP | FS - PS | C, F, O | White | 12 | PRD | 7.25 |
| MYR275 | 'Triloba' | <i>Myrtus communis 'Triloba'</i> | TP | FS - PS | F, IU, O | White | 12 | PRD | 7.25 |
| MYR280 | Ugni | <i>Ugni molinae (Myrtus ugni)</i> | TP | FS - PS | C, F, O | White | 12 | ADP | 7.75 |
| NAS007 | Nasturtium, 'Jewel Mix' | <i>Tropaeolum majus 'J. Mix'</i> | A | FS - PS | BF, C, FA | Mix; Smi-Dbl | 12 | JN - SP | 2.95 |
| NAS010 | Nasturtium, Variegated, 'Alaska' | <i>Tropaeolum nanum 'A.'</i> | A | FS - PS | BF, C, FA | Org-Rd-Yllw | 12 | JN - SP | 2.95 |
| Nepeta: | | | | | | | | | |
| NEP020 | Catnip, Common | <i>Nepeta cataria</i> | P4 | FS - PS | C, IU, M, MT | White | 48 | JL - AG | 4.50 |
| NEP030 | Catnip, Lemon | <i>Nepeta cataria 'Citriodora'</i> | P4 | FS - PS | F, M, MT | White | 48 | JL - AG | 4.50 |
| Nepeta: Nepeta, ... ; Catmint | | | | | BF, DR, DT, HB | | | | |
| NEP245X | 'Amethyst' (Qt.) | <i>N. amethystina lacinata</i> | P5 | FS - PS | FP, LB, RG | Lavender | 18 | MY - SP | 8.75 |
| NEP035X | 'Blue Wonder' (Qt.) | <i>N. racemosa 'Blue Wonder'</i> | P5 | FS - PS | F, FP, LB | Blue | 14 | MY - SP | 6.95 |
| NEP505X | 'Cat's Meow' (1G) | <i>Nepeta 'Cat's Meow'</i> | P5 | FS - PS | CF, FP | Blue, Sky- | 20 | JL - SP | 10.95 |
| NEP210X | 'Dropmore' (Qt.) | <i>N. 'Dropmore' (x faassenii)</i> | P5 | FS - PS | F, FP, LB | Blue, DpLav- | 18 | MY - SP | 7.50 |
| NEP205X | Faassenii (Qt.) | <i>Nepeta x faassenii</i> | P5 | FS - PS | F, FP, LB | Blue | 16 | MY - SP | 6.95 |
| NEP265X | Lemon-Scented (Qt.) | <i>N. racemosa 'Grog' (x f.)</i> | P5 | FS - PS | F, FP, LB | Blue, Deep- | 12 | MY - SP | 7.75 |
| NEP062X | 'Six Hills Giant' (Qt.) | <i>N. 'Six Hills G.' (x faassenii)</i> | P5 | FS - PS | F, FP, LB | Blue | 36 | MY - SP | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|--|----|---------|-----------------------|-------------|----|---------|-------|
| Nepeta: Nepeta, ... ; Catmint (Continued) | | | | | BF, DR, DT, HB | | | | |
| NEP215X | 'Snowflake' (Qt.) | <i>N. racemosa</i> 'S.' (x f.) | P5 | FS - PS | F, FP, LB | White | 14 | MY - SP | 6.95 |
| NEP235X | 'Walker's Low' (Qt.) (07 PPA) | <i>N. 'W. Low'</i> (x <i>faassenii</i>) | P5 | FS - PS | F, FP, LB | Blue, Lav.- | 30 | MY - SP | 6.95 |
| ***** | Nepitella see Calamintha: | | | | | | | | |
| ***** | Nettle, Dead see Lamium: | | | | | | | | |
| NET110X | Nettle, Stinging (Qt.) (Leaves Sting Severely!!!) | <i>Urtica dioica</i> | P3 | FS - S | BF, C, D, M | Green | 36 | AG - SP | 6.95 |
| NEW115X | New Jersey Tea (Qt.) | <i>Ceanothus americanus</i> | P3 | FS - PS | BF, C, D, M, NP | White | 14 | AG - SP | 7.75 |
| NIG120 | Nigella; Love-In-A-Mist | <i>Nigella damascena</i> | HA | FS | C, DF, FA | Blue | 12 | AG - SP | 4.50 |
| ***** | Nodding Ladies' Tresses see Spiranthes: | | | | | | | | |
| ***** | Obedient Plant see Physostegia: | | | | | | | | |
| Ocimum: Basil, ... | | | | | BF | | | | |

One of the most widely used herbs; it symbolizes love. With such a selection of varieties, including flavors, basil has an assortment of culinary, medicinal and cosmetic uses. It enhances fresh tomato dishes, pesto, pizza and spaghetti sauce. Medicinally, it is known for its ability to relieve intestinal gas and its antibacterial properties. Fresh leaves are a good source of calcium and high in vitamin A. An oil extracted from the leaves is used in perfumes. These plants prefer full sun and as long as the seed heads are removed, they will produce an abundance of leaves.

| | | | | | | | | | |
|---|--|-------------------------------------|----|----|-------|--------------|----|---------|------|
| OCI075 | 'African Blue' | <i>Ocimum 'African Blue'</i> | TP | FS | C, FA | Purple | 24 | JL - SP | 4.50 |
| OCI120 | 'Anise'; Licorice Basil | <i>Ocimum basilicum 'Anise'</i> | A | FS | C, F | Purple, Lht- | 24 | JL - SP | 2.95 |
| OCI090 | 'Cinnamon' | <i>O. basilicum 'Cinnamon'</i> | A | FS | C, F | Pink | 24 | JL - SP | 2.95 |
| OCI100 | 'Cuban' | <i>Ocimum basilicum 'Cuban'</i> | TP | FS | C | White | 18 | JL - SP | 4.50 |
| Best for growing indoors on the windowsill, it has a strong growth habit and ability to withstand cooler temperatures. The flavor of the leaves is similar to Sweet Basil, though spicier, and its fresh leaves are great to have all year round. | | | | | | | | | |
| OCI205 | 'Genovese' | <i>O. basilicum 'Genovese'</i> | A | FS | C, F | White | 24 | JL - SP | 2.95 |
| OCI305 | 'Green Pepper' | <i>O. selloi 'Green Pepper'</i> | TP | FS | C, M | Purple | 24 | JL - SP | 4.50 |
| OCI112 | 'Lemon, Mrs. Burns' | <i>O. basilicum 'Mrs. Burns L.'</i> | A | FS | C | White | 24 | JL - SP | 2.95 |
| OCI226 | 'Lemon, Sweet Dani' | <i>O. basilicum 'S. D. Lemon'</i> | A | FS | C, F | White | 24 | JL - SP | 2.95 |
| OCI114 | 'Lesbos'; Aussie Sweetie (columnar growth habit) | <i>Ocimum 'L.'</i> | TP | FS | C, F | White | 18 | JL - SP | 4.50 |
| OCI115 | 'Lettuce-Leaf' | <i>O. basilicum 'Lettuce-leaf'</i> | A | FS | C | White | 24 | JL - SP | 2.95 |
| OCI228 | Lime | <i>Ocimum americanum</i> | A | FS | C, F | White | 12 | JL - SP | 2.95 |
| OCI216 | 'Mexican Spice' | <i>O. basilicum 'Mexican S.'</i> | A | FS | C, O | Pink | 24 | JL - SP | 2.95 |
| OCI125 | 'Miniature' | <i>Ocimum 'Miniature'</i> | TP | FS | C, O | White | 8 | JL - SP | 4.50 |
| This basil adds an interesting cooking flavor - citrus with a touch of mint, and does nicely on the windowsill or patio. | | | | | | | | | |
| OCI215 | 'Napoletano' | <i>O. basilicum 'Napoletano'</i> | A | FS | C | White | 24 | JL - SP | 2.95 |
| A panel of seven chefs voted this as the best for eating fresh - excellent with sliced tomatoes, in salads or sauce. | | | | | | | | | |
| OCI030 | 'Oriental Breeze' | <i>O. basilicum 'Oriental B.'</i> | A | FS | C | Pink | 24 | JL - SP | 2.95 |
| OCI145 | 'Purple Ruffles' | <i>O. basilicum 'Purple R.'</i> | A | FS | C, O | Pink | 24 | JL - SP | 2.95 |
| OCI270 | Purple, 'Amethyst Improved' | <i>O. 'Amethyst Improved'</i> | A | FS | C, O | | 16 | JL - SP | 2.95 |
| OCI140 | Purple, 'Dark Opal' | <i>Ocimum 'Dark Opal'</i> | A | FS | C, O | Pink | 24 | JL - SP | 2.95 |
| OCI150 | 'Purple, Miniature, Well-Sweep' | <i>O. basilicum 'W.-S. M. P.'</i> | TP | FS | C, O | Pink | 10 | JL - SP | 4.50 |
| This treasure was developed at Well-Sweep Herb Farm in 1974 when Cyrus Hyde, the proprietor, crossed a large-leafed purple basil with a tiny, green-leafed miniature basil. Over a period of three to four years, crosses were made, seeds were kept, and the best offspring of each of these crosses was selected. The end result was a miniature basil with tiny purple leaves. To ensure the unique traits of this plant are preserved all propagation is done here by cuttings. | | | | | | | | | |
| Growing into a purple mound 6" wide by 10" high, this basil is very decorative, & has good cooking flavor. It's leaves are a pleasant accent to salads, pastas & meat dishes. Used in herb vinegars & oils, it imparts a burgundy color. | | | | | | | | | |
| OCI035 | Purple, 'Rosie' | <i>Ocimum basilicum 'Rosie'</i> | A | FS | C | Pink | 18 | JL - SP | 2.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---------------------------------------|--|--------------------------------------|----|-----|-----------|--------------|----|---------|-------|
| Ocimum: Basil, ... (Continued) | | | | | | | | | |
| | | | | | BF | | | | |
| OCI218 | 'Red Rubin' | <i>Ocimum 'Red Rubin'</i> | A | FS | C | Pink | 24 | JL - SP | 2.95 |
| OCI103 | 'Spicy Globe' | <i>O. basilicum 'Spicy Globe'</i> | A | FS | C | White | 10 | JL - SP | 2.95 |
| OCI805 | 'Superbo' | <i>O. basilicum 'Superbo'</i> | A | FS | C, F | White | 18 | JL - SP | 2.95 |
| OCI165 | Sweet | <i>Ocimum basilicum</i> | A | FS | C | White | 30 | JL - SP | 2.95 |
| OCI240 | 'Thai Magic' | <i>O. basilicum 'Thai Magic'</i> | A | FS | C | Magenta | 24 | JL - SP | 2.95 |
| OCI152 | 'Thai' | <i>Ocimum basilicum 'Thai'</i> | A | FS | C | Lavender | 24 | JL - SP | 2.95 |
| OCI265 | Thai, 'Queenette' | <i>Ocimum 'Queenette'</i> | A | FS | C | Lavender | 16 | JL - SP | 2.95 |
| OCI232 | Thai, 'Siam Queen' | <i>O. basilicum 'Siam Queen'</i> | A | FS | C, F | Purple | 14 | JL - SP | 2.95 |
| OCI238 | 'Thai, Sweet' | <i>O. basilicum 'Sweet Thai'</i> | A | FS | C | Purple | 18 | JL - SP | 2.95 |
| OCI180 | Tulsi, 'Kapoor' Green; Holy Basil | <i>O. tenuiflorum (sanctum) 'K.'</i> | HA | FS | C, M | Lav., Light- | 24 | JL - SP | 4.50 |
| OCI185 | Tulsi, 'Krishna' Purple; Holy B. | <i>O. tenuiflorum (sanctum) 'K.'</i> | TP | FS | C, M | Lav., Light- | 24 | JL - SP | 4.50 |
| OCI670★ | Tulsi, 'Rama' Green; Holy Basil (green leaves & purple stems) | <i>O. tenuiflorum (sanctum) 'R.'</i> | TP | FS | C, M | Lav., Light- | 24 | JL - SP | 4.50 |
| OCI095 | Tulsi, 'Vana' Green; Clove Basil | <i>Ocimum gratissimum</i> | A | FS | C, F, M | Lavender | 24 | JL - SP | 4.50 |
| OCI275 | Variegated, 'Pesto Perpetuo' | <i>O. x citriodorum 'Pesto P.'</i> | TP | FS | C, O | None | 48 | | 5.85 |

Oenothera: Primrose, ...

| | | | | | | | | | |
|---------|-------------------------------|--------------------------------------|----|---------|-------------------|----------------|----|---------|------|
| | | | | | DR, DT, LB | | | | |
| OEN163X | Evening (Qt.) | <i>Oenothera biennis</i> | B4 | FS - PS | C, F, M, NP | Yellow | 36 | AG - SP | 6.95 |
| OEN190X | Evening, 'Magic' (Qt.) | <i>Oenothera flava 'Magic'</i> | P4 | FS - PS | FP, LB, NP, RG | Yellow, Light- | 8 | MY - AG | 7.75 |
| OEN165X | Missouri (Qt.) | <i>O. macrocarpa (missouriensis)</i> | P4 | FS - PS | FP, NP, WG | Yellow, Lmn- | 10 | JL | 7.75 |
| OEN224X | Showy, Pink, 'Siskiyou' (Qt.) | <i>O. speciosa 'Siskiyou'</i> | P5 | FS - PS | FP, WG | Pink | 8 | JL - SP | 6.95 |
| OEN170X | Yellow (Qt.) | <i>Oenothera fruticosa</i> | P4 | FS - PS | FP, NP | Yellow | 16 | AG - SP | 6.95 |
| OEN171X | Yellow, 'Fireworks' (Qt.) | <i>O. fruticosa 'Fyrverkeri'</i> | P4 | FS - PS | CF, FP | Yellow;RdBds | 18 | JL - AG | 6.95 |
| OEN185X | Yellow, 'Highlight' (Qt.) | <i>O. fruticosa 'Hohes Licht'</i> | P4 | FS - PS | FP | Yellow; Lrg | 18 | JL - AG | 6.95 |

Olea: Olive, Common, ... ; Tree Olive

| | | | | | | | | | |
|---------|--|-------------------------|----|----|------------|-------|----|---------|-------|
| OLE675X | 'Arbequina' (Qt.) (Compact & Self-Pollinating) | <i>O. europaea 'A.'</i> | TP | FS | C, F, M, O | White | AD | MY - JN | 25.95 |
| OLE680X | 'Arbequina' (2Q) (Compact & Self-Pollinating) | <i>O. europaea 'A.'</i> | TP | FS | C, F, M, O | White | AD | MY - JN | 34.95 |

Native to the Mediterranean, the olive tree is one of the oldest living trees on earth and has been cultivated since man's earliest history. Traditionally the olive branch is known as a symbol of peace. Valued economically for its important fruit and the oil extracted from it, all parts of the tree are used medicinally and the oil is known for lowering cholesterol.

Fragrant creamy-white flowers cover the plant and by late summer fruits will begin to ripen. The tree produces both olives of commerce - the green are picked when fully grown but not ripe; while black are fully ripe. Once picked, they are treated to remove the bitter flavor and then pickled. They prefer full sun and well-drained soil. Fruit are produced mainly on one-year-old wood and as the tree ages it is advantageous to remove old branches to encourage growth. Easy to grow Spanish cultivar - 'Arbequina' is self-pollinating, has a compact growth habit and produces abundant small fruits with excellent flavor; considered one of the best varieties. Hand pollinate if not set outdoors.

| | | | | | | | | | |
|---------|--------------------|---------------------------|----|---------|------|-------------|----|-----|-------|
| OLI015 | Olive, Sweet | <i>Osmanthus fragrans</i> | TP | FS - PS | F, O | White, Crm- | AD | PRD | 8.95 |
| OLI020X | Olive, Sweet (Qt.) | <i>Osmanthus fragrans</i> | TP | FS - PS | F, O | White, Crm- | AD | PRD | 12.95 |

Known also as Tea Olive or Kwai by the Chinese, Sweet Olive is an herb you will enjoy all year-round. Named for its wonderfully sweet blossoms, this East Asian native has small creamy-white flowers with a fragrance similar to orange blossoms. It is superb as a houseplant, for when it blooms, it will scent an entire room.

In its native environment, Sweet Olive can reach 30 feet in height; in the Eastern United States, kept pruned, it does well as a house plant with its shrubby dark-green leaves. Requiring five hours to a full day of sun and temperatures above 45 degrees, it will bloom all winter and occasionally throughout the remainder of the year. The flowers are used in China to add flavor and scent to both tea and wine, and also for flavoring desserts much like we use vanilla. Try some flowers for an excellent addition to your next cup of cappuccino or tea.

Oregano, ... : (Non-Origanum Genus)

***** Cuban see *Plectranthus*:

| | | | | | | | | | |
|--------|-----------|--------------------------|----|---------|---|-------|----|-----|------|
| ORE035 | Dominican | <i>Lippia micromera</i> | TP | FS - PS | C | White | 12 | EVB | 6.60 |
| ORE045 | Mexican | <i>Lippia graveolens</i> | TP | FS | C | White | 6 | EVB | 6.60 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|-------------------------------------|----|---------|------------------------|--------------|----|---------|-------|
| Oregano, ... : (Non-Origanum Genus) (Continued) | | | | | | | | | |
| ORE050 | Mexican | <i>Poliomintha longiflora</i> | TP | FS | C | Lavender | 8 | JL - AG | 6.60 |
| ***** | Puerto Rican see Plectranthus: | | | | | | | | |
| Origanum: | | | | | | | | | |
| ORI060 | Dittany of Crete | <i>Origanum dictamnus</i> | TP | FS | C, IU, M | Pink | 6 | JN - SP | 6.60 |
| Fuzzy silver leaves adorn this sun loving beauty and it is a joy in a container year round. A reputed aphrodisiac. | | | | | | | | | |
| ORI685X | Marjoram, Golden (Qt.) | <i>Origanum vulgare 'Aureum'</i> | P6 | FS | BF, DR, DT, RG | White | 6 | JL - AG | 6.95 |
| ORI075 | Marjoram, Sweet | <i>Origanum majorana</i> | TP | FS | C | Green, Wht- | 10 | JL - AG | 4.50 |
| ORI430 | Marjoram, Sweet, Golden | <i>O. majorana 'Russell's'</i> | TP | FS | C | White | 10 | JL - AG | 5.85 |
| ORI080X | Marjoram, Wild, Purple (Qt.) | <i>Origanum vulgare</i> | P5 | FS | BF,DR,DT,FP,LB | Red, Prpl- | 24 | AG - SP | 6.95 |
| Origanum: Oregano, ... : (Culinary) | | | | | | | | | |
| A favorite in the herb garden, oregano has been widely used in both cooking and folk remedies. Its powerful antiseptic properties make it an excellent treatment for mouth conditions and it is used for colds, flus and headaches. A great source of antioxidants, it also has antifungal properties. The oil, usually of the <i>vulgare</i> species, is used in industry for food flavoring and men's colognes. The leaves contain calcium and vitamin A and hold their flavor well when dried. | | | | | | | | | |
| The following oreganos are our most popular culinary varieties. 'Italian': a tender perennial with an excellent refined taste, used for delicate flavoring. 'Culinary': similar to 'Italian', but sweeter and more floral in flavor. Greek: a perennial with a strong robust flavor - stronger than 'Italian' and 'Culinary'. 'Hot & Spicy': similar to Greek, but with a sharper fiery bite. The other ethnic culinary varieties listed below have very distinct aromas as well as unique flavors. | | | | | | | | | |
| ORI085 | 'Asgrow' | <i>Origanum 'Asgrow'</i> | TP | FS | C | White | 10 | JN - AG | 6.60 |
| ORI095 | 'Culinary' | <i>O. x majoricum 'Culinary'</i> | TP | FS | C | White | 14 | JL - AG | 4.50 |
| ORI505 | 'Ephesus' | <i>Origanum onites 'Ephesus'</i> | TP | FS | C | | 10 | JN - SP | 6.60 |
| A popular ethnic cooking variety with a mild bite from Ephesus, Turkey; found where the Apostle Paul preached. Shared with us by the Reverend Doug Siedel - a distinguished fellow plantsman. | | | | | | | | | |
| ORI110 | Greek | <i>Origanum vulgare hirtum</i> | P5 | FS - PS | BF, C, DR, DT | White | 18 | JL - AG | 4.50 |
| ORI112 | Greek, 'Kaliteri' | <i>Origanum 'Kaliteri'</i> | TP | FS - PS | C | White | 12 | JN - AG | 6.60 |
| ORI605 | 'Hot & Spicy' | <i>O. vulgare 'Hot & Spicy'</i> | P6 | FS | C | White | 14 | JL - AG | 6.60 |
| ORI115 | 'Italian' | <i>O. x majoricum 'Italian'</i> | TP | FS | C | White | 14 | JL - AG | 4.50 |
| ORI140 | Onites; Cretan O.; True Pot Marjoram | <i>Origanum onites</i> | TP | FS | C | White | 10 | JN - SP | 6.60 |
| ORI185 | 'Palermo' | <i>Origanum sp. 'Palermo'</i> | TP | FS | C | White | 12 | JN - AG | 6.60 |
| ORI152 | 'Sicilian' | <i>O. x majoricum 'Sicilian'</i> | TP | FS | C | White | 8 | JL - AG | 6.60 |
| ORI160 | Syriacum | <i>Origanum syriacum</i> | TP | FS | C, M, O | White | 10 | JN - AG | 6.60 |
| ORI163 | Syriacum, Bevanii | <i>Origanum syriacum bevanii</i> | TP | FS - PS | C, O | White | 10 | JN - AG | 6.60 |
| Origanum: Oregano, ... : (Ornamental) | | | | | | | | | |
| ORI087 | 'Barbara Tingey' | <i>Origanum 'Barbara Tingey'</i> | TP | FS | DF, FP | Green, Pnk- | 8 | JL - AG | 6.60 |
| ORI135 | Microphyllum (From Crete) | <i>Origanum microphyllum</i> | TP | FS | O | Magenta | 3 | JN - SP | 6.60 |
| ORI143 | Rotundifolium, 'Kent Beauty' | <i>O. rotundifolium 'Kent B.'</i> | TP | FS | O | Pink | 8 | JN - AG | 6.60 |
| ORI305 | 'Thea's Gold' | <i>Origanum 'Thea's Gold'</i> | TP | FS - PS | FP, GC | Pink, Light- | 6 | JL - AG | 6.60 |
| Origanum: Oregano, ... : (Perennials) | | | | | | | | | |
| ORI090 | Compactum Nanum | <i>Origanum vulgare 'Humile'</i> | P6 | FS | BF, DT, GC, RG | Purple | 3 | JL - AG | 5.85 |
| ORI180X | 'Hopleys Purple' (Qt.) | <i>O. laevigatum 'Hopleys'</i> | P5 | FS | DF, DT, FP, LB | Purple | 24 | AG - SP | 6.95 |
| ORI195X | 'Rotkugel' (Qt.) | <i>Origanum 'Rotkugel'</i> | P5 | FS | DF, DT, FP, LB | Pink | 18 | JL - AG | 7.25 |
| ORI168 | 'White Anniversary' | <i>Origanum 'W. Anniversary'</i> | P6 | FS | DT, O | White | 3 | JL - AG | 6.60 |
| ***** | Orris Root see Iris: | | | | | | | | |
| Pachysandra: | | | | | | | | | |
| PAC605X | Spurge, Allegheny (Qt.) | <i>Pachysandra procumbens</i> | P5 | PS - S | DR, GC F, MT, NP, O | Pink; Spikes | 12 | AP - MY | 7.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|--------------------------------------|----|---------|---------------|---------------|----|---------|-------|
| Paeonia: Peony, ... | | | | | | | | | |
| PAE505X | 'Bowl of Beauty' (2Q) | <i>P. 'Bowl of B.' (lactiflora)</i> | P3 | FS - PS | CF, DR, F, FP | Pink, Vbrnt- | 28 | JN - JL | 14.95 |
| PAE808X | Fernleaf, Single-Flowered (Qt.) | <i>Paeonia tenuifolia</i> | P4 | FS - PS | CF, DR, F, FP | Red; Single | 15 | MY - JN | 27.95 |
| PAE410X | Itoh, 'Bartzella' (4Q) | <i>Paeonia 'Bartzella'</i> | P4 | FS - PS | CF, DR, F, FP | Yellow;Dbl;9" | 36 | MY - JN | 49.95 |
| PAE690X★ | Itoh, 'First Arrival' (4Q) | <i>Paeonia 'First Arrival'</i> | P4 | FS - PS | CF, DR, F, FP | Lav.; Dbl; 8" | 30 | MY - JN | 49.95 |
| PAE695X | 'Karl Rosenfield' (4Q) | <i>Paeonia 'Karl Rosenfield'</i> | P3 | FS - PS | CF, DR, F, FP | Rd,BrInt;-Dbl | 34 | JN - JL | 12.95 |
| PAE510X | 'Red Magic' (2Q) | <i>P. 'Red Magic' (lactiflora)</i> | P3 | FS - PS | CF, DR, F, FP | Red,Dp;-Dbl | 32 | JN - JL | 13.95 |
| PAE325X | 'Sarah Bernhardt' (2Q) | <i>Paeonia 'Sarah Bernhardt'</i> | P3 | FS - PS | CF, DR, F, FP | Pnk,Rse;-Dbl | 34 | JN - JL | 10.95 |
| PAE805X | 'Shirley Temple' (4Q) | <i>Paeonia 'Shirley Temple'</i> | P3 | FS - PS | CF, DR, F, FP | White; Dbl | 34 | MY - JN | 14.95 |
| PAE930X | 'Sorbet' (3Q) | <i>Paeonia 'Sorbet' (lactiflora)</i> | P3 | FS - PS | CF, DR, F, FP | Pnk&Wht;Dbl | 36 | MY - JN | 17.95 |
| Paeonia: Peony, Tree, ... (Ususally produce blossoms 2nd year.) | | | | | | | | | |
| PAE820X | 'Pink, Dark-' (2Q) (2 Yr) | <i>P. suffruticosa 'Dark-Pink'</i> | P4 | FS - PS | CF, DR, F, FP | Pnk,Drk;-Dbl | 36 | JN - JL | 29.95 |
| PAE415X | 'Pink, Dark-' (3Q) (3Yr) | <i>P. suffruticosa 'Dark-Pink'</i> | P4 | FS - PS | CF, DR, F, FP | Pnk,Drk;-Dbl | 36 | JN - JL | 39.95 |
| PAE650X | Pink, 'Yachiyotsubaki' (2Q) (2 Yr) | <i>Paeonia suffruticosa 'Y.'</i> | P4 | FS - PS | CF, DR, FP | Pnk,Rse;-;10" | 48 | JN - JL | 31.95 |
| PAE420X | Purple, 'Hanadaijin' (2Q) (3 Yr) | <i>Paeonia suffruticosa 'H.'</i> | P4 | FS - PS | CF, DR, FP | Purple, Red- | 36 | JN - JL | 40.95 |
| PAE520X | Purple, 'Shimadaijin' (2Q) (2 Yr) | <i>Paeonia suffruticosa 'S.'</i> | P4 | FS - PS | CF, DR, FP | PurpleYbrnt- | 54 | MY - JN | 31.95 |
| PAE655X | Red & White, 'Shimanishiki' (2Q) (2Yr) | <i>P. suffruticosa 'S.'</i> | P4 | FS - PS | CF, DR, F, FP | Rd&Wht;Dbl | 36 | JN - JL | 33.95 |
| PAE425X | Red & White, 'Shimanishiki' (3Q) (3Yr) | <i>P. suffruticosa 'S.'</i> | P4 | FS - PS | CF, DR, F, FP | Rd&Wht;Dbl | 36 | JN - JL | 44.95 |
| PAE660X | Red, 'Taiyo' (2Q) (2 Yr) | <i>Paeonia suffruticosa 'Taiyo'</i> | P4 | FS - PS | CF, DR, FP | Red, Ruby- | 48 | MY - JN | 29.95 |
| PAE430X | Red, 'Taiyo' (2Q) (3 Yr) | <i>Paeonia suffruticosa 'Taiyo'</i> | P4 | FS - PS | CF, DR, FP | Red, Ruby- | 48 | MY - JN | 40.95 |
| PAE525X | Yellow (2Q) (2 Yr) | <i>P. suffruticosa 'Yellow'</i> | P4 | FS - PS | CF, DR, F, FP | Yellow, Lmn- | 36 | JN - JL | 33.95 |
| PAE235X | Yellow, 'High Noon' (2Q) (1 Yr) (Rebloomer) | <i>P. s. 'H. Noon'</i> | P4 | FS - PS | CF, DR, F, FP | Yellow, Lmn- | 36 | MY - JN | 31.95 |

Pandanus:

| | | | | | | | | | |
|---|--|--------------------------------|----|----|------|--|----|--|-------|
| PAN355X | Pandan (Qt.); <i>Screw Pine</i> | <i>Pandanus amaryllifolius</i> | TP | FS | C, M | | AD | | 19.95 |
| Popular in Asian cuisine, the aromatic leaves are used to flavor sweets, rice and meat dishes. They are also cooked and eaten as wraps or added to curries. In Nepal, the essential oil is used medicinally for headaches and rheumatism. These plants require full sun, temperatures above 60°F and prefer to dry out between waterings. | | | | | | | | | |

Papaver: Poppy, ...

| | | | | | | | | | |
|---------|------------------------------------|-------------------------------|----|---------|--------|-------|----|---------|------|
| PAP222X | Alpine (Qt.) | <i>Papaver alpinum</i> | P5 | FS | FP, RG | Mixed | 8 | JL - SP | 6.95 |
| PAP142X | Iceland, 'Wonderland' (Qt.) | <i>Papaver nudicaule 'W.'</i> | P3 | FS - PS | FP, RG | Mixed | 10 | MY - SP | 6.95 |

Papaver: Poppy, Oriental, ...

| | | | | | | | | | |
|----------|---|------------------------------------|----|----|----|---------------|----|---------|------|
| PAP505X | 'Orange, Antique' (Qt.) | <i>P. orientale 'A. Orange'</i> | P3 | FS | FP | Orang,Brht- | 30 | MY - JN | 8.75 |
| PAP665X★ | Pink, 'Mrs. Perry' (Qt.) | <i>P. orientale 'Mrs. Perry'</i> | P3 | FS | FP | Pink, Soft- | 20 | MY - JN | 8.95 |
| PAP143X | Pink, 'Princess Victoria Louise' (Qt.) | <i>P. o. 'P. Viktoria Luise'</i> | P3 | FS | FP | Pink, Slmn- | 36 | MY - JN | 7.75 |
| PAP565X★ | Pink, 'Raspberry Queen' (Qt.) | <i>P. orientale 'R. Queen'</i> | P3 | FS | FP | Pnk,Rspbry- | 30 | MY - JN | 8.75 |
| PAP710X | Purple, 'Patty's Plum' (Qt.) | <i>P. orientale 'Patty's Plum'</i> | P3 | FS | FP | Purple,Dark- | 32 | MY - JN | 8.75 |
| PAP144X | Red, 'Beauty Of Livermere' (Qt.) | <i>P. orientale 'B. of L.'</i> | P3 | FS | FP | Red, Dark- | 36 | MY - JN | 8.95 |
| PAP228X | Red, 'Turkenlouis' (Qt.) | <i>P. orientale 'Turkenlouis'</i> | P3 | FS | FP | Red; Frngd | 30 | MY - JN | 8.75 |
| PAP148X | Scarlet, 'Prince of Orange' (Qt.) | <i>P. orientale 'P. of Orange'</i> | P3 | FS | FP | Scarlnt,Orng- | 30 | MY - JN | 8.75 |
| PAP325X | White, 'Royal Wedding' (Qt.) | <i>P. orientale 'R. Wedding'</i> | P3 | FS | FP | White | 24 | JL - AG | 7.75 |

| | | | | | | | | | |
|----------|---|--------------------------------|----|---------|---------------|--------|----|---------|-------|
| PAP670X★ | Paperbush, Oriental (Qt.); <i>Mitsumata Edgeworthia chrysantha</i> | | P6 | FS - PS | BF, F, FP, LB | Yellow | 8' | AP - JN | 17.95 |
| PAR005 | Parsley, Curly | <i>Petroselinum crispum</i> | A | FS - PS | BF, C | | 10 | | 2.95 |
| PAR010 | Parsley, Italian | <i>P. crispum neapolitanum</i> | A | FS - PS | BF, C | | 14 | | 2.95 |

Parthenium:

| | | | | | | | | | |
|---------|--|-------------------------|----|---------|---------------|---------------|----|---------|------|
| PAR580X | Feverfew, American (Qt.); <i>Wild Quinine</i> | <i>P. integrifolium</i> | P3 | FS - PS | DR, FP, M, NP | White; Clstrs | 36 | JL - AG | 6.95 |
| PAR015X | Partridgeberry (Qt.); <i>Squaw Vine</i> | <i>Mitchella repens</i> | P4 | FS - S | C,GC,M,NP,WG | Red Berries | 2 | SP - OC | 7.50 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---------|---------------------------------------|-----------------------------|-----|---------|-----------------|--------------|-----|---------|-------|
| ***** | Pasque Flower see Pulsatilla: | | | | | | | | |
| PAS125X | Passion Flower, American (Qt.) | <i>Passiflora incarnata</i> | P6* | FS | C, FP, O, M, VN | Purple & Wht | 25' | JN - SP | 9.95 |
| PAT020 | Patchouli, Cablin | <i>Pogostemon cablin</i> | TP | FS - PS | F, O | White | 12 | JL - AG | 7.25 |
| PAT025 | Patchouli, Heyneanus | <i>Pogostemon heyneanus</i> | TP | FS - PS | F, O | Lav., Light- | 12 | JL - AG | 7.25 |

| | | | | | | | | | |
|--|---|------------------------|----|---------|------------------|--------|-----|---------|-------|
| PAW675X | Pawpaw (6Q) (Two required for pollination) | <i>Asimina triloba</i> | P4 | FS - PS | C, DR, M, MT, NP | Purple | 20' | AP - MY | 24.95 |
| This native tree is prized for its banana custard flavored fruit; used in making preserves, pies and sweet desserts. | | | | | | | | | |

***** **Pearlwort see Sagina:**

Pelargonium: Geranium, ... (Unique Flowering & Medicinal Varieties)

| | | | | | | | | | |
|---------|------------------------|---|----|----|------|--------------|----|-----|------|
| PEL680★ | 'Baby Snooks' | <i>Pelargonium 'Baby Snooks'</i> | TP | FS | O | Lilac & Prpl | 12 | PRD | 8.75 |
| PEL505 | Lace | <i>Pelargonium myrrhifolium coriandrifolium</i> | TP | FS | O | Pink | 8 | PRD | 7.25 |
| PEL510 | 'Molly Marples' | <i>Pelargonium 'Molly Marples'</i> | TP | FS | O | Purple, Drk- | 12 | PRD | 7.75 |
| PEL515 | Pansy | <i>P. 'Madame Layla'</i> | TP | FS | O | Pink & Marn | 8 | EVB | 7.25 |
| PEL520 | Umckaloabo | <i>Pelargonium sidoides</i> | TP | FS | O, M | Purple, Drk- | 15 | PRD | 8.75 |

Pelargonium: Geranium, Scented, ...

| | | | | | | | | | |
|--------|--|---------------------------------------|----|----|---------|--------------|----|-----|------|
| PEL010 | Angel | <i>Pelargonium 'Angeline'</i> | TP | FS | F, O | Pink | 14 | PRD | 6.60 |
| PEL015 | Apple | <i>Pelargonium odoratissimum</i> | TP | FS | C, F, O | White | 6 | PRD | 6.25 |
| PEL020 | 'Apple, Fringed' | <i>P. x fragrans 'Fringed A.'</i> | TP | FS | C, F, O | White | 12 | PRD | 6.25 |
| PEL025 | Apple Cider | <i>P. x fragrans 'Cody'</i> | TP | FS | C, F, O | White | 8 | PRD | 6.25 |
| PEL545 | 'Apple, Big' | <i>P. odoratissimum 'B. Apple'</i> | TP | FS | C, F, O | White | 10 | PRD | 7.75 |
| PEL035 | Apricot | <i>P. 'M. Ninon' (scabrum)</i> | TP | FS | F, O | Pink, Aprct- | 12 | PRD | 6.25 |
| PEL467 | 'Charity' | <i>P. x asperum 'Charity'</i> | TP | FS | C, F, O | Mauve | 14 | PRD | 6.60 |
| PEL489 | 'Charmay Snow Flurry' | <i>P. 'Charmay Snow Flurry'</i> | TP | FS | C, F, O | Lavender | 18 | PRD | 6.60 |
| PEL070 | 'Cinnamon' | <i>P. x asperum 'Cinnamon'</i> | TP | FS | C, F, O | Pink | 16 | PRD | 5.85 |
| PEL075 | 'Citronella' | <i>Pelargonium 'Citronella'</i> | TP | FS | C, F, O | Lavender | 24 | PRD | 6.25 |
| PEL080 | 'Clorinda' | <i>P. domesticum 'Clorinda'</i> | TP | FS | F, O | Pink, Rose- | 12 | PRD | 6.60 |
| PEL085 | Coconut | <i>P. grossularioides</i> | TP | FS | C, F, O | Magenta | 8 | PRD | 5.85 |
| PEL645 | 'Cy's Sunburst' | <i>P. crispum 'Cy's Sunburst'</i> | TP | FS | F, O | Pink | 10 | PRD | 9.95 |
| PEL112 | 'Dean's Delight' | <i>P. 'Dean's Delight'</i> | TP | FS | F, O | Pink | 12 | PRD | 6.25 |
| PEL120 | Denticulatum | <i>Pelargonium denticulatum</i> | TP | FS | F, O | White | 12 | PRD | 6.25 |
| PEL125 | 'Dr. Livingstone' | <i>P. x asperum 'Dr. L.'</i> | TP | FS | C, F, O | Pink | 24 | PRD | 5.85 |
| PEL130 | 'Fair Ellen' | <i>P. quercifolium 'Fair Ellen'</i> | TP | FS | F, O | Pink | 24 | PRD | 5.85 |
| PEL135 | 'Filicifolium' | <i>P. denticulatum 'Filicifolium'</i> | TP | FS | F, O | White | 10 | PRD | 6.25 |
| PEL140 | 'Frensham' | <i>Pelargonium 'Frensham'</i> | TP | FS | F, O | Pink | 12 | PRD | 6.60 |
| PEL550 | 'Frosted' | <i>P. x citrosium 'Frosted'</i> | TP | FS | F, O | White | 36 | PRD | 6.60 |
| PEL143 | 'Fruity' | <i>P. x fragrans 'Fruity'</i> | TP | FS | C, F, O | White | 8 | PRD | 6.25 |
| PEL145 | Ginger | <i>P. x nervosum 'Toronto'</i> | TP | FS | C, F, O | Pink;DpThrt | 10 | PRD | 5.85 |
| PEL155 | Gooseberry | <i>P. crispum 'Variegatum'</i> | TP | FS | C, F, O | Pink | 8 | PRD | 5.85 |
| PEL497 | 'Hansen's Wild Spice' | <i>P. 'Hansen's Wild Spice'</i> | TP | FS | C, F, O | Lilac | 12 | PRD | 6.25 |
| PEL167 | 'Joy Lucille, Variegated' | <i>P. 'Variegated Joy Lucille'</i> | TP | FS | C, F, O | Pink | 24 | PRD | 6.60 |
| PEL180 | 'Lady Plymouth' | <i>P. x asperum 'L. Plymouth'</i> | TP | FS | C, F, O | Pink | 20 | PRD | 6.25 |
| PEL185 | 'Lady Plymouth, Grey' | <i>P. x asperum 'Grey Lady P.'</i> | TP | FS | C, F, O | Pink | 24 | PRD | 6.25 |
| PEL594 | 'Lavender Lad' | <i>Pelargonium 'Lavender Lad'</i> | TP | FS | C, F, O | Magenta | 8 | PRD | 6.60 |
| PEL190 | Lemon Balm | <i>Pelargonium x melissinum</i> | TP | FS | C, F, O | Pink | 18 | PRD | 5.85 |
| PEL195 | Lemon Crispum | <i>Pelargonium crispum</i> | TP | FS | C, F, O | Pink | 10 | PRD | 5.85 |
| PEL596 | 'Lemon Meringue' | <i>Pelargonium 'L. Meringue'</i> | TP | FS | C, F, O | Pink | 12 | PRD | 6.60 |
| PEL215 | Lemon, 'Prince Rupert, Variegated' | <i>P. crispum 'V. P. Rupert'</i> | TP | FS | C, F, O | Lav., Pink- | 12 | PRD | 6.25 |
| PEL205 | Lemon, 'Well-Sweep Golden Variegated' | <i>P. crispum 'W.-Sweep G. V.'</i> | TP | FS | C, F, O | Pink | 10 | PRD | 7.25 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---------------------------------------|--------------------------------------|----|-----|---------|--------------|----|-------|-------|
| Pelargonium: Geranium, Scented, ... (Continued) | | | | | | | | | |
| PEL220 | Lime | <i>Pelargonium x nervosum</i> | TP | FS | C, F, O | Lavender | 10 | PRD | 6.25 |
| PEL235 | 'Mable Grey' | <i>P. x citronellum 'M. Grey'</i> | TP | FS | C, F, O | Purple | 14 | PRD | 7.75 |
| PEL597 | 'Mable Grey, Hybrid' | <i>P. x citronellum 'H. M. Grey'</i> | TP | FS | C, F, O | Lavender | 14 | PRD | 7.25 |
| PEL065 | 'Mint, Chocolate' | <i>P. 'Chocolate Mint'</i> | TP | FS | C, F, O | White | 14 | PRD | 7.25 |
| PEL240 | 'Mrs. Kingsley' | <i>P. rapaceum 'Mrs. Kingsley'</i> | TP | FS | F, O | Crimson | 10 | PRD | 6.25 |
| PEL245 | 'Mrs. Taylor' | <i>P. graveolens 'Mrs. Taylor'</i> | TP | FS | F, O | Scarlet | 12 | PRD | 5.85 |
| PEL250 | Nutmeg | <i>Pelargonium x fragrans</i> | TP | FS | C, F, O | White | 6 | PRD | 5.85 |
| PEL255 | 'Nutmeg, Golden' | <i>P. x fragrans 'G. Nutmeg'</i> | TP | FS | C, F, O | White | 6 | PRD | 7.25 |
| PEL260 | Nutmeg, Variegated | <i>P. x fragrans 'Variegatum'</i> | TP | FS | C, F, O | White | 6 | PRD | 7.25 |
| PEL635 | Nutmeg, Variegated, White | <i>P. x f. 'Variegatum Alba'</i> | TP | FS | F, O | White | 6 | PRD | 7.75 |
| PEL265 | Oak, Giant | <i>P. quercifolium 'Giganteum'</i> | TP | FS | F, O | Pink | 24 | PRD | 6.25 |
| PEL275 | Oak, 'Staghorn' | <i>P. quercifolium 'Staghorn'</i> | TP | FS | F, O | Pink | 20 | PRD | 5.85 |
| PEL608 | Oak, Variegated | <i>P. quercifolium 'Variegatum'</i> | TP | FS | F, O | Pink | 24 | PRD | 7.25 |
| PEL285 | 'Oak, Village Hill' | <i>P. 'Village Hill Oak'</i> | TP | FS | F, O | Pink | 20 | PRD | 5.85 |
| PEL290 | Old Spice | <i>P. x fragrans 'Logee'</i> | TP | FS | C, F, O | White | 6 | PRD | 5.85 |
| PEL295 | Orange | <i>Pelargonium x citrosum</i> | TP | FS | C, F, O | Pink;DrkThrt | 10 | PRD | 6.25 |
| PEL310 | Peppermint | <i>Pelargonium tomentosum</i> | TP | FS | C, F, O | White | 20 | PRD | 6.25 |
| PEL320 | 'Peppermint, Pungent' | <i>P. 'Pungent Peppermint'</i> | TP | FS | C, F, O | White | 20 | PRD | 6.60 |
| PEL315 | 'Peppermint Rose' | <i>P. x asperum 'P. Rose'</i> | TP | FS | C, F, O | White | 18 | PRD | 6.60 |
| PEL482 | 'Peppermint Spice' | <i>P. 'Peppermint Spice'</i> | TP | FS | F, O | Pink, Lav.- | 18 | PRD | 6.60 |
| PEL325 | 'Pheasant's Foot' | <i>P. 'Pheasant's Foot'</i> | TP | FS | F, O | Pink | 14 | PRD | 6.25 |
| PEL335 | Pine | <i>P. x fragrans 'Turpenthia'</i> | TP | FS | F, O | White | 10 | PRD | 5.85 |
| PEL340 | 'Pineapple' | <i>Pelargonium 'Pineapple'</i> | TP | FS | C, F, O | Pink | 10 | PRD | 5.85 |
| PEL345 | 'Pink Champagne' | <i>P. 'Pink Champagne'</i> | TP | FS | C, F, O | Pink | 12 | PRD | 6.25 |
| PEL355 | 'Roger's Delight' | <i>P. 'Roger's Delight'</i> | TP | FS | F, O | Pink | 20 | PRD | 6.25 |
| PEL365 | 'Rose, Attar of' | <i>P. capitatum 'Attar of Roses'</i> | TP | FS | C, F, O | Pink | 24 | PRD | 5.85 |
| PEL390 | Rose, Mint-Scented, Variegated | <i>P. graveolens 'Variegata'</i> | TP | FS | C, F, O | Pink | 24 | PRD | 6.60 |

| | | | | | | | | | |
|--------|----------------------------|-------------------------------|----|----|------------|------|----|-----|------|
| PEL360 | Rose, Old-Fashioned | <i>Pelargonium graveolens</i> | TP | FS | C, F, M, O | Pink | 24 | PRD | 5.85 |
|--------|----------------------------|-------------------------------|----|----|------------|------|----|-----|------|

One of our favorites - this Victorian variety has a distinctive rose scent and can be used in all types of desserts, jams, syrups, teas and punch for its unusual flavor and fragrance. The essential oil is used in aromatherapy, cosmetics and in health tonics. Medicinally, it is used as an antifungal, antidepressant, antiseptic and for hormonal problems.

| | | | | | | | | | |
|--------|------------------------------|-------------------------------------|----|----|---------|----------|----|-----|------|
| PEL395 | 'Rose, Red-Flowered' | <i>P. graveolens 'Red-F. Rose'</i> | TP | FS | F, O | Red | 14 | PRD | 6.25 |
| PEL405 | 'Rose, Rober's Lemon' | <i>P. 'Rober's Lemon Rose'</i> | TP | FS | C, F, O | Pink | 24 | PRD | 5.85 |
| PEL416 | 'Rose, Silver-Edged' | <i>P. 'Silver-Edged Rose'</i> | TP | FS | C, F, O | Pink | 20 | PRD | 5.85 |
| PEL425 | 'Scarlet Unique' | <i>P. fulgidum 'Scarlet Unique'</i> | TP | FS | F, O | Red | 14 | PRD | 7.25 |
| PEL440 | Snowflake | <i>P. 'Logee's Snowflake'</i> | TP | FS | F, O | Pink | 24 | PRD | 6.25 |
| PEL445 | 'Snowflake, Cook's' | <i>P. 'Cook's Snowflake'</i> | TP | FS | F, O | Pink | 12 | PRD | 5.85 |
| PEL450 | Southernwood | <i>Pelargonium abrotanifolium</i> | TP | FS | F, O | White | 8 | PRD | 6.25 |
| PEL455 | 'Spanish Lavender' | <i>P. 'Spanish Lavender'</i> | TP | FS | F, O | Lavender | 14 | PRD | 7.25 |
| PEL465 | Strawberry | <i>P. x scarboroviae</i> | TP | FS | C, F, O | Rose | 8 | PRD | 6.25 |
| PEL625 | 'Sweet Miriam' | <i>P. quercifolium 'S. Miriam'</i> | TP | FS | F, O | Pink | 24 | PRD | 5.85 |

***** Pennyroyal see **Mentha:**

***** Pennyroyal, American see **Hedeoma:**

Penstemon: Penstemon, ...

| | | | | | | BF, DR, DT, HB | | | |
|---------|---|--------------------------------------|----|---------|------------|-----------------------|----|---------|------|
| PEN062X | 'Husker Red' (Qt.) (96 PPA) | <i>P. digitalis 'Husker Red'</i> | P4 | FS - PS | CF, FP | White | 30 | JN - JL | 6.95 |
| PEN080X | Pine-Leaf (Qt.) | <i>Penstemon pinifolius</i> | P4 | FS - PS | FP, NP, RG | Red, Orng- | 12 | JL - AG | 6.95 |
| PEN105X | Pine-Leaf, 'Mersea Yellow' (Qt.) | <i>P. pinifolius 'Mersea Yellow'</i> | P4 | FS - PS | FP, RG | Yellow, Soft- | 12 | JL - AG | 7.25 |
| PEN090X | 'Prairie Dusk' (Qt.) | <i>Penstemon 'Prairie Dusk'</i> | P3 | FS - PS | FP | Purple, Rse- | 20 | JL - AG | 7.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|---|----|---------|-----------------------|---------------|----|---------|-------|
| Penstemon: Penstemon, ... (Continued) | | | | | BF, DR, DT, HB | | | | |
| PEN685X★ | 'Red Riding Hood' (Qt.) | <i>Penstemon 'Red Riding H.'</i> | P5 | FS - PS | FP, RG | Red, Chrry- | 24 | JN - JL | 7.75 |
| PEN087X | Rocky Mountain (Qt.) | <i>Penstemon strictus</i> | P4 | FS - PS | FP, NP, RG | Violet, Blue- | 18 | JN - JL | 6.95 |
| ***** | Peony see Paeonia: | | | | | | | | |
| ***** | Pepper, Black see Piper: | | | | | | | | |
| ***** | Perennial Geranium see Geranium: | | | | | | | | |
| PER085 | Perilla, Curly, Green; <i>Shiso</i> | <i>Perilla frutescens crispata</i> | HA | FS - PS | C, M, O | White | 12 | JL - AG | 4.50 |
| PER090 | Perilla, Curly, Purple | <i>P. frutescens 'Atropurpurea'</i> | HA | FS - PS | C, D, M, O | Pink | 24 | JL - AG | 4.50 |
| Perovskia: Russian Sage, ... | | | | | DR, DT, LB | | | | |
| PER805X | Russian Sage (Qt.) (95 PPA) | <i>Perovskia atriplicifolia</i> | P4 | FS | FP | Blue, Lav.- | 36 | JL - SP | 7.50 |
| PER815X | 'Little Spire' (Qt.) | <i>P. atriplicifolia 'Little Spire'</i> | P5 | FS - PS | FP | Blue, Lav.- | 24 | JL - SP | 7.25 |
| PER820X | 'Longin' (Qt.) | <i>P. atriplicifolia 'Longin'</i> | P5 | FS | FP | Violet, Blue- | 42 | JL - SP | 6.95 |
| Persicaria: | | | | | LB | | | | |
| PER608X | Persicaria, 'Border Jewel' (Qt.) | <i>Persicaria affinis 'B. Jewel'</i> | P3 | FS | FP, GC, WG | Pink | 10 | MY - JN | 6.95 |
| PER602X | Persicaria, 'Dimity' (Qt.) | <i>P. affinis 'Superba' ('Dimity')</i> | P3 | FS - PS | FP, WG | Pink | 6 | JL - SP | 6.95 |
| PER605X | Persicaria, 'Superba' (Qt.); Knotweed | <i>P. bistorta 'Superba'</i> | P4 | FS - PS | CF, FP, WG | Pink | 36 | JL - SP | 7.25 |
| PER175 | Prince's-Feather; Kiss-Me-Over-The-Garden-Gate | <i>P. orientale</i> | HA | FS | FA, O | Purple, Pink- | 72 | JL - SP | 4.50 |
| Phlox: Phlox, ... | | | | | BF, DR, LB | | | | |
| PHL215X | 'Bright Eyes' (Qt.) | <i>Phlox paniculata 'B. Eyes'</i> | P4 | FS - PS | F, FP, HB, MR | Pink; RdEye | 36 | JL - AG | 6.95 |
| PHL290X | Creeping, 'Candy Stripe' (Qt.) | <i>Phlox subulata 'C. Stripe'</i> | P3 | FS - PS | DT, FP, GC | Pink & White | 5 | MY - JN | 6.95 |
| PHL710X | Creeping, 'Emerald Blue' (Qt.) | <i>Phlox subulata 'Emerald B.'</i> | P3 | FS - PS | DT, FP, GC | Blue, Lav.- | 6 | MY - JN | 6.95 |
| PHL690X | Creeping, 'Emerald Blue' (2Q) | <i>Phlox subulata 'Emerald B.'</i> | P3 | FS - PS | DT, FP, GC | Blue, Lav.- | 6 | MY - JN | 10.95 |
| PHL205X | Creeping, 'Emerald Pink' (Qt.) | <i>Phlox subulata 'Emerald P.'</i> | P3 | FS - PS | DT, FP, GC | Pink, Emrld- | 6 | MY - JN | 6.95 |
| PHL695X | Creeping, 'Emerald Pink' (2Q) | <i>Phlox subulata 'Emerald P.'</i> | P3 | FS - PS | DT, FP, GC | Pink, Emrld- | 6 | MY - JN | 10.95 |
| PHL320X | Creeping, 'Fort Hill' (Qt.) | <i>Phlox subulata 'Fort Hill'</i> | P3 | FS - PS | DT, F, FP, GC | Pink, Rose- | 6 | MY - JN | 7.75 |
| PHL212X | Creeping, 'Sherwood Purple' (Qt.) | <i>Phlox stolonifera 'S. P.'</i> | P3 | FS - S | FP, GC, MR | Purple | 6 | MY - JN | 7.75 |
| PHL240X | 'David' (Qt.) (02 PPA) | <i>Phlox paniculata 'David'</i> | P4 | FS - PS | F, FP, HB, MR | White | 42 | JL - AG | 6.95 |
| PHL720X | 'David's Lavender' (Qt.) | <i>Phlox paniculata 'David's L.'</i> | P4 | FS - PS | F, FP, HB, MR | Pink, DpLav.- | 36 | JL - AG | 8.75 |
| PHL605X★ | 'Forever Pink' (Qt.) | <i>Phlox 'Forever Pink'</i> | P3 | FS - PS | FP, HB, MR | Pink, Prpl- | 16 | JN - SP | 8.75 |
| PHL610X★ | 'Glamour Girl' (Qt.) | <i>Phlox paniculata 'G. Girl'</i> | P3 | FS - PS | FP, HB, MR | Pink, Coral- | 32 | JN - SP | 8.95 |
| PHL725X | 'Jeana' (Qt.) (A butterfly magnet!) | <i>Phlox paniculata 'Jeana'</i> | P4 | FS - PS | F, FP, HB, MR | Pink, Lav.- | 30 | JL - AG | 7.25 |
| PHL295X | 'Laura' (Qt.) | <i>Phlox paniculata 'Laura'</i> | P4 | FS - PS | F, FP, HB, MR | Purple, Lav.- | 28 | JL - AG | 6.95 |
| PHL615X★ | Meadow, Native (Qt.) | <i>Phlox maculata</i> | P4 | FS - PS | FP, MR, NP | Pink, Lilac- | 36 | JN - JL | 7.75 |
| PHL285X | 'Natascha' (Qt.) | <i>Phlox maculata 'Natascha'</i> | P3 | FS - PS | DT, FP, MR | Pink; WhtStr | 32 | JL - AG | 7.75 |
| PHL310X | 'Nicky' (Qt.) | <i>Phlox paniculata 'Nicky'</i> | P4 | FS - PS | F, FP, HB, MR | Magenta | 36 | JL - AG | 6.95 |
| PHL280X | Variegated, 'Becky Towe' (Qt.) | <i>Phlox paniculata 'B. Towe'</i> | P4 | FS - PS | F, FP, HB, MR | Rose, Slmn- | 24 | JL - AG | 6.95 |
| PHL325X | Variegated, 'Shockwave' (Qt.) | <i>P. paniculata 'Shockwave'</i> | P4 | FS - PS | F, FP, HB, MR | Pink, Lav.- | 18 | JL - AG | 8.95 |
| Phyla: | | | | | | | | | |
| PHY520 | Aztec Sweet Herb; <i>Lippia Dulcis</i> | <i>P. scaberrima (Tzopelic Xlhuitt)</i> | TP | FS - PS | C, IU, M | White | 12 | EVB | 6.60 |
| Physostegia: Obedient Plant, ... | | | | | BF, DR, HB, LB | | | | |
| PHY645X | 'Miss Manners' (Qt.) | <i>P. virginiana 'Miss Manners'</i> | P4 | FS - PS | CF, FP, MT | White, Pure- | 24 | AG - SP | 7.95 |
| PHY005X | 'Pink Bouquet' (Qt.) | <i>P. virginiana 'Pink Bouquet'</i> | P4 | FS - PS | CF, FP, MT | Pink | 20 | AG - OC | 6.95 |
| PHY010X | Variegated (Qt.) | <i>P. virginiana 'Variegata'</i> | P4 | FS - PS | FP, MT | Pink, Rose- | 36 | AG - SP | 7.75 |
| ***** | Pimpinelle see Sanguisorba: | | | | | | | | |
| Piper: | | | | | | | | | |
| PIP130 | Betel Leaf | <i>Piper betle</i> | TP | PS - S | IU | | VN | | 8.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|-------------------------------------|-----|---------|----------------|---------------|-----|---------|-------|
| Piper: (Continued) | | | | | | | | | |
| PIP123 | Pepper, Black | <i>Piper nigrum</i> | TP | PS | C, IU | Green, Yllw- | 8 | ADP | 13.95 |
| PIP620X | Pepper, Black (3Q) | <i>Piper nigrum</i> | TP | PS | C, IU | Green, Ylw- | 8 | ADP | 32.95 |
| PIP125X | Root Beer Plant (Qt.); Makulan | <i>Piper auritum</i> | TP | FS - PS | C, IU | White | AD | MY - SP | 8.75 |
| A tropical plant with unusual and attractive growth; its swollen jointed canes and large heart-shaped leaves are imbued with a sassafras flavor and scent. A tender perennial, it needs temperatures above 50°F and likes full or preferably partial sun in rich soil. | | | | | | | | | |
| Also know as Hoja Santa it is an essential ingredient in a popular mexican sauce called mole verde - a mixture of fresh herbs usually used with meat dishes. In Central America, its leaves are added to soups, meat or fish dishes. Its tasty leaf is also cooked and eaten as a green or used for meat or bean rolls. We've tried it as a wrap on chicken on the grill and it does impart it's unusual flavor - delicious! The leaves contain safrole and there is some debate on its health safety in the United States; it is advised that if used - do so only in small amounts. | | | | | | | | | |
| ***** Pitcher Plant see Carnivorous Plants: | | | | | | | | | |
| Platycodon: Balloon Flower, ... | | | | | | | | | |
| DT, LB | | | | | | | | | |
| PLA020X | Blue (Qt.) | <i>P. grandiflorus 'Mariesii'</i> | P3 | FS - PS | FP, M | Blue | 24 | JL - AG | 7.50 |
| PLA022X | 'Double Blue' (Qt.) | <i>P. grandiflorus 'D. Blue'</i> | P3 | FS - PS | FP | Blue; Dbl | 24 | JL - AG | 7.95 |
| PLA060X | Dwarf, Blue (Qt.) | <i>P. grandiflorus 'S. Blue'</i> | P3 | FS - PS | FP | Blue | 8 | JL - AG | 7.50 |
| PLA032X | 'Fugi Blue' (Qt.) | <i>P. grandiflorus 'Fugi Blue'</i> | P3 | FS - PS | FP | Blue | 20 | JL - AG | 7.95 |
| PLA025X | 'Fugi Pink' (Qt.) | <i>P. grandiflorus 'Fugi Pink'</i> | P3 | FS - PS | FP, M | Pink | 24 | JL - AG | 7.50 |
| PLA030X | 'Fugi White' (Qt.) | <i>P. grandiflorus 'Fugi White'</i> | P3 | FS - PS | FP, M | White | 24 | JL - AG | 7.50 |
| Plectranthus: | | | | | | | | | |
| PLE320 | Oregano, Cuban; Spanish Thyme; Bandania | <i>P. amboinicus</i> | TP | FS | C | White | 10 | SP - OC | 6.25 |
| The fresh fleshy leaves have an oregano-like taste and can be added to meat, fish or rice dishes; also used for tea. | | | | | | | | | |
| PLE325 | Oregano, Cuban, Variegated | <i>P. amboinicus 'Variegata'</i> | TP | FS | C, O | White | 10 | SP - OC | 6.60 |
| PLE335 | Oregano, 'Puerto Rican'; Podena | <i>Plectranthus 'Puerto Rican'</i> | TP | FS | C | Blue | 8 | JN - JL | 6.25 |
| PLE340 | Spice Bush | <i>Plectranthus 'Variegata'</i> | TP | FS | F, O | White | 12 | SP - OC | 5.85 |
| PLE345 | Vick's Plant, Large-Leaf | <i>Plectranthus marrubioides</i> | TP | FS | F, M, O | Blue, Lav.- | 10 | OC - DC | 6.25 |
| PLE350 | Vick's Plant, Small-Leaf | <i>Plectranthus sp.</i> | TP | FS | F, M, O | Blue, Lav.- | 8 | OC - DC | 6.25 |
| ***** Pocketbook Plant, Yellow see Calceolaria: | | | | | | | | | |
| Polemonium: Jacob's Ladder, ... ; Greek Valerian | | | | | | | | | |
| DR, WG | | | | | | | | | |
| POL535X | 'Bressingham Purple' (Qt.) | <i>Polemonium 'B. Purple'</i> | P4 | FS - PS | BF, CF, F, FP | Blue, Violet- | 28 | JN - JL | 8.75 |
| POL007X | North American (Qt.) | <i>Polemonium reptans</i> | P3 | FS - PS | FP, GC, M, NP | Blue, Violet- | 12 | MY - JN | 6.95 |
| POL540X | Variegated, 'Stairway to Heaven' (Qt.) | <i>P. reptans 'S. to H.'</i> | P3 | FS - PS | BF, CF, FP, NP | Blue, Lt Lav- | 24 | JN - JL | 9.95 |
| ***** Polygonatum see Solomon's Seal | | | | | | | | | |
| Polygonum: | | | | | | | | | |
| POL305 | Coriander, Vietnamese; Rau Ram | <i>Polygonum odoratum</i> | TP | FS - PS | C, F, MT | | 8 | | 5.85 |
| POL610 | Fo-Ti; Ho Shou Wu | <i>P. (Fallopia) multiflorum</i> | TP | FS - PS | C, M, MT | White, Crm- | 8 | JN - JL | 6.60 |
| Pomegranate, ... | | | | | | | | | |
| POM515 | Dwarf, Black, 'Emperor' | <i>Punica granatum 'Emperor'</i> | TP | FS | O | Orange, Rd- | 24 | MY - JL | 8.75 |
| POM520 | Dwarf, Pink | <i>P. granatum 'Nana Rosea'</i> | TP | FS | C, O | Pink | 14 | JL - AG | 8.75 |
| POM525 | Dwarf, Red | <i>Punica granatum 'Nana'</i> | TP | FS | C, O | Red | 14 | JL - AG | 7.95 |
| POM530 | Large, Red | <i>P. granatum 'Wonderful'</i> | TP | FS | C, D, O | Red; Lrg Frt | 96 | JL - AG | 7.95 |
| POM535 | 'Russian, Red' | <i>Punica granatum 'Red R.'</i> | P6* | FS | C, D, O | Red; Lrg Frt | 15' | JL - AG | 9.95 |
| ***** Poppy see Papaver: | | | | | | | | | |
| POP505X | Poppy, Prickly (Qt.) | <i>Argemone platyceras</i> | P6 | FS - PS | FP, DR | White & Yllw | 36 | JL - AG | 9.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|----------|---|--|----|---------|-----------------------|---------------|----|---------|-------|
| ***** | Primrose see Oenothera: & Primula: | | | | | | | | |
| | Primula: | | | | CF, DR, LB, MT | | | | |
| PRI005X | Cowslip, Yellow (Qt.) | <i>Primula veris</i> | P5 | FS - PS | C, F, FP, M, WG | Yellow, Brht- | 10 | AP - MY | 7.25 |
| PRI840X | Cowslip, 'Yellow, Double-' (Qt.) | <i>P. veris 'Double-Yellow'</i> | P5 | FS - PS | C, F, FP, M, WG | Yellow, Brht- | 10 | AP - MY | 11.95 |
| | Primula: Primrose, ... | | | | CF, DR, LB, MT | | | | |
| PRI640X★ | Bauhini (Qt.) | <i>Primula auricula bauhini</i> | P6 | FS - PS | BF, FP | Pink, Light- | 8 | AP - MY | 8.75 |
| PRI505X | Candelabra, Red (Qt.) | <i>Primula beesiana</i> | P5 | PS | FP, WG | Red, Prpl- | 24 | MY - JN | 7.75 |
| PRI645X★ | Drumstick, 'Ronsdorf' (Qt.) | <i>P. denticulata 'R. Hybrids'</i> | P5 | PS | FP, WG | Pastels; Mix | 12 | AP - MY | 7.25 |
| PRI445X | 'Gigantea' (Qt.) | <i>Primula elatior 'Gigantea'</i> | P5 | FS - PS | FP, M, WG | Mixed | 12 | AP - MY | 7.75 |
| PRI510X | 'Gold Lace' (Qt.) | <i>P. (polyanthus) elatior 'G. L.'</i> | P5 | PS | FP, WG | Red & Gold | 6 | AP - MY | 7.75 |
| PRI740X | Hose-in-Hose, 'Better Red' (Qt.) | <i>P. polyanthus 'Better Red'</i> | P6 | PS | FP, WG | Red, Deep- | 10 | AP - MY | 8.75 |
| PRI725X | Hose-in-Hose, 'Yellow' (Qt.) | <i>Primula polyanthus 'Yellow'</i> | P6 | PS | FP, WG | Yllw,Sft;-Dbl | 6 | AP - MY | 8.75 |
| PRI415X | Japanese (Qt.) | <i>Primula japonica</i> | P5 | PS - S | FP, WG | Mixed | 36 | MY - JN | 7.75 |
| PRI506X★ | Kisoana (Qt.) | <i>Primula kisoana</i> | P5 | PS | FP, WG | Rose, Pink- | 8 | AP - MY | 9.95 |
| PRI250X | Poker (Qt.) | <i>Primula vialii</i> | P5 | FS - PS | BF, FP, WG | Purple, Llc- | 18 | MY - JN | 7.75 |
| PRI655X | Purple, 'Wanda' (Qt.) | <i>Primula 'Wanda' (juliae)</i> | P5 | FS - PS | FP, WG | Purple, Rch- | 9 | AP - MY | 9.95 |
| PRI960X | White, 'Aire Mist' (Qt.) | <i>Primula 'Aire Mist'</i> | P4 | FS - PS | FP, WG | White, Brht- | 3 | AP - MY | 8.95 |
| ***** | Prince's-Feather see Persicaria: | | | | | | | | |
| | Pulmonaria: Lungwort, ... | | | | DR, HB | | | | |
| PUL565X | Lungwort (Qt.) | <i>Pulmonaria officinalis</i> | P4 | PS - S | FP, M, WG | Blue, Pink- | 12 | AP - MY | 7.25 |
| PUL590X | 'Benediction' (Qt.) | <i>Pulmonaria 'Benediction'</i> | P4 | PS - S | FP, WG | Blue | 12 | AP - MY | 7.25 |
| PUL582X | 'Majeste' (Qt.) | <i>Pulmonaria 'Majeste'</i> | P4 | PS - S | FP, WG | Blue, Pink- | 12 | AP - MY | 8.95 |
| PUL586X | 'Mrs. Moon' (Qt.) | <i>P. saccharata 'Mrs. Moon'</i> | P4 | PS - S | FP, WG | Blue | 12 | AP - MY | 7.50 |
| PUL584X | 'Paul Aden' (Qt.) | <i>P. vallsae 'Paul Aden'</i> | P6 | PS - S | FP, WG | Blue, Pink- | 12 | AP - MY | 7.25 |
| PUL588X | 'Raspberry Splash' (Qt.) | <i>P. 'Raspberry Splash'</i> | P4 | PS - S | FP, WG | Rsbry,Coral- | 12 | AP - MY | 8.95 |
| PUL615X | 'Silver Bouquet' (Qt.) | <i>Pulmonaria 'S. Bouquet'</i> | P4 | FS - PS | FP, WG | Pink & Blue | 10 | AP - MY | 9.95 |
| PUL595X | 'Trevi Fountain' (Qt.) | <i>Pulmonaria 'Trevi Fountain'</i> | P4 | FS - PS | FP, WG | Blue,Cobalt- | 12 | AP - MY | 9.95 |
| PUL605X | 'Victorian Brooch' (Qt.) | <i>Pulmonaria 'V. Brooch'</i> | P4 | FS - PS | FP, MR, WG | Coral, Mgta- | 12 | AP - JN | 8.75 |
| | Pulsatilla: Pasque Flower, ... | | | | | | | | |
| PUL310X | 'Heiler Hybrids' (Qt.) | <i>P. vulgaris 'Heiler Hybrids'</i> | P5 | FS - PS | DR, FP, WG | Mixed | 12 | AP - MY | 7.25 |
| PUL505X | Pink, Showy (Qt.) | <i>Pulsatilla grandis</i> | P5 | FS - PS | DR, FP, WG | Pink, Llc;-3" | 12 | AP - MY | 7.75 |
| PUL510X | Red (Qt.) | <i>Pulsatilla vulgaris 'Rubra'</i> | P5 | FS - PS | DR, FP, WG | Red, Dark- | 12 | AP - MY | 7.25 |
| ***** | Pussy Toes see Antennaria: | | | | | | | | |
| | Pycnanthemum: Mountain Mint, ... | | | | DR | | | | |
| PYC155X | Hairy (Qt.) | <i>Pycnanthemum pilosum</i> | P4 | FS - PS | BF, C, DF, F, NP | White | 30 | AG - SP | 6.95 |
| PYC240X | Narrow-Leaved (Qt.); Compact M. M. P. flexuosum (tenuifolium) | <i>P. flexuosum (tenuifolium)</i> | P4 | FS - PS | DF, F, NP | White, Grn- | 30 | AG - SP | 6.95 |
| PYC150X | Short-Toothed (Qt.) | <i>Pycnanthemum muticum</i> | P3 | FS - PS | C, DF, F, NP | White | 30 | AG - SP | 6.95 |
| QUE125X | Queen Anne's Lace, 'Well-Sweep Pink' (Qt.) | <i>Daucus carota 'W.-S. Pink'</i> | BA | FS - PS | C, DR, DT, LB, FP, M | Pink Shades | 36 | JN - SP | 8.75 |
| QUI005X | Quince, Flowering (Qt.) | <i>Chaenomeles speciosa</i> | P4 | FS - PS | DR, FP, LB, O | Pink, Red- | 60 | AP - MY | 8.75 |
| ***** | Rampion see Campanula: | | | | | | | | |
| ***** | Ramps see Allium: | | | | | | | | |
| RAS035X | Raspberry, Black, 'Jewel' (Qt.) | <i>Rubus idaeus 'Jewel'</i> | P5 | FS | C | Black;LrgFrt | 36 | JN - OC | 8.75 |
| RAS040X | Raspberry, Red, 'Encore' (Qt.) | <i>Rubus 'Encore'</i> | P5 | FS | C | Red; LrgFrt | 54 | JN | 8.75 |
| RAS045X | Raspberry, Red, 'Latham' (Qt.) | <i>Rubus idaeus 'Latham'</i> | P3 | FS | C | Red; LrgFrt | 24 | JN | 8.75 |
| RAS650X★ | Raspberry, Yellow, 'Anne' (2Q) (Voted best flavored Yellow! A unique sweet flavor with hints of Apricot.) | <i>Rubus idaeus 'Anne'</i> | P3 | FS | C | Lrg Yllw Frt | 60 | JL & SP | 9.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|----------|--|---------------------------------------|----|---------|-----------------|--------------------------------|----|---------|--------------|
| RAU205 | Rau Om; <i>Keukeuhan</i> | <i>Limnophila chinensis aromatica</i> | TP | FS - PS | C, M | Lav;WhtCntr | 10 | | 5.85 |
| RHU655X★ | Rhubarb, 'Crimson Red' (2Q) | <i>Rheum 'C. R.' (x cultorum)</i> | P3 | FS - PS | C, M | | 24 | | 13.95 |
| RIC210 | Rice Plant, Purple; <i>La Gum; La Cam</i> | <i>Peristrophe speciosa</i> | TP | FS - PS | C, D | Pink, Bright- | 14 | DC - MR | 6.60 |
| ROQ015 | Roquette; <i>Arugula</i> | <i>Eruca vesicaria sativa</i> | HA | FS | C | White | 12 | ADP | 2.95 |
| ROS630X | Rose, Apothecary (Qt.) | <i>Rosa gallica officinalis</i> | P4 | FS | C, F, FP, M | Pink, Rose- | 36 | JN - JL | 16.95 |
| ROS017X | Rose, Damask, 'Belladonna' (Qt.) (Old-Fashioned Moss Type Rose) (Call for availability) | <i>Rosa damascena 'B.'</i> | P3 | FS | C, CF, F, FP, O | Pink;Ultr-DbI; HeavilyScntd | 48 | JN - JL | 19.95 |
| ***** | Rose Champion see Lychnis: | | | | | | | | |

Rosmarinus: Rosemary, ...

A familiar name, rosemary usually evokes thoughts of an attractive garden herb, marinated grilled meats, or even Simon & Garfunkel's song, Scarborough Fair ... "Parsley, Sage, Rosemary, & Thyme."

A Mediterranean native, rosemary grows wild on hilly slopes by the ocean. This attributes to its genus name, the Latin word *Rosmarinus*, which translates into "dew of the sea." These herbs enjoy rich, well-drained soil and moderate watering with at the minimum a half day of sun. The best advice for care is - "don't overwater." Rosemary will thrive in a container as long as it is faithfully fed with a good organic fertilizer - we like Neptune's Harvest. If planted in the ground, to successfully survive the transition into your home, here are some good tips to follow. Prior to heavy frost, carefully cut an adequate size root ball for the appropriate top growth with a sharp trowel. Trim any exposed roots closely - remember the less you disturb the roots the better. Gently but firmly press soil into the pot around the root ball, working in the soil so that all the roots are covered and no air pockets remain. Water and place in partial sun; allow to acclimate to the pot by leaving it outside for two weeks prior to moving inside - light frost will not hurt it. Rosemary responds well to pruning and as a potted plant provides a constant supply for your kitchen. It performs superbly for formal topiary art and when in bloom it is beautiful in fresh flower arrangements.

An essential oil obtained from rosemary's flowering tips is used in perfume and cosmetic products, and even flavors some toothpastes. It has traditionally been used to relieve acne, dandruff, eczema, and fungal infections.

Rosemary's applications are impressive. When consumed, it helps promote digestion and when applied externally it has mild analgesic and anti-inflammatory effects. In addition to antiviral properties, it strengthens blood vessels and stimulates circulation, especially to the head - boosting memory and concentration. Rosemary's constitution contains more than a dozen antioxidants as well as four known components that help prevent cataracts.

The leaves of rosemary add a crisp and pungent taste that is delicious on baked or grilled lamb, poultry, pork and beef. Chopped leaves also add a nice accent to breads, stuffings and vegetable dishes. The flowers have a sweet flavor, though lighter in essence than the leaves, and can be candied or added to a tossed salad, vinegar or wine.

The three rosemaries touted as hardy in the herb trade are 'Arp' to -10°, 'Hill Hardy' to -10° and 'Salem' to 0°F. Our experience here in zone 6(a), is that without extensive protection these rosemarys will not withstand the severity of our winters. However, local customers have grown them in sheltered areas with some success. Since outdoor survival for these herbs is not guaranteed, we don't promote them as winter hardy.

Our findings differed on hardiness in a test we ran in the winter of 2001 - 2002, with the lowest recorded temperature in our area of 7°F. We found that 'Blue Gem', 'Blue Spears', 'Blue Spire', 'Dutch Mill', 'Logee Blue' - in a slightly protected area, and 'Sissinghurst Blue' had all over-wintered in excellent condition. While Heavy-Leaf Alba had over-wintered but with slight to moderate damage. 'Arp', Common, and 'Constance DeBaggio' showed noticeable winter damage, while the remainder of our collection did not over-winter.

| | | | | | | | | | |
|--------|--|-------------------------------------|----|---------|----------|---------------|----|---------|-------------|
| ROS020 | Alba, Heavy-Leaf | <i>R. o. 'Nancy Howard'</i> | TP | FS - PS | C, F | White | 21 | JA - MR | 6.60 |
| ROS030 | 'Arp' | <i>Rosmarinus officinalis 'Arp'</i> | TP | FS - PS | C, F | Blue, Light- | 17 | JA - MR | 6.60 |
| ROS295 | 'Blue Gem' | <i>R. officinalis 'Blue Gem'</i> | TP | FS - PS | C, F | Blue | 20 | JA - MR | 6.60 |
| ROS050 | 'Blue Lady' | <i>R. officinalis 'Blue Lady'</i> | TP | FS - PS | C, F | Blue, Violet- | 14 | JA - MR | 6.60 |
| ROS245 | 'Blue Spears' | <i>R. officinalis 'Blue Spears'</i> | TP | FS - PS | C, F | Blue, Pale- | 18 | JA - MR | 6.60 |
| ROS055 | 'Blue Spire' | <i>R. officinalis 'Blue Spire'</i> | TP | FS - PS | C, F | Blue | 20 | JA - MR | 6.60 |
| ROS065 | Common | <i>Rosmarinus officinalis</i> | TP | FS - PS | C, F | Blue, Light- | 24 | JA - MR | 6.60 |
| ROS305 | 'Cuban' | <i>R. officinalis 'Cuban'</i> | TP | FS - PS | C, F, MR | | | JA - MR | 6.60 |
| ROS070 | 'Dancing Waters' | <i>R. officinalis 'D. Waters'</i> | TP | FS - PS | C, F | Blue, Lav.- | 4 | JA - MR | 6.60 |
| ROS075 | 'DeBaggio, Constance' | <i>R. o. 'Constance DeBaggio'</i> | TP | FS - PS | C, F | Blue, Lav.- | 8 | JA - MR | 7.25 |
| ROS085 | 'Dutch Mill' | <i>R. officinalis 'Dutch Mill'</i> | TP | FS - PS | C, F | Blue | 14 | JA - MR | 6.60 |
| ROS220 | 'Foxtail' | <i>R. officinalis 'Foxtail'</i> | TP | FS - PS | C, F | Blue, Mid- | 24 | JA - MR | 6.60 |
| ROS320 | 'Franeaux' | <i>R. officinalis 'Franeaux'</i> | TP | FS - PS | C, F | Blue, Mdm- | 24 | JA - MR | 7.25 |
| ROS110 | Golden Rain; <i>'Joyce DeBaggio' R.</i> | <i>R. o. 'Joyce DeBaggio'</i> | TP | FS - PS | C, F | Blue, Dark- | 14 | JA - MR | 7.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|-------------------------|--------------------------------------|----|---------|------|--------------|----|---------|-------|
| Rosmarinus: Rosemary, ... (Continued) | | | | | | | | | |
| ROS115 | 'Gorizia' | <i>R. officinalis</i> 'Gorizia' | TP | FS - PS | C, F | Blue, Light- | 14 | JA - MR | 6.60 |
| ROS255 | 'Herb Cottage' | <i>R. officinalis</i> 'Herb Cottage' | TP | FS - PS | C, F | Blue, Dark- | 14 | JA - MR | 6.60 |
| ROS117 | 'Hill Hardy' | <i>R. officinalis</i> 'Hill Hardy' | TP | FS - PS | C, F | Blue, Light- | 22 | JA - MR | 6.60 |
| ROS296 | 'Hulka' | <i>R. officinalis</i> 'Hulka' | TP | FS - PS | C, F | Blue | 24 | JA - MR | 6.60 |
| ROS130 | 'Huntington, Very Oily' | <i>R. officinalis</i> 'Very Oily' | TP | FS - PS | C, F | Lavender | 16 | JA - MR | 6.60 |

| | | | | | | | | | |
|---------|--------------------|------------------------------------|----|---------|----------|-------------|----|---------|-------|
| ROS140 | 'Logee Blue' | <i>R. officinalis</i> 'Logee Blue' | TP | FS - PS | C, F, MR | Blue, Deep- | 22 | JA - MR | 6.60 |
| ROS605X | 'Logee Blue' (Qt.) | <i>R. officinalis</i> 'Logee Blue' | TP | FS - PS | C, F, MR | Blue, Deep- | 22 | JA - MR | 15.95 |

Our favorite for its flavor and growth! This upright variety is a robust grower with dense-foliaged forest-green leaves of rich fragrance and taste. When flowering, 'Logee Blue' is splendid, for it is blessed with abundant deep-blue blossoms. Grown indoors, we have found that it is less prone to powdery mildew than other varieties. It is our favorite for culinary flavor, growth, and topiary as you can see with nine 2 1/2' standards in our formal herb garden.

Cyrus Hyde, with his keen eye for the unusual, discovered this cultivar in Connecticut in 1972. Several large unidentified rosemary plants had been removed from an estate by Country Greenhouse, and noticing a difference from the others in the trade, Cy purchased some cuttings. After confirming its different traits, he named it 'Logee Blue' Rosemary for the greenhouse owner, Roger Logee. In 1986, Art Tucker, a professor and fellow herbalist who has been irreplaceable to the herb trade, established 'Logee Blue' as a new cultivar of Common Rosemary, *Rosmarinus officinalis*. In layman's terms 'Logee Blue' is an improved variety of the familiar Common Rosemary and it's one of the best performers we have encountered.

| | | | | | | | | | |
|---------|---|---------------------------------------|----|---------|------|---------------|----|---------|------|
| ROS195 | 'Madeline Hill' | <i>R. officinalis</i> 'Madeline Hill' | TP | FS - PS | C, F | Violet, Pale- | 22 | JA - MR | 6.60 |
| ROS145 | 'Majorca Pink' | <i>R. officinalis</i> 'Majorca Pink' | TP | FS - PS | C, F | Vlt, Amthst- | 30 | JA - MR | 6.60 |
| ROS660★ | 'Perigord' | <i>R. officinalis</i> 'Perigord' | TP | FS - PS | C, F | Blue, Light- | 36 | JA - MR | 6.60 |
| ROS335 | 'Pink' | <i>R. officinalis</i> 'Pink' | TP | FS - PS | C, F | Pink, Lav.- | 24 | JA - MR | 6.60 |
| ROS290 | 'Portuguese Pink' | <i>R. officinalis</i> 'P. Pink' | TP | FS - PS | C, F | Pink | 22 | JA - MR | 7.25 |
| ROS285 | 'Portuguese Red' ('Cricket Hill P. R.') | <i>R. o.</i> 'Portuguese Red' | TP | FS - PS | C, F | Red, Prpl- | 10 | JA - MR | 6.60 |
| ROS160 | Prostrate | <i>R. officinalis</i> 'Prostratus' | TP | FS - PS | C, F | Blue, Light- | 6 | JA - MR | 6.60 |
| ROS165 | Prostrate, #2 (Fine-Leaf) | <i>R. officinalis</i> 'Prostratus #2' | TP | FS - PS | C, F | Blue | 6 | JA - MR | 6.60 |

| | | | | | | | | | |
|--------|-------------------------------|---------------------------------------|----|---------|----------|--------------|---|-----|------|
| ROS180 | Prostrate, #5 (Heavy Bloomer) | <i>R. officinalis</i> 'Prostratus #5' | TP | FS - PS | C, F, LB | Blue, Light- | 5 | PRD | 6.60 |
|--------|-------------------------------|---------------------------------------|----|---------|----------|--------------|---|-----|------|

A low growing variety known for its quick growth and unique bushy bonsai shape. In bloom, its dark-green leaves on cascading stems are covered profusely with deep-blue flowers. Great for hanging baskets or topiary rings.

| | | | | | | | | | |
|--------|---------------------------------|--------------------------------------|----|---------|----------|--------------|----|---------|------|
| ROS183 | Prostrate, 'Alida Hyde' | <i>R. officinalis</i> 'Alida Hyde' | TP | FS - PS | C, F | Lav., Light- | 6 | JA - MR | 6.60 |
| ROS310 | Prostrate, 'Baby P.J.' | <i>R. officinalis</i> 'Baby P.J.' | TP | FS - PS | C, F | Blue | 6 | JA - MR | 6.60 |
| ROS045 | Prostrate, 'Blue Boy' | <i>R. officinalis</i> 'Blue Boy' | TP | FS - PS | C, F | Blue, Light- | 6 | JA - MR | 6.60 |
| ROS190 | Prostrate, Golden | <i>R. officinalis</i> 'aureolus' | TP | FS - PS | C, F | Blue, Lav.- | 4 | JA - MR | 6.60 |
| ROS315 | Prostrate, 'Haifa' | <i>R. officinalis</i> 'Haifa' | TP | FS - PS | C, F | Blue, Pale- | 6 | JA - MR | 6.60 |
| ROS192 | Prostrate, 'Holly Hyde' | <i>R. officinalis</i> 'Holly Hyde' | TP | FS - PS | C, F | Blue, Lav.- | 7 | JA - MR | 6.60 |
| ROS194 | Prostrate, 'Huntington Carpet' | <i>R. officinalis</i> 'H. Carpet' | TP | FS - PS | C, F | Blue, Lav.- | 4 | JA - MR | 6.60 |
| ROS205 | Prostrate, 'Irene' | <i>R. o.</i> 'Renzels' ('Irene') | TP | FS - PS | C, F | Blue, Lav.- | 10 | JA - MR | 6.60 |
| ROS196 | Prostrate, 'Kenneth' | <i>R. officinalis</i> 'Kenneth' | TP | FS - PS | C, F | Lav., Light- | 5 | JA - MR | 6.60 |
| ROS198 | Prostrate, 'Lockwood de Forest' | <i>R. officinalis</i> 'L. de Forest' | TP | FS - PS | C, F | Lav., Light- | 8 | JA - MR | 6.60 |
| ROS207 | Prostrate, 'Santa Barbara' | <i>R. officinalis</i> 'S. Barbara' | TP | FS - PS | C, F | Blue, Lav.- | 3 | JA - MR | 6.60 |
| ROS215 | 'Salem' | <i>R. officinalis</i> 'Salem' | TP | FS - PS | C, F | Blue, Lav.- | 18 | JA - MR | 6.60 |
| ROS230 | 'Shimmering Stars' | <i>R. o.</i> 'Shimmering Stars' | TP | FS - PS | C, F | Lavender | 7 | JA - MR | 6.60 |
| ROS298 | 'Sissinghurst Blue' | <i>R. officinalis</i> 'S. Blue' | TP | FS - PS | C, F | Blue, Light- | 24 | JA - MR | 6.60 |
| ROS330 | 'St. Andrew's' | <i>R. officinalis</i> 'St. Andrew's' | TP | FS - PS | C, F, LB | Blue, Light- | 24 | PRD | 7.25 |
| ROS240 | 'Tuscan Blue' | <i>R. officinalis</i> 'Tuscan Blue' | TP | FS - PS | C, F | Blue, Dark- | 30 | JA - MR | 6.60 |
| ROS300 | 'Wonderful' | <i>R. officinalis</i> 'Wonderful' | TP | FS - PS | C, F | Blue | 15 | JA - MR | 6.60 |

| | | | | | | | | | |
|---|-------------------------|-----------------------------------|----|---------|--------|-------------------|----|---------|------|
| Rudbeckia: Rudbeckia, ... ; Black-Eyed Susan; Gloriosa Daisy | | | | | | BF, DT, LB | | | |
| RUD445X | 'Cherokee Sunset' (Qt.) | <i>R. hirta</i> 'Cherokee Sunset' | HA | FS | CF, FP | Ylw,Brnz;-Dbl | 20 | JN - JL | 6.95 |
| RUD450X | 'Cherry Brandy' (Qt.) | <i>R. hirta</i> 'Cherry Brandy' | HA | FS - PS | CF, FA | Red, Cherry- | 24 | JN - JL | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|---|----|---------|----------------|--------------|----|---------|-------|
| Rudbeckia: Rudbeckia, ... (Continued) | | | | | | | | | |
| RUD460X | Giant, 'Dumbo's Ears' (Qt.) | <i>Rudbeckia maxima</i> | P5 | FS - PS | CF, DR, FP, NP | Yellow | 72 | JN - JL | 7.50 |
| RUD605X | 'Goldquelle' (Qt.) | <i>R. laciniata 'Goldquelle'</i> | P4 | FS | CF, FP | Ylw,Brs-;Dbl | 36 | JL - AG | 7.95 |
| RUD250X | 'Goldstrum' (Qt.) (99 PPA) | <i>R. fulgida 'Goldstrum'</i> | P4 | FS | CF, D, FP | Gold | 24 | JL - AG | 6.95 |
| RUD425X | 'Indian Summer' (Qt.) | <i>R. hirta 'Indian Summer'</i> | HA | FS | CF, FP | Yellow,Gold- | 36 | JL - SP | 6.95 |
| RUD405X | Narrow-Leaved (Qt.) | <i>Rudbeckia triloba</i> | P4 | FS | FP, NP | Gold | 60 | AG - SP | 6.95 |
| RUD255X | 'Rustic Colors' (Qt.) | <i>R. hirta 'Rustic Colors'</i> | HA | FS | CF, FP | Bronz to Gld | 22 | JL - SP | 6.95 |
| ***** Rue see Ruta: | | | | | | | | | |
| Rumex: Sorrel, ... | | | | | | | | | |
| RUM565X | Blood (Qt.) | <i>Rumex sanguineus</i> | P6 | FS - PS | C, O | Brown, Red- | 14 | JN - JL | 6.95 |
| RUM605X | French, 'Silver Buckler's' (Qt.) | <i>R. scutatus 'S. Buckler's'</i> | P6 | FS - PS | C, O | Cream | 12 | JN - JL | 7.25 |
| A great herb garden addition; 'Silver Buckler's' has a unique silver-leaf patina, mounding habit and a truly delicious lemony tang. The French Sorrels are preferred by many chefs as they add more zest to salads, sauces, and the much esteemed cream of sorrel soup. | | | | | | | | | |
| RUM625X | French, True (Qt.) | <i>Rumex scutatus</i> | P6 | FS - PS | C | | 6 | | 7.25 |
| RUM855X | Garden, 'Blonde de Lyon' (Qt.) | <i>Rumex acetosa 'B. de Lyon'</i> | P4 | FS | C | | 14 | | 6.95 |
| RUM510X | Garden, 'Profusion™' (Qt.) | <i>Rumex acetosa 'Profusion'</i> | P4 | FS - PS | C | | 12 | | 7.75 |
| RUP250X | Rupturewort (Qt.) | <i>Herniaria glabra</i> | P5 | FS - PS | DT, M, WG | White, Grn- | 3 | JL - AG | 6.95 |
| RUP265X | Rupturewort, 'Sea Foam' (Qt.) | <i>Herniaria glabra 'S. Foam'</i> | P5 | FS - PS | DT, M, WG | White, Grn- | 2 | JL - AG | 7.75 |
| Rush, Corkscrew, ... | | | | | | | | | |
| RUS445X | 'Squiggly Wiggly' (Qt.) | <i>Juncus effusus 'S. Wiggly'</i> | P6 | FS - PS | FP, MT, O | Brown | 12 | JL - AG | 8.75 |
| ***** Russian Sage see Perovskia: | | | | | | | | | |
| Ruta: Rue, ... | | | | | | | | | |
| RUT260 | 'Blue Mound' | <i>Ruta graveolens 'B. Mound'</i> | P5 | FS - PS | DT, M, O | Yellow | 12 | JL - AG | 6.25 |
| RUT270 | Bracteosa | <i>Ruta bracteosa</i> | P5 | FS - PS | DT, M, O | Yellow | 16 | JL - AG | 4.50 |
| RUT275 | Common, 'Heavy-Leaf' | <i>Ruta graveolens 'H.-Leaf'</i> | P5 | FS - PS | DT, M, O | Yellow | 16 | JL - AG | 4.50 |
| RUT285 | 'Egyptian' | <i>R. chalepensis 'Egyptian'</i> | TP | FS | O | Yellow | 6 | JL - AG | 6.25 |
| RUT293 | 'Jackman's Blue' | <i>R. graveolens 'J. Blue'</i> | P5 | FS - PS | DT, M, O | Yellow | 15 | JL - AG | 6.25 |
| Sagina: Pearlwort, ... | | | | | | | | | |
| SAG255X | Golden (Qt.) | <i>Sagina subulata 'Aurea'</i> | P5 | FS - PS | GC, WG | White | 2 | JN - AG | 6.95 |
| SAG260X | Green (Qt.) | <i>Sagina subulata</i> | P5 | FS - PS | GC, WG | White | 2 | JN - AG | 6.95 |
| Salix: Willow, ... | | | | | | | | | |
| SAL725X | Basket (Qt.) | <i>Salix purpurea</i> | P4 | FS - PS | IU, M, O | Yellow | AD | AP - MY | 8.95 |
| SAL730X | Bay (Qt.) | <i>Salix pentandra</i> | P4 | FS - PS | O | Yellow | AD | AP - MY | 8.95 |
| SAL735X | Black Pussy (Qt.) | <i>S. g. 'Melanostachys'</i> | P5 | FS - PS | O | Black | AD | AP - MY | 8.95 |
| SAL740X | Corkscrew (Qt.) | <i>Salix matsudana 'Tortuosa'</i> | P4 | FS - PS | O | Yellow | AD | AP - MY | 8.95 |
| SAL755X | Fantail (Qt.) | <i>Salix sachalinensis 'Sekka'</i> | P5 | FS - PS | O | Yellow | AD | AP - MY | 7.75 |
| SAL775X | Pussy, Giant (Qt.) | <i>Salix gracilistyla discolor 'Margret's'</i> | P5 | FS - PS | O | Gray; Large | AD | AP - MY | 8.95 |
| SAL760X | Ram's Horn (Qt.) | <i>Salix babylonica 'Crispa'</i> | P6 | FS - PS | O | Yellow | AD | AP - MY | 9.95 |
| SAL765X | Rosemary (Qt.) | <i>Salix elaeagnos 'Angustifolia' (rosemarinifolia)</i> | P5 | FS - PS | O | Yellow | AD | AP - MY | 8.95 |
| Salvia: Sage, ... : (Culinary) | | | | | | | | | |
| (Salvia officinalis & cultivars = BF, HB) | | | | | | | | | |
| SAL001 | Black Bush | <i>Salvia mellifera</i> | P6 | FS | C, DR, DT, O | Blue, Lav.- | 18 | JL | 4.50 |
| SAL003 | Black Bush, Variegated | <i>Salvia mellifera 'Variegata'</i> | P6 | FS | C, DR, DT, O | Blue, Lav.- | 18 | JL | 6.25 |
| SAL425 | Broad-Leaf | <i>S. officinalis 'Berggarten'</i> | P5 | FS | C, DR, DT | Purple | 24 | JN - JL | 5.85 |
| SAL605 | Broad-Leaf, Variegated | <i>Salvia o. 'Variegated B.'</i> | P5 | FS | C, DR, DT | Purple | 24 | JN - JL | 6.25 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---------------------------|---------------------------------------|----|---------|---------------|------------|----|---------|-------|
| Salvia: Sage, ... : (Culinary) (Continued) (Salvia officinalis & cultivars = BF, HB) | | | | | | | | | |
| SAL005 | Fruit-Scented | <i>Salvia dorisiana</i> | TP | FS - PS | C, F | Pink | 36 | JL - SP | 6.25 |
| SAL010 | Garden | <i>Salvia officinalis</i> | P5 | FS | C,D,DR,DT,FP | Blue | 24 | JN - JL | 4.50 |
| SAL015 | Garden, Dwarf | <i>Salvia officinalis 'Compacta'</i> | P5 | FS | C, DR, DT, FP | Blue | 12 | JL - AG | 4.50 |
| SAL017 | Garden, 'Extrakta' | <i>Salvia officinalis 'Extrakta'</i> | P5 | FS | C, DR, DT, FP | Blue | 24 | JL - AG | 4.50 |
| SAL020 | Garden, Pink | <i>Salvia officinalis 'Rosea'</i> | P5 | FS | C, DR, DT, FP | Pink | 24 | JL - AG | 5.85 |
| SAL025 | Giant | <i>S. o. 'Holt's Mammoth'</i> | P5 | FS | C, DR, DT, FP | Blue | 24 | JL - AG | 5.85 |
| SAL030 | Golden, Variegated | <i>Salvia officinalis 'Icterina'</i> | P5 | FS | C, DR, DT, O | | 12 | JL - AG | 5.85 |
| SAL540 | 'Jefferson' | <i>Salvia officinalis 'Jefferson'</i> | P5 | FS | C, DR, DT, FP | Pink, Red- | 24 | JL - AG | 5.85 |

SAL040 **Pineapple** *Salvia elegans* TP FS - PS C, F, HB, O Red, Scrlt- 36 AG - SP 4.50

Pineapple Sage's invigorating aroma is a treasure to be found. Just brushing the leaves of this herb seems to uplift the spirit with its pleasurable sweet pineapple fragrance. If planted outdoors, this tender perennial can reach 3 - 4 feet in one growing season. Its slender vibrant-red flowers form on 8" spikes and provide a wonderful display from late-summer until frost. Though it prefers a full day of sun, it will tolerate half that. Let it dry out between waterings and wait until after flowering before pruning.

The fresh leaves of Pineapple Sage add interest to cold drinks, desserts and fruit salads; unfortunately its' essence is lost when heated. The flowers can be used as an attractive garnish for drinks and like honeysuckle flowers, they have a sweet nectar on their stem ends, though they lack the pineapple flavor.

| | | | | | | | | | |
|---------|--------------------------------------|--------------------------------------|----|---------|---------------|-------------|----|---------|------|
| SAL705 | Pineapple, 'Golden Delicious' | <i>Salvia elegans 'Golden D.'</i> | TP | FS - PS | C, F, HB, O | Red, Scrlt- | 36 | AG - SP | 5.85 |
| SAL045 | Purple | <i>S. officinalis 'Purpurascens'</i> | P5 | FS | C, DR, DT, O | | 10 | | 4.50 |
| SAL045X | Purple (Qt.) | <i>S. officinalis 'Purpurascens'</i> | P5 | FS | C, DR, DT, O | | 10 | | 7.75 |
| SAL050 | 'Tricolor' | <i>Salvia officinalis 'Tricolor'</i> | TP | FS | C, DR, DT, O | Blue, Pink- | 8 | | 5.85 |
| SAL059 | Variegated, 'Woodcote' | <i>Salvia officinalis 'Woodcote'</i> | P5 | FS | C, DR, DT, FP | Purple | 8 | JN - JL | 5.85 |

Salvia: Sage, ... : (Ornamental)

| | | | | | | | | | |
|--------|--|-------------------------------------|----|----|-----------------|----------------|----|---------|------|
| SAL080 | Clary, Annual | <i>Salvia viridis</i> | A | FS | DF, FA | Pnk;Wht;Prpl | 24 | JL - SP | 4.50 |
| SAL175 | Clevelandii | <i>Salvia clevelandii</i> | TP | FS | F, O | Blue | 18 | JL - SP | 6.60 |
| SAL092 | Greek; Triloba Sage | <i>Salvia fruticosa</i> | TP | FS | F, M, O | Pink | 16 | JL - SP | 6.60 |
| SAL115 | Mexican Bush | <i>Salvia leucantha</i> | TP | FS | O | Purple, Vlvlt- | 40 | JL - SP | 6.60 |
| SAL575 | Microphylla, 'Wild Watermelon' | <i>Salvia microphylla 'Wild W.'</i> | TP | FS | O | Pink | 18 | JL - SP | 6.60 |
| SAL260 | Peruvian; Andean Silver-Leaf Sage | <i>Salvia discolor</i> | TP | FS | O | Black, Prpl- | 18 | JL - SP | 6.60 |
| SAL125 | 'Purple Majesty' | <i>Salvia 'Purple Majesty'</i> | TP | FS | O | Purple, Dp- | 48 | JL - SP | 6.95 |
| SAL502 | 'Red Velvet' | <i>Salvia 'Red Velvet'</i> | TP | FS | O | Red | 10 | JL - SP | 6.60 |
| SAL460 | White (leaves used for purifying) | <i>Salvia apiana</i> | TP | FS | F, IU, M, NP, O | White & Blue | 24 | JL - AG | 7.75 |

Salvia: Salvia, ... : (Perennials, Flowering)

| | | | | | | DR, DT, LB | | | | |
|---------|---|--------------------------------------|----|---------|--------------|--------------|----|---------|------|--|
| SAL160X | Azurea (Qt.) | <i>Salvia azurea 'Grandiflora'</i> | P4 | FS - PS | FP | Blue, Azure- | 30 | AG - SP | 7.50 | |
| SAL230X | 'Blue Queen' (Qt.) | <i>S. n. 'Blaukonigin' ('B. Q.)'</i> | P4 | FS - PS | FP, HB | Blue, Deep- | 14 | JN - JL | 6.95 | |
| SAL075X | Clary (Qt.) | <i>Salvia sclarea</i> | B5 | FS | F, FP, M | White | 30 | AG - SP | 6.95 | |
| SAL440X | Clary, Turkestan (Qt.) | <i>Salvia sclarea turkestanica</i> | B5 | FS | F, FP, IU, M | Pink | 30 | AG - SP | 6.95 | |
| SAL232X | 'East Friesland' (Qt.) | <i>S. nemorosa 'Ostfriesland'</i> | P5 | FS - PS | FP, HB | Blue | 18 | JL - AG | 6.95 | |
| SAL445X | 'May Night' (Qt.) (97 PPA) | <i>Salvia nemorosa 'Mainacht'</i> | P4 | FS - PS | FP, HB | Purple, Dp- | 18 | JL - AG | 7.75 | |
| SAL105X | Meadow, Blue (Qt.) | <i>Salvia pratensis</i> | P3 | FS - PS | CF, FP, HB | Blue | 24 | JL - AG | 6.95 | |
| SAL625X | 'Sensation Deep-Rose Improved' (Qt.) | <i>Salvia 'S. D.-R. I.'</i> | P3 | FS - PS | FP, HB | Pink, Brght- | 16 | JL - AG | 7.75 | |
| SAL145X | Silver (Qt.) | <i>Salvia argentea</i> | P5 | FS | FP | White | 8 | JL - AG | 7.75 | |
| SAL470X | 'Snow Hill' (Qt.) | <i>Salvia n. 'Schneehugel'</i> | P4 | FS - PS | FP, HB | White | 20 | JL - AG | 6.95 | |
| SAL505X | Windwalker, 'Royal Red' (Qt.) | <i>S. darcyi x m. 'PWIN03S'</i> | P5 | FS | FP, HB | Red, Deep- | 48 | JN - SP | 8.75 | |

Sambucus: Elderberry, ...

| | | | | | | HB, MT | | | | |
|---------|-------------------------|---------------------------------|----|---------|--------------|--------------|----|---------|-------|--|
| SAM410X | Elderberry (Qt.) | <i>S. canadensis (nigra c.)</i> | P3 | FS - PS | C, DR, M, NP | White;BlkBrS | 96 | JN - JL | 7.75 | |
| SAM425X | Elderberry (2Q) | <i>Sambucus c. (nigra c.)</i> | P3 | FS - PS | C, DR, M, NP | White;BlkBrS | 96 | JN - JL | 10.95 | |
| SAM250 | Samphire | <i>Crithmum maritimum</i> | TP | FS | C | Yellow | 24 | JN - JL | 6.60 | |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|----------|--|-------------------------------------|-----------|---------|-----------------------|----------------|----|---------|--------------|
| ***** | Sandwort see Arenaria: | | | | | | | | |
| | Sanguinaria: Bloodroot, ... | | | | DR, WG | | | | |
| SAN365X | Double (Qt.) | <i>S. canadensis 'Multiplex'</i> | P3 | PS - S | D, FP, M | Wht,Pur-;Dbl | 4 | AP | 16.95 |
| SAN370X | Single (Qt.) | <i>Sanguinaria canadensis</i> | P3 | PS - S | D, FP, M, NP | White, Pure- | 4 | AP | 6.95 |
| | Sanguisorba: | | | | | | | | |
| SAN405 | Burnet, Salad; Pimpinelle | <i>S. minor (Poterium s.)</i> | P4 | FS - PS | C, M | Pink | 10 | JL - AG | 4.50 |
| | Santolina: Santolina, ... | | | | F, DR, DT | Buttons | | | |
| SAN300 | 'Compact Green' | <i>S. rosmarinifolia 'C. Green'</i> | P6 | FS | B, FP, RG | Yellow, Lmn- | 10 | JL - AG | 5.85 |
| SAN450X | Gray (Qt.) | <i>S. chamaecyparissus</i> | P6 | FS | B, C, FP | Yellow | 16 | JL - AG | 7.75 |
| SAN455X | Gray, 'Foxden' (Qt.) | <i>S. chamaecyparissus 'F.'</i> | P5 | FS | B, FP | Yellow | 16 | JL - AG | 7.75 |
| SAN283 | 'Morning Mist' | <i>S. rosmarinifolia 'M. Mist'</i> | TP | FS | O | Cream | 14 | JL - AG | 6.25 |
| SAN285 | Neapolitan | <i>S. pinnata neapolitana</i> | P6 | FS | B, FP | Yellow | 10 | JL - AG | 5.85 |
| SAN460X | 'Pretty Carroll' (Qt.) | <i>S.chamaecyparissus 'P. C.'</i> | P6 | FS | B, FP | Yellow, Pale- | 14 | JL - AG | 7.75 |
| SAN295 | Rosmarinifolia | <i>Santolina rosmarinifolia</i> | TP | FS | O | Yellow | 14 | JL - AG | 6.25 |
| SAN465X | Virens, Green (Qt.) | <i>Santolina virens</i> | P6 | FS | B, FP, M | Yellow | 12 | JL - AG | 7.75 |
| | Saponaria: Soapwort, ... | | | | BF, DR, DT, HB | | | | |
| SAP500X | Creeping, Pink, Single (Qt.) | <i>Saponaria ocymoides</i> | P3 | FS - PS | FP, GC, LB, WG | Pink | 8 | JN | 6.95 |
| SAP510X | Creeping, 'Snow Tip' (Qt.) | <i>S. ocymoides 'Snow Tip'</i> | P3 | FS - PS | FP, GC, LB, WG | White | 8 | MY - JN | 6.95 |
| SAP470X | Pink, Double (Qt.) | <i>S. officinalis 'Rosea Plena'</i> | P4 | FS - PS | FP, IU, LB, M | Pink; Dbl | 24 | AG - SP | 6.95 |
| SAP480X | Pink, Single (Qt.); Bouncing Bet | <i>Saponaria officinalis</i> | P4 | FS - PS | FP, IU, LB, M | Pink | 24 | AG - SP | 6.95 |
| ***** | Sarsaparilla, American see Aralia: | | | | | | | | |
| | Satureja: (2015 Herb of the Year) | | | | | | | | |
| SAT314 | Mint, Jamaican; Costa Rican Mint | <i>Satureja viminea</i> | TP | FS | C, M | White | 18 | JL - AG | 6.60 |
| SAT340 | Savory, Georgia | <i>Satureja georgiana</i> | TP | FS | F, LB, O | Pink, Lav.- | 24 | OC - DC | 6.60 |
| SAT282 | Savory, Lemon | <i>Satureja biflora</i> | TP | FS - PS | C | White | 12 | JL - AG | 5.85 |
| SAT320 | Savory, Summer | <i>Satureja hortensis</i> | HA | FS - PS | C | White | 10 | AG - SP | 2.95 |
| SAT280 | Savory, Summer, 'Aromata' | <i>S. hortensis 'Aromata'</i> | A | FS - PS | C | White | 10 | AG - SP | 2.95 |
| SAT325 | Savory, Winter | <i>Satureja montana</i> | P6 | FS - PS | C | White | 8 | JL - AG | 4.50 |
| SAT330 | Savory, Winter, Dwarf | <i>Satureja montana 'Nana'</i> | P6 | FS - PS | C | White | 8 | JL - AG | 4.50 |
| SAT335 | Savory, Winter, Dwarf, Creeping | <i>S. m. illyrica (repens)</i> | P6 | FS - PS | C, RG | White | 4 | JL - AG | 5.85 |
| SAT665★ | Savory, Winter, Lemon | <i>S. montana citriodora</i> | P6 | FS - PS | C | Pink, White- | 8 | JL - AG | 5.85 |
| SAT305 | Savory, Winter, Yugoslavian | <i>S. montana 'Adamovica'</i> | P6 | FS - PS | C | White | 12 | JL - AG | 4.50 |
| SAT337 | Yerba Buena | <i>Satureja douglasii</i> | TP | FS | C, M | White | 4 | JL - AG | 6.25 |
| SAT310 | Za'atar Rumi; Barrel Sweetener | <i>Satureja thymbra</i> | TP | FS | IU, M, O | Pink | 8 | AP - MY | 6.60 |
| ***** | Savory, Showy see Calamintha: | | | | | | | | |
| | Scabiosa: Scabiosa, ... ; Pincushion Flower | | | | BF, DR, HB | | | | |
| SCA240X | 'Black Knight' (Qt.) | <i>S. atropurpurea 'B. Knight'</i> | HA | FS - PS | CF, LB | Maroon,Drk- | 36 | JL - SP | 6.60 |
| SCA256X | 'Butterfly Blue' (Qt.) (00 PPA) | <i>S. columbaria 'B. Blue'</i> | P5 | FS - PS | CF, FP, LB | Blue | 18 | JL - SP | 6.95 |
| SCA670X★ | Dwarf, 'Ritz Blue' (Qt.) | <i>S. japonica alpina 'Ritz B.'</i> | P5 | FS - PS | CF, FP, LB | Blue, Lilac- | 8 | JL - SP | 7.95 |
| SCU350X | Scullcap (Qt.) | <i>Scutellaria laterifolia</i> | P3 | FS - PS | M | Lavender | 24 | JL - AG | 6.95 |
| ***** | Sea Holly see Eryngium: | | | | | | | | |
| SEA370X | Sea Lavender (Qt.) | <i>Limonium latifolium</i> | P4 | FS | BF,DF,DR,FP,LB | Lav., Light- | 18 | JL - SP | 6.95 |
| | Sedum: Sedum, ... | | | | BF, DT, LB | | | | |
| SED375X | 'Autumn Joy' (Qt.) | <i>S. spectabile 'Autumn Joy'</i> | P3 | FS | FP | Rose, Mgnt- | 24 | SP - OC | 6.95 |
| SED578X | 'Beaded' (Qt.) | <i>Sedum 'Beaded'</i> | P5 | FS | FP, RG | | 1 | | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--------------------------------------|---|------------------------------------|-----------|---------|------------|-------------------|----|---------|-------------|
| Sedum: Sedum, ... (Continued) | | | | | | BF, DT, LB | | | |
| SED210X | Black-Leaf, 'Bertram Anderson' (Qt.) | <i>S. 'B. A.' (caucicolum)</i> | P4 | FS | FP, RG | Red, Prpl- | 8 | JL - AG | 7.25 |
| SED470X | 'Cherry Tart' (Qt.) | <i>Sedum 'Cherry Tart'</i> | P5 | FS | FP, RG | Pink | 6 | JL - AG | 8.75 |
| SED555X | 'Fulda Glow' (Qt.) | <i>Sedum spurium 'Fuldaglut'</i> | P3 | FS | FP, RG | Pink | 4 | JL - AG | 6.95 |
| SED705X | Golden, 'Angelina' (Qt.) | <i>Sedum rupestre 'Angelina'</i> | P3 | FS - PS | FP, RG | Yellow | 6 | JL - AG | 7.25 |
| SED730X | Gracile (Qt.) | <i>Sedum gracile</i> | P3 | FS | FP, RG | White | 2 | JL - AG | 7.25 |
| SED215X | Hispanica, 'Purple Form' (Qt.) | <i>S. hispanicum minus 'P. F.'</i> | P5 | FS | FP, RG | Pink | 2 | JL - AG | 8.75 |
| SED387X | 'Icicle' (Qt.) | <i>Sedum 'Icicle'</i> | P6 | FS | RG, O | White | 8 | JL - AG | 6.95 |
| SED740 | 'Jelly Bean' | <i>Sedum rubrotinctum</i> | TP | FS - PS | DT, O, LB | Yellow, Brht- | 3 | MY - JL | 6.60 |
| SED390X | Love 'n' Tangles (Qt.) | <i>Sedum dasyphyllum</i> | P5 | FS | FP, O, RG | White | 3 | JL - AG | 6.95 |
| SED394X★ | Love 'n' Tangles, 'Major' (Qt.) | <i>Sedum dasyphyllum 'Major'</i> | P5 | FS | FP, O, RG | White | 3 | JL - AG | 7.75 |
| SED630X | 'Mentha-Requienii' (Qt.) | <i>Sedum 'Mentha-requienii'</i> | P6 | FS | FP | Pink | .5 | JL - AG | 7.25 |
| SED605X | Nevii (Qt.) | <i>Sedum nevia</i> | P5 | FS - PS | FP, RG, NP | White, Ice- | 3 | JL - AG | 7.75 |
| SED735X | Pachyclados (Qt.) | <i>Sedum pachyclados</i> | P5 | FS | FP, RG | White | 4 | MY & SP | 7.75 |
| SED610X | 'Red Carpet' (Qt.) | <i>S. spurium 'Red Carpet'</i> | P3 | FS | FP, RG | Red, Rose- | 6 | JN - AG | 6.95 |
| SED589X | Tetractinum (Qt.) | <i>Sedum tetractinum</i> | P4 | FS | FP, RG | White | 3 | JN - AG | 6.95 |
| SED860X | Variegated, 'Autumn Charm' (Qt.) | <i>S. 'Autumn C.' ('Lajos')</i> | P4 | FS | FP, RG | Pink, Bright- | 15 | AG - SP | 8.95 |
| SED397X | 'Vera Jameson' (Qt.) | <i>Sedum 'Vera Jameson'</i> | P4 | FS | FP, O, RG | Pink, Rose- | 12 | AG - SP | 6.95 |
| SED399X | 'Weihenstephaner Gold' (Qt.) | <i>Sedum floriferum 'W. Gold'</i> | P3 | FS - PS | FP, RG | Yellow,Orng- | 6 | JN - JL | 6.95 |
| SED405X | Yellow Acre (Qt.) | <i>Sedum acre 'Aureum'</i> | P4 | FS | FP, GC, RG | Yellow | 4 | JL - AG | 6.95 |

Sempervivum: Hens & Chicks, ... ; Houseleek

| | | | | | | DR, DT | | | |
|----------|---------------------------------|----------------------------------|-----------|----|--------|---------------|---|---------|-------------|
| SEM680X★ | 'Aare' (Qt.) | <i>Sempervivum 'Aare'</i> | P4 | FS | FP, RG | ? | 4 | JL - AG | 9.95 |
| SEM225X | 'Braunii' (Qt.) | <i>Sempervivum 'Braunii'</i> | P6 | FS | FP, RG | Yellow | 4 | JL - AG | 7.25 |
| SEM615X | 'Cebenese' (Qt.) | <i>Sempervivum 'Cebenese'</i> | P5 | FS | FP, RG | | 3 | | 7.25 |
| SEM210X | 'Cobweb' (Qt.) | <i>S. arachnoideum 'Cobweb'</i> | P5 | FS | FP, RG | Pink | 4 | JL - AG | 7.25 |
| SEM480X | 'Feuerstein' (Qt.) | <i>Sempervivum 'Feuerstein'</i> | P4 | FS | FP, RG | Red, Rose- | 3 | JN - JL | 8.95 |
| SEM270X | 'Fuzzy Wuzzy' (Qt.) | <i>S. 'Fuzzy Wuzzy'</i> | P5 | FS | FP, RG | Pink, Rose- | 4 | JL - AG | 7.25 |
| SEM620X | 'Gay Jester' (Qt.) | <i>Sempervivum 'Gay Jester'</i> | P6 | FS | FP, RG | Pink, Light- | 3 | | 7.95 |
| SEM275X | 'Gazelle' (Qt.) | <i>Sempervivum 'Gazelle'</i> | P4 | FS | FP, RG | Pink, Dark- | 3 | JN - JL | 7.95 |
| SEM605X | Glabrescens (Qt.) | <i>S. a. glabrescens</i> | P5 | FS | FP, RG | Pink, Rose- | 3 | JL - AG | 7.95 |
| SEM625X | 'Gorges DeDalis' (Qt.) | <i>S. arachnoideum 'G. D.'</i> | P5 | FS | FP, RG | Pink, Light- | 3 | | 7.25 |
| SEM730X | 'Grammens' (Qt.) | <i>Sempervivum 'Grammens'</i> | P4 | FS | FP, RG | Pink | 3 | JN - JL | 8.95 |
| SEM250X | 'Greenii' (Qt.) | <i>S. calcareum 'Greenii'</i> | P5 | FS | FP, RG | Pink, Rich- | 4 | JL - AG | 7.25 |
| SEM280X | 'Gruenrand' (Qt.) | <i>Sempervivum 'Gruenrand'</i> | P4 | FS | FP, RG | Red, Dark- | 5 | JN - JL | 8.95 |
| SEM735X | 'Hullabaloo' (Qt.) | <i>Sempervivum 'Hullabaloo'</i> | P4 | FS | FP, RG | Pink | 3 | JN - JL | 8.95 |
| SEM865X | 'Icicle' (Qt.) | <i>Sempervivum 'Icicle'</i> | P5 | FS | FP, RG | | 3 | | 7.25 |
| SEM895X | 'Kimono' (Qt.) | <i>Sempervivum 'Kimono'</i> | P4 | FS | FP, RG | Pink, Light- | 3 | JN - JL | 8.95 |
| SEM870X | 'King George' (Qt.) | <i>Sempervivum 'K. George'</i> | P5 | FS | FP, RG | | 3 | JL - AG | 7.25 |
| SEM285X | 'Kramer's Spinard' (Qt.) | <i>Sempervivum 'K. Spinard'</i> | P5 | FS | FP, RG | Pink | 4 | JL - AG | 7.25 |
| SEM875X | 'Lipstick' (Qt.) | <i>Sempervivum 'Lipstick'</i> | P5 | FS | FP, RG | Pink | 3 | JL - AG | 7.25 |
| SEM485X | 'Max Frei' (Qt.) | <i>Sempervivum 'Max Frei'</i> | P3 | FS | FP, RG | | 3 | JN - JL | 8.95 |
| SEM685X★ | 'Nachtmelodie' (Qt.) | <i>S. 'Nachtmelodie'</i> | P3 | FS | FP, RG | ? | 4 | JL - AG | 9.95 |
| SEM212X | 'Oddity' (Qt.) | <i>S. tectorum 'Oddity'</i> | P4 | FS | FP, RG | Pink | 4 | JL - AG | 8.95 |
| SEM740X | 'Othello' (Qt.) | <i>Sempervivum 'Othello'</i> | P4 | FS | FP, RG | Red, Dark- | 4 | JN - JL | 7.95 |
| SEM630X | 'Pekinese' (Qt.) | <i>Sempervivum 'Pekinese'</i> | P6 | FS | FP, RG | | 3 | | 7.25 |
| SEM235X | 'Pilioseum' (Qt.) | <i>Sempervivum 'Pilioseum'</i> | P3 | FS | FP, RG | | 4 | | 7.25 |
| SEM905X | 'Pink Pearl' (Qt.) | <i>S. calcareum 'Pink Pearl'</i> | P4 | FS | FP, RG | | 4 | JN - JL | 8.95 |
| SEM880X | Pittonii (Qt.) | <i>Sempervivum pittonii</i> | P5 | FS | FP, RG | Yellow, Grn- | 3 | JL - AG | 7.25 |
| SEM255X | 'Pygmalion' (Qt.) | <i>S. arachnoideum 'P.'</i> | P5 | FS | FP, RG | | 4 | | 7.25 |
| SEM885X | 'Pyrenaicum' (Qt.) | <i>Sempervivum 'Pyrenaicum'</i> | P5 | FS | FP, RG | Pink, Light- | 3 | JL - AG | 7.25 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--------------------------------------|---|-----|---------|--------------------------------|--------------|----|---------|-------|
| Sempervivum: Hens & Chicks, ... ; Houseleek (Continued) | | | | | DR, DT | | | | |
| SEM635X | 'Quintessence' (Qt.) | <i>S. 'Quintessence'</i> | P5 | FS | FP, RG | Pink | 3 | | 7.25 |
| SEM265X | 'Red Tips' (Qt.) | <i>S. calcareum monstrosum 'Red Tips'</i> | P5 | FS | FP, RG | | 4 | | 7.95 |
| SEM290X | 'Red-Purple' (Qt.) | <i>S. tectorum 'Red-Purple'</i> | P5 | FS | FP, RG | | 4 | | 7.25 |
| SEM295X | 'Reinhard' (Qt.) | <i>Sempervivum 'Reinhard'</i> | P4 | FS | FP, RG | Pink, Light- | 3 | JN - JL | 8.95 |
| SEM490X | 'Royal Ruby' (Qt.) | <i>Sempervivum 'Royal Ruby'</i> | P4 | FS | FP, RG | Pink, Light- | 3 | JN - JL | 8.95 |
| SEM705X | 'Ruby Heart' (Qt.) | <i>Sempervivum 'Ruby Heart'</i> | P3 | FS | FP, RG | | 4 | | 7.95 |
| SEM975X | Ruthenicum (Qt.) | <i>Sempervivum ruthenicum</i> | P4 | FS | FP, RG | Yellow, Lht- | 3 | JN - JL | 7.25 |
| SEM640X | 'Silver Thaw' (Qt.) | <i>Sempervivum 'Silver Thaw'</i> | P5 | FS | FP, RG | Pink, Light- | 3 | | 7.25 |
| SEM645X | 'Sir Wm. Lawrence' (Qt.) | <i>S. calcareum 'Sir Wm. L.'</i> | P5 | FS | FP, RG | | 4 | | 7.25 |
| SEM650X | 'Sunset' (Qt.) | <i>S. 'Sunset' (tectorum)</i> | P3 | FS | FP, RG | | 4 | | 7.25 |
| SEM745X | 'Tokajense' (Qt.) | <i>S. tectorum 'Tokajense'</i> | P4 | FS | FP, RG | Pink | 3 | JN - JL | 8.95 |
| SEM655X | 'Utopian' (Qt.) | <i>Sempervivum 'Utopian'</i> | P6 | FS | FP, RG | | 3 | JL - AG | 7.95 |
| SEM305X | 'Viking' (Qt.) | <i>Sempervivum 'Viking'</i> | P5 | FS | FP, RG | Pink, Light- | 4 | | 8.95 |
| SEM310X | 'Witcheri' (Qt.) | <i>Sempervivum 'Witcheri'</i> | P6 | FS | FP, RG | Pink, Light- | 4 | | 7.25 |
| SEM660X | 'Yukon Snow' (Qt.) | <i>S. arachnoideum 'Y. Snow'</i> | P5 | FS | FP, RG | Pink | 3 | | 7.25 |
| SEN410X | Senna (Qt.) | <i>Senna (Cassia) marilandica</i> | P4 | FS - PS | BF, D, DR, LB, M, NP | Yellow | 60 | AG - SP | 6.95 |
| SEN415 | Sensitive Plant | <i>Mimosa pudica</i> | TP | FS | IU | Pink | 8 | AG - SP | 5.85 |
| This fun and fascinating plant moves when touched; entertaining for both kids and adults. Keep on the dry side. | | | | | | | | | |
| Serissa: Serissa, ... | | | | | | | | | |
| SER605 | 'Beetson's Gold' (Variegated Leaf) | <i>S. foetida 'Beetson's Gold'</i> | TP | FS - PS | O | | 8 | | 6.60 |
| SER420 | 'Kyoto' (Miniature Growth) | <i>Serissa foetida 'Kyoto'</i> | TP | FS - PS | O | White | 8 | FB - MR | 6.25 |
| SER430 | 'Snow Rose' | <i>Serissa foetida floreplena</i> | TP | FS - PS | O | White; Dbl | 12 | PRD | 6.25 |
| SER435 | Variegated, Pink | <i>Serissa 'Variegata Pink'</i> | TP | FS - PS | O | Pink | 10 | PRD | 6.25 |
| SER445 | Variegated, White | <i>Serissa 'Variegata'</i> | TP | FS - PS | O | White | 14 | PRD | 6.25 |
| SER450 | 'Yatsubusa' (Unusual Compact Growth) | <i>S. foetida 'Yatsubusa'</i> | TP | FS - PS | O | Pink | 6 | FB - MR | 6.25 |
| ***** | Shooting Stars see Dodecatheon: | | | | | | | | |
| Sideritis: | | | | | | | | | |
| SID415 | Greek Mountain Tea | <i>Sideritis syriaca</i> | P6* | FS | C, M | Yellow | 20 | JL - AG | 7.75 |
| Silene: | | | | | | | | | |
| SIL580X | Royal Catchfly (Qt.); Showy Catchfly | <i>Silene regia</i> | P4 | FS | DT FP, HB, LB, NP | Red, Scrlt- | 36 | JL - AG | 7.25 |
| Silphium: | | | | | | | | | |
| SIL005X | Cup, Indian (Qt.); Cup Plant | <i>Silphium perfoliatum</i> | P4 | FS - PS | DR, NP FP, IU, M, MT | Yellow | 72 | JL - SP | 7.25 |
| SKI450X | Skirret (Qt.) | <i>Sium sisarum</i> | P6 | FS - PS | C | White, Grn- | 36 | JL - AG | 7.25 |
| ***** | Snow-in-Summer see Cerastium: | | | | | | | | |
| ***** | Snow-on-the-Mountain see Aegopodium: | | | | | | | | |
| ***** | Soapwort see Saponaria: | | | | | | | | |
| SOC485 | Society Garlic, 'Silver Lace' | <i>Tulbaghia violacea 'S. L.'</i> | TP | FS - PS | C, O | Lav., Light- | 12 | ADP | 6.25 |
| Solomon's Seal, ... | | | | | | | | | |
| SOL315X | Chinese, Dwarf (Qt.) | <i>Polygonatum humile</i> | P5 | PS - S | FP, GC, WG | White, Crm- | 6 | JN - JL | 7.75 |
| SOL487X | False (Qt.) | <i>Smilacina racemosa</i> | P4 | PS - S | FP, NP, WG | White, Grn- | 24 | JN | 6.95 |
| SOL320X | Great (Qt.) | <i>Polygonatum commutatum</i> | P3 | PS - S | FP, WG | White | 48 | JN - JL | 7.50 |
| SOL505X | Hybrid, Variegated (Qt.) | <i>P. x hybridum 'Striatum'</i> | P3 | PS - S | FP, O, WG | White | 18 | MY - JN | 14.95 |
| SOL325X | Japanese, Dwarf (Qt.) | <i>P. falcatum 'Pumilum'</i> | P5 | PS - S | FP, WG | White, Crm- | 12 | AP - MY | 7.75 |
| SOL330X | Japanese, Dwarf, Variegated (Qt.) | <i>P. falcatum 'Variegatum'</i> | P5 | PS - S | FP, WG | White, Crm- | 12 | AP - MY | 7.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|--|---------------------------------|-----------|--------|------------|-------------|----|---------|--------------|
| Solomon's Seal, ... (Continued) | | | | | | | | | |
| SOL335X | Smooth (Qt.) | <i>Polygonatum biflorum</i> | P3 | PS - S | FP, NP, WG | White, Grn- | 24 | MY - JN | 6.95 |
| SOL340X | Variiegated (Qt.) (13 PPA) | <i>P. odoratum 'Variegatum'</i> | P4 | PS - S | FP, O, WG | White | 30 | JN - JL | 6.95 |
| SOL405X | Variiegated, 'Doublewide' (Qt.) | <i>P. odoratum 'Doublewide'</i> | P5 | PS - S | FP, O, WG | White | 18 | JN - JL | 31.95 |
| SOL530X | Variiegated, 'Fireworks' (Qt.) | <i>P. odoratum 'Fireworks'</i> | P5 | PS - S | FP, O, WG | White | 30 | JN - JL | 27.95 |

- ***** **Sorrel** see **Rumex:**
- ***** **Southernwood** see **Artemisia:**
- ***** **Spice Bush** see **Plectranthus:**
- ***** **Spiderwort** see **Tradescantia:**
- ***** **Spikenard, American** see **Aralia:**

Spiranthes: (Nursery Propagated)

| | | | | | | | | | |
|---------|--|--------------------------|-----------|--------|---------------|-------|----|---------|--------------|
| SPI585X | Nodding Ladies' Tresses, Fragrant (Qt.) | <i>S. cernua odorata</i> | P3 | PS - S | F, FP, NP, WG | White | 12 | JL - AG | 10.95 |
|---------|--|--------------------------|-----------|--------|---------------|-------|----|---------|--------------|

- ***** **Spring Beauty** see **Claytonia:**
- ***** **Spurge** see **Euphorbia:**
- ***** **Spurge, Allegheny** see **Pachysandra:**
- ***** **St. John's Wort** see **Hypericum:**

Stachys: Betony, ...

| | | | | | | | | | |
|----------|--------------------------------|------------------------------------|-----------|---------|---------------|--------------|----|---------|-------------|
| STA370X | Dwarf, Purple (Qt.) | <i>Stachys minima</i> | P4 | FS | FP, LB, RG | Purple, Rse- | 6 | JN - AG | 7.25 |
| STA310X | Lavender (Qt.) | <i>Stachys officinalis</i> | P5 | FS - PS | CF, FP, LB, M | Lavender | 16 | JL - AG | 6.95 |
| STA315X | Pink (Qt.) | <i>Stachys officinalis 'Rosea'</i> | P5 | FS | FP, LB | Pink | 14 | JL - AG | 6.95 |
| STA690X★ | Purple, 'Hummelo' (Qt.) | <i>Stachys officinalis 'H.'</i> | P5 | FS | CF, FP, LB | Lav., Rose- | 18 | JL - AG | 7.95 |
| STA320X | Spiked, Purple (Qt.) | <i>Stachys spicata 'Purpurea'</i> | P5 | FS | CF, FP, LB | Lavender | 14 | JL - AG | 6.95 |
| STA350X | White (Qt.) | <i>Stachys grandiflora 'Alba'</i> | P3 | FS | CF, FP, LB | White | 16 | JL - AG | 6.95 |

Stachys: Lamb's Ears, ...

| | | | | | | | | | |
|---------|--|------------------------------------|-----------|----|---------------|-------------|----|---------|-------------|
| STA335X | 'Big Ears' (Qt.) ('Helene von Stein') | <i>Stachys byzantina 'Big E.'</i> | P5 | FS | FP | No Flower | 12 | | 6.95 |
| STA025X | Common (Qt.) | <i>Stachys byzantina</i> | P4 | FS | CF,DF,FP,GC,M | Lavender | 18 | JL | 6.95 |
| STA355X | 'Cotton Boll' (Qt.) | <i>Stachys byzantina 'C. Boll'</i> | P4 | FS | DF, FP, GC | Pink, Lav.- | 15 | JL - AG | 7.25 |
| STA345X | 'Silver Carpet' (Qt.) | <i>S. byzantina 'S. Carpet'</i> | P4 | FS | GC, O | No Flower | 6 | | 6.95 |

| | | | | | | | | | |
|--------|--|--|-----------|---------|-------|--------------|----|-----|-------------|
| STA530 | Star Anise, Native (Zone 7 Hardy) | <i>Illicium parviflorum</i> | TP | FS | F, O | Yellow, Crm- | AD | ADP | 8.95 |
| STA080 | Star Creeper, Blue; Blue Isotoma | <i>Isotoma (Laurentia) fluviatilis</i> | TP | FS - PS | GC, O | Blue, Light- | 1 | PRD | 6.25 |
| STA085 | Star, Creeper, White | <i>Pratia angulata 'Ohau'</i> | TP | PS - S | GC, O | White; Stars | 1 | PRD | 6.25 |

| | | | | | | | | | |
|--------|--------------------------|--------------------------|-----------|---------|-------|-------|----|-----|-------------|
| STE535 | Stevia Rebaudiana | <i>Stevia rebaudiana</i> | TP | FS - PS | C, IU | White | 10 | ADP | 7.75 |
|--------|--------------------------|--------------------------|-----------|---------|-------|-------|----|-----|-------------|

Used as a sweetener, Stevia is also known as 'Sweet Herb of Paraguay.' The plant's sweetening agent, the glycoside stevioside, is 300 times sweeter than granulated sugar and is also non-caloric. The herb reduces blood sugar levels as it sweetens, making it a good sugar substitute for diabetics. The Indian women of Paraguay have used this plant as a tea for contraceptive purposes. Laboratory tests have confirmed that Stevia does reduce fertility. This plant thrives in rich, well-drained soil, full to partial-sun and prefers temperatures above 45 degrees.

| | | | | | | | | | |
|---------|---|-------------------------------------|-----------|----|----------------|---------------|----|---------|-------------|
| STO805X | Stokesia, 'Honeysong Purple' (Qt.) | <i>Stokesia laevis 'H. P.'</i> | P5 | FS | BF, CF, DR, FP | Prpl,Ryl-;3" | 14 | JL - AG | 7.75 |
| STO590X | Stokesia, 'Klaus Jelitto' (Qt.) | <i>Stokesia laevis 'K. Jelitto'</i> | P5 | FS | BF, CF, DR, FP | Blue,Pwdr-;4" | 18 | JL - AG | 7.75 |

- ***** **Strawberry Blite** see **Chenopodium:**

Strawberry, ...

A good rule of thumb with strawberries is to not allow the beds to get overgrown. Maintaining 4 - 6 inches between plants will yield bigger and juicer berries. In the Fall - we set our lawn mower on high and trim them down. Our varieties have been rated as 'Firm' fruit, 'Large' berry and 'Excellent' flavor. Additionally freezing quality is 'Good' on 'Brunswick', and 'Excellent' on 'Cavendish' and 'Jewel' - 'Cavendish' has the best disease resistance.

| | | | | | | | | | |
|---------|---|---------------------------------|-----------|----|-------|--------------|---|--------|-------------|
| STR515X | 'Brunswick' (Qt.) (Early Mid-Season) | <i>Fragaria x ananassa 'B.'</i> | P3 | FS | C, FP | White;LrgFrt | 8 | Frt:JN | 4.80 |
|---------|---|---------------------------------|-----------|----|-------|--------------|---|--------|-------------|

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|------------------------------------|--|-------------------------------------|----|---------|------------------|--------------|----|---------|-------|
| Strawberry, ... (Continued) | | | | | | | | | |
| STR520X | 'Cavendish' (Qt.) (Early Mid-Season) | <i>Fragaria x ananassa</i> 'C.' | P3 | FS | C, FP | White;LrgFrt | 8 | Frt:JN | 4.80 |
| STR525X | 'Jewel' (Qt.) (Mid-Season) | <i>Fragaria x ananassa</i> 'Jewel' | P4 | FS | C, FP | White;LrgFrt | 8 | Frt:JN | 4.80 |
| STR695X★ | 'Ozark Beauty' Everbearing (Qt.) | <i>F. x ananassa</i> 'Ozark B.' | P4 | FS | C, FP | White;LrgFrt | 8 | MY - AG | 4.80 |
| STR553X | Runnerless, 'Alexandria' (Qt.) | <i>Fragaria vesca</i> 'Alexandria' | P5 | FS | B, C | White | 6 | MY - JL | 6.95 |
| SUG580X | Sugar Cane, Black (Qt.) | <i>Saccharum officinarum</i> | TP | FS | C, O | | AD | | 8.95 |
| SUG595X | Sugar Cane, Black, 'Black-Leaf' (Qt.) | <i>Saccharum o. 'B.-L.'</i> | TP | FS | C, O | | AD | | 11.95 |
| ***** | Sundews see Carnivorous Plants: | | | | | | | | |
| ***** | Sweet Annie see Artemisia: Wormwood, Sweet | | | | | | | | |
| SWE587X | Sweet Cicely (Qt.) | <i>Myrrhis odorata</i> | P4 | PS - S | C, M | White | 24 | JL - AG | 7.50 |
| ***** | Sweet Flag see Acorus: | | | | | | | | |
| ***** | Sweet William see Dianthus: | | | | | | | | |
| Symphytum: Comfrey, ... | | | | | | | | | |
| SYM220X | Common, Purple (Qt.); Russian | <i>S. officinale (x uplandicum)</i> | P4 | FS - PS | FP, M | Purple | 36 | JL - AG | 6.95 |
| SYM225X | Common, White (Qt.) | <i>Symphytum officinale 'Alba'</i> | P5 | FS - PS | FP, M | White | 24 | JL - AG | 7.25 |
| SYM275X | 'Hidcote Blue' (Qt.) | <i>S. grandiflorum 'H. Blue'</i> | P5 | FS - PS | FP | Blue | 18 | MY - JN | 7.25 |
| SYM605X★ | 'Hidcote Variegated' (Qt.) | <i>S. grandiflorum 'H. V.'</i> | P4 | PS | FP, M | Blue, Light- | 18 | JL - AG | 9.95 |
| SYM235X | Raspberry Queen, 'Well-Sweep' (Qt.) | <i>S. x rubrum 'Well-S.'</i> | P5 | FS - PS | FP | Raspberry | 30 | JL - AG | 7.25 |
| Tagetes: Marigold, ... | | | | | | | | | |
| TAG105 | French | <i>Tagetes patula 'Sparky'</i> | A | FS | C, FA, IU | Orange | 10 | JL - SP | 2.95 |
| TAG110 | 'Lemon Gem' | <i>T. tenuifolia 'Lemon Gem'</i> | A | FS | C, FA | Yellow, Lmn- | 12 | JL - SP | 2.95 |
| TAG040 | Mint-Scented; Winter Tarragon | <i>Tagetes lucida</i> | TP | FS - PS | C, F | Yellow | 16 | SLD | 5.85 |
| TAG165 | 'Red Gem' | <i>T. tenuifolia 'Red Gem'</i> | A | FS | C, FA | Red | 12 | JL - SP | 2.95 |
| TAG155 | 'Tangerine Gem' | <i>T. tenuifolia 'Tangerine G.'</i> | A | FS | C, FA | Orange, Dp- | 12 | JL - SP | 2.95 |
| TAM435 | Tamarind; Indian Date | <i>Tamarindus indica</i> | TP | FS | C, M | Yellow, Crm- | AD | ADP | 18.95 |
| Tanacetum: | | | | | | | | | |
| BF, DR, LB | | | | | | | | | |
| TAN322X | Costmary (Qt.); Bible Leaf | <i>Tanacetum balsamita</i> | P6 | FS - PS | C, F | Yellow | 30 | AG - SP | 6.95 |
| TAN325X | Costmary, Camphor (Qt.) | <i>T. balsamita camphoratum</i> | P6 | FS - PS | F | Yellow | 12 | AG - SP | 7.50 |
| TAN062X | Daisy, Pyrethrum, True (Qt.) | <i>Tanacetum cinerariifolium</i> | P6 | FS | FP, IU | White;Daisy | 16 | JN - JL | 7.25 |
| TAN025X | Feverfew, Double (Qt.) | <i>T. parthenium 'Flora Pleno'</i> | P6 | FS | CF, FP, M | White; Dbl | 24 | JL - AG | 6.95 |
| TAN027X | Feverfew, Golden (Qt.) | <i>T. parthenium 'Aureum'</i> | P6 | FS | FP | White | 12 | JL - AG | 6.95 |
| TAN045X | Feverfew, Old-Fashioned, Single (Qt.) | <i>Tanacetum parthenium</i> | P6 | FS - PS | CF, FP, M | White | 24 | JL - SP | 6.95 |
| TAN007X | Tansy, Common (Qt.) | <i>Tanacetum vulgare</i> | P4 | FS - PS | D, DF, DT, FP, M | Yellow;Bttns | 48 | JL - SP | 6.95 |
| TAN012X | Tansy, Fernleaf (Qt.) | <i>T. vulgare 'Crispum'</i> | P4 | FS - PS | DT, FP | Yellow;Bttns | 20 | AG - SP | 6.95 |
| TAN335X | Tansy, Fernleaf, Silver (Qt.) | <i>Tanacetum densum amani</i> | P6 | FS | DT, FP, RG | Yellow;Bttns | 10 | JL - AG | 7.25 |
| TAN020X | Tansy, 'Goldsticks' (Qt.) | <i>T. vulgare 'Goldsticks'</i> | P4 | FS - PS | CF, DT, FP | Gold | 48 | JL - SP | 6.95 |
| ***** | Tarragon, French see Artemisia: Tarragon, French | | | | | | | | |
| ***** | Tarragon, Winter see Tagetes: Marigold, Mint-Scented | | | | | | | | |
| ***** | Tea Plant see Camellia: | | | | | | | | |
| ***** | Tea Rose, Australian see Leptospermum: | | | | | | | | |
| ***** | Tea Tree see Melaleuca: | | | | | | | | |
| ***** | Tea Tree, Lemon see Leptospermum: | | | | | | | | |
| ***** | Teasel see Dipsacus: | | | | | | | | |
| Teucrium: Germander, ... | | | | | | | | | |
| DR | | | | | | | | | |
| TEU605 | Camphor-Scented | <i>Teucrium asiaticum</i> | TP | FS | F, O | Pink | 10 | AG | 6.60 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|--|-----------|---------|-------------------|---------------|----|---------|-------------|
| Teucrium: Germander, ... (Continued) | | | | | DR | | | | |
| TEU495X | Creeping (Qt.) | <i>Teucrium chamaedrys</i> 'Nanum' (canadense) | P5 | FS | DT, FP, GC | Pink | 8 | JL - AG | 6.95 |
| TEU487 | Germander (Shrub-like for edging) | <i>Teucrium chamaedrys</i> | P5 | FS | B, DT, FP | Rose | 14 | JL - AG | 4.50 |
| TEU625X | 'Summer Sunshine' (Qt.) | <i>T. chamaedrys</i> 'Summer S.' | P5 | FS - PS | DT, FP, O | Pink, Lav.- | 12 | JL - AG | 7.25 |
| Teucrium: | | | | | DR | | | | |
| TEU490 | Cat Thyme | <i>Teucrium marum</i> | TP | FS | F, O | Purple, Pink- | 6 | AG | 6.60 |
| TEU520X | Wood Sage (Qt.) | <i>Teucrium scorodonia</i> | P5 | FS | DT, M, RG | Yellow, Pale- | 12 | JL - AG | 7.25 |
| Thalictrum: Meadow Rue, ... | | | | | DR, LB, WG | | | | |
| THA560X | 'Black Stockings' (Qt.) | <i>T. aquilegifolium</i> 'Black S.' | P5 | FS - PS | FP, MT | Pink, Lav.- | 58 | JN - JL | 8.95 |
| THA020X | Kyushu (Qt.) | <i>Thalictrum kiusianum</i> | P5 | FS - PS | FP, MT | Purple, Pink- | 4 | JL - AG | 8.75 |
| THI035 | Thistle, Milk; Holy Thistle | <i>Silybum marianum</i> | A | FS - PS | C, FA, M | Purple | 14 | JL - SP | 5.85 |
| ***** | Thistle, Red or Yellow see Centaurea: | | | | | | | | |
| THI045X | Thistle, Scotch (Qt.) | <i>Onopordum nervosum</i> (acanthium) | B6 | FS - PS | FA, M | Lavender | 72 | JL - AG | 6.95 |
| Thymus: Thyme, Creeping, ... | | | | | DR | | | | |

Some of the creeping thymes are great for filling in the areas between stones on walkways. They have prolific mat-forming low growth and attractive flowers. Varieties with a ☆ afterwards - work very well for this application.

| | | | | | | | | | |
|--------|--|---------------------------------------|-----------|----|--------------|---------------|---|---------|-------------|
| THY060 | 'Annie Hall' ☆ | <i>T. praecox</i> 'Annie Hall' | P5 | FS | GC, RG | Pink | 1 | JL - AG | 4.50 |
| THY370 | 'Archer's Gold' | <i>T. x citriodorus</i> 'Archer's G.' | P5 | FS | O, RG | Pink, Lav.- | 3 | JL - AG | 5.85 |
| THY063 | 'Bressingham, Pink' ☆ | <i>T. praecox</i> 'Bressingham' | P5 | FS | F, GC | Pink | 1 | JL - AG | 5.85 |
| THY815 | Bucharicum | <i>Thymus bucharicum</i> | P5 | FS | O, RG | Pink | 1 | JL - AG | 5.85 |
| THY405 | 'Cape May' | <i>T. pulegioides</i> 'Cape May' | P5 | FS | F, GC, RG | Pink, Light- | 6 | JL - AG | 4.50 |
| THY080 | Caraway | <i>Thymus herba-barona</i> | P5 | FS | C, F, RG | Purple, Rse- | 4 | JL - AG | 4.50 |
| THY450 | Caraway, Lemon; 'Lemon Carpet' | <i>T. h.-b.</i> 'Lemon Scented' | P5 | FS | C, F, RG | Pink | 4 | JL - AG | 4.50 |
| THY325 | 'Citriodorus' ('Serp. Citriodorum') | <i>T. serpyllum</i> 'Citriodorus' | P5 | FS | GC, RG | Pink | 3 | JL - AG | 4.50 |
| THY093 | 'Clear Gold' | <i>Thymus</i> 'Clear Gold' | P5 | FS | GC, RG | Pink | 3 | JN - JL | 4.50 |
| THY090 | 'Coconut' ☆ | <i>Thymus praecox</i> 'Coconut' | P5 | FS | F, GC, RG | Pink | 4 | JL - AG | 4.50 |
| THY655 | Comosus | <i>Thymus comosus</i> | P5 | FS | F, FP, RG | Pink, Bright- | 6 | JN - JL | 5.85 |
| THY670 | 'David Baird' | <i>Thymus</i> 'David Baird' | P5 | FS | GC, RG | | 2 | | 5.85 |
| THY130 | 'Doone Valley' | <i>Thymus</i> 'Doone Valley' | P5 | FS | F, GC, RG | Lavender | 3 | JL - AG | 4.50 |
| THY460 | 'Dot Wells' | <i>T. pulegioides</i> 'Dot Wells' | P5 | FS | GC, O, RG | Pink | 4 | JL - AG | 4.50 |
| THY135 | 'Dr. Blackburn #1' | <i>Thymus</i> 'Dr. Blackburn #1' | P5 | FS | O, RG | Pink | 6 | JL - AG | 4.50 |
| THY140 | 'Dr. Blackburn #2' | <i>Thymus</i> 'Dr. Blackburn #2' | P5 | FS | O, RG | Pink | 3 | JL - AG | 4.50 |
| THY146 | 'E. B. Anderson' | <i>T. x citriodorus</i> 'Bertram A.' | P5 | FS | C, F, RG | Lilac | 1 | JL - AG | 5.85 |
| THY147 | 'Emerald Cushion' | <i>T. praecox</i> 'E. Cushion' | P5 | FS | GC, O, RG | Pink, Lav.- | 1 | JL - AG | 5.85 |
| THY675 | 'Fairie' | <i>Thymus</i> 'Fairie' | P5 | FS | F, O | Pink, Light- | 4 | JL - AG | 5.85 |
| THY095 | Golden, Variegated ☆; 'Mayfair' | <i>Thymus praecox</i> 'Mayfair' | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY410 | 'Goldstream' | <i>T. praecox</i> 'Goldstream' | P5 | FS | GC, O, RG | Pink, Light- | 1 | JL - AG | 4.50 |
| THY625 | Japanese, Pink ☆ | <i>Thymus quinquecostatus</i> | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY380 | Japanese, White ☆ | <i>T. quinquecostatus</i> albus | P5 | FS | C, GC, O, RG | White | 2 | JL - AG | 4.50 |
| THY630 | 'Lemon' ☆ | <i>T. pulegioides</i> 'Lemon' | P5 | FS | GC, RG | Pink, Lav.- | 2 | JL - AG | 4.50 |
| THY385 | 'Lemon Frost' ☆ | <i>Thymus</i> 'Lemon Frost' | P5 | FS | C, F | White | 5 | JL - AG | 4.50 |
| THY470 | 'Lemon Pincushion' ☆ | <i>T. 'Lemon Pincushion'</i> | P5 | FS | GC, RG | Pink, Lav.- | 2 | JL - AG | 4.50 |
| THY415 | 'Lime' | <i>Thymus</i> 'Lime' | P5 | FS | GC, O, RG | White | 3 | JL - AG | 4.50 |
| THY620 | 'Little Elfin Pink' | <i>Thymus</i> 'Elfin' (serphyllum) | P5 | FS | O, RG | Pink | 1 | JL - AG | 5.85 |
| THY225 | Loeyvyanus | <i>Thymus loeyvyanus</i> | P5 | FS | O, RG | Lavender | 4 | JL - AG | 4.50 |
| THY362 | 'Long-Leaf Gray' | <i>T. 'Long-leaf G.'</i> (thracicus) | P5 | FS | GC, RG | Pink | 4 | JL - AG | 4.50 |
| THY230 | 'Longwood' | <i>Thymus</i> 'Longwood' | P5 | FS | O, RG | Lavender | 5 | JL - AG | 4.50 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|--|--------------------------------------|-----------|-----|--------------|--------------|----|---------|-------------|
| Thymus: Thyme, Creeping, ... (Continued) | | | | | <u>DR</u> | | | | |
| THY250 | Micans ☆ | <i>T. caespititius</i> ('Tuffet') | P5 | FS | RG | Pink | 2 | JL - AG | 4.50 |
| THY420 | 'Mint' ☆ | <i>Thymus praecox</i> 'Mint' | P5 | FS | F, RG | Pink | 2 | JL - AG | 4.50 |
| THY260 | Minus | <i>Thymus minus</i> | P5 | FS | O, RG | Lavender | 1 | JL - AG | 4.50 |
| THY390 | 'Moonlight' | <i>T. leuchttrichus</i> 'Moonlight' | P6 | FS | GC, RG | Pink | 3 | JL - AG | 5.85 |
| THY265 | 'Mother-of-Thyme' | <i>T. pulegioides</i> 'M.-of-T.' | P5 | FS | C, GC, RG | Pink | 4 | JL - AG | 4.50 |
| THY750 | 'Nitens' | <i>Thymus</i> 'Nitens' | P5 | FS | GC, RG | Pink | 2 | JL - AG | 5.85 |
| THY275 | 'Nutmeg' | <i>T. herba-barona</i> 'Nutmeg' | P5 | FS | C, RG | Pink | 4 | JL - AG | 4.50 |
| THY645 | 'Orange Spice™' | <i>T. 'Orange Spice'</i> (TM95) | P4 | FS | C, F, GC, RG | Pink | 5 | JL - AG | 5.85 |
| THY285 | Oregano | <i>T. p. 'Oregano-scented'</i> | P5 | FS | C, F, GC, RG | Pink, Lav.- | 4 | JL - AG | 4.50 |
| THY290 | 'Pennsylvania Dutch Tea' | <i>T. pulegioides</i> 'P. Dutch Tea' | P5 | FS | C, F, GC, RG | Pink | 6 | JL - AG | 4.50 |
| THY295 | 'Pinewood' | <i>Thymus vulgaris</i> 'Pinewood' | P5 | FS | F, O | Pink, Light- | 6 | JL - AG | 4.50 |
| THY097 | 'Pink' ☆ | <i>Thymus</i> 'Pink' | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY305 | 'Pink Chintz' ☆ | <i>T. praecox</i> 'Pink Chintz' | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY364 | 'Pink Ripple' | <i>T. 'Pink Ripple'</i> (serpyllum) | P5 | FS | GC, RG | Pink | 3 | JL - AG | 4.50 |
| THY478 | 'Rainbow Falls' | <i>T. serpyllum</i> 'Rainbow Falls' | P5 | FS | GC, RG | Pink, Lilac- | 2 | JL - AG | 4.50 |
| THY105 | Red ☆; 'Kermesinus' Thyme | <i>T. pulegioides</i> 'Kermesinus' | P5 | FS | GC, RG | Rose | 2 | JL - AG | 4.50 |
| THY110 | Red, Narrow-Leaf ☆ | <i>T. praecox</i> 'Coccineus' | P5 | FS | GC, RG | Rose | 1 | JL - AG | 4.50 |
| THY665 | 'Reiter's Red' | <i>T. praecox</i> 'Reiter's Red' | P5 | FS | GC, RG | Pink | 4 | JL - AG | 4.50 |
| THY755 | 'Rose Petal™' | <i>T. 'Rose Petal'</i> (TM122) | P5 | FS | F, GC, RG | Pink | 4 | JL - AG | 5.85 |
| THY335 | 'Rosea' ☆ ('Serp. Rosea') | <i>Thymus serpyllum</i> 'Rosea' | P5 | FS | GC, RG | Pink, Lav.- | 2 | JL - AG | 4.50 |
| THY425 | 'Russettings' | <i>T. praecox</i> 'Russettings' | P5 | FS | GC, O, RG | Pink, Lav.- | 1 | JL - AG | 4.50 |
| THY320 | 'Russian' | <i>Thymus</i> 'Russian' | P5 | FS | O, RG | Pink | 3 | JL - AG | 4.50 |
| THY330 | Serp. Nutmeg ☆ | <i>Thymus praecox</i> 'Nutmeg' | P5 | FS | GC, RG | Pink, Lav.- | 2 | JL - AG | 4.50 |
| THY395 | 'Silver Needles' | <i>T. cherlerioides</i> 'S. Needles' | P5 | FS | O, RG | Lavender | 4 | JL - AG | 5.85 |
| THY070 | 'Tuffet' (Caespititius; Tufted Thyme) | <i>Thymus caespititius</i> 'Tuffet' | P5 | FS | F, O, RG | Pink | 2 | JL - AG | 5.85 |
| THY115 | White ☆ | <i>Thymus praecox</i> 'Albiflorus' | P5 | FS | GC, RG | White | 1 | JL - AG | 4.50 |
| THY343 | 'White Magic' | <i>T. pulegioides</i> 'White Magic' | P5 | FS | GC, RG | White | 3 | JL - AG | 4.50 |
| THY120 | 'White Moss' ☆ | <i>T. praecox</i> 'White Moss' | P5 | FS | GC, RG | White | 2 | JL - AG | 4.50 |
| THY345 | Woolly #1 ☆ | <i>T. p. 'Pseudolanuginosus'</i> | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY123 | 'Woolly #2' ☆ (Fast Growing) | <i>Thymus</i> 'Woolly #2' | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY350 | 'Woolly, Hall's' ☆ (Fastest Growing Woolly) | <i>T. praecox</i> 'H. W.' | P5 | FS | GC, RG | Pink | 2 | JL - AG | 4.50 |
| THY355 | 'Woolly-Stemmed Early' | <i>T. 'Woolly-stemmed Early'</i> | P5 | FS | GC, RG | Pink | 4 | JL - AG | 4.50 |
| THY360 | 'Woolly-Stemmed Sharp' | <i>T. 'Woolly-stemmed Sharp'</i> | P5 | FS | GC, RG | Pink, Light- | 4 | JL - AG | 4.50 |
| THY440 | 'Zaranshanicus' | <i>Thymus</i> 'Zaranshanicus' | P5 | FS | GC, O, RG | Pink | 1 | JL - AG | 4.50 |
| THY510 | Zygis | <i>Thymus zygis</i> | P5 | FS | F, GC, RG | White | 3 | JL - AG | 5.85 |

Thymus: Thyme, (Upright), ...

DR

With such a vast collection of thymes, we are often asked which are the best for cooking. In our opinion, the varieties that have the strongest flavor either fresh or dried and verified by popularity are: **English** - spicy floral fragrance and strong biting flavor; **French** - sweet floral fragrance with a strong biting flavor, a clam chowder seasoning; **German French** - strong fragrance and mild spicy flavor; **German Winter** - sweet strong fragrance and mild flavor; and, **Lemon** - strong lemon fragrance and flavor with a mild bite, it is often added to salads. Basically it comes down to your taste preference.

| | | | | | | | | | |
|---------|---|------------------------------------|-----------|----|-------|--------------|----|---------|-------------|
| THY055 | 'Albus' | <i>T. praecox</i> 'Albus' ('Alba') | P5 | FS | C | White | 8 | JL - AG | 4.50 |
| THY075 | Camphoratus; <i>Camphor Thyme</i> | <i>Thymus camphoratus</i> | TP | FS | F, O | Pink | 6 | JN - JL | 6.60 |
| ***** | Cat see Teucrium: Cat Thyme | | | | | | | | |
| THY091 | Conehead | <i>T. (Coriathymus) capitatus</i> | TP | FS | O, RG | Purple | 10 | JL - AG | 6.60 |
| THY150 | English | <i>T. 'Broad-leaf English'</i> | P5 | FS | C, F | White | 8 | JL - AG | 4.50 |
| THY765X | English (Qt.) | <i>T. 'Broad-leaf English'</i> | P5 | FS | C, F | White | 8 | JL - AG | 6.95 |
| THY640 | English, Compact | <i>T. vulgaris</i> 'Compactus' | P5 | FS | C, O | Pink, Light- | 6 | JL - AG | 4.50 |
| THY705 | English, 'Mulberry Silver' | <i>T. 'Mulberry Creek Silver'</i> | P5 | FS | C, F | White | 8 | JL - AG | 4.50 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|----------------------------------|--------------------------------------|----|---------|-------------------|--------------|----|---------|-------|
| Thymus: Thyme, (Upright), ... (Continued) | | | | | DR | | | | |
| THY155 | English, 'Wedgewood, Well-Sweep' | <i>T. vulgaris</i> 'Well-S. W.' | P5 | FS | C, F, O | Lav., Light- | 6 | JL - AG | 4.50 |
| THY180 | French | <i>T. v.</i> 'Narrow-leaf French' | P5 | FS | C, F | White | 8 | JL - AG | 4.50 |
| THY770X | French (Qt.) | <i>T. vulgaris</i> 'Narrow-leaf F.' | P5 | FS | C, F | White | 8 | JL - AG | 6.95 |
| THY183 | German French | <i>T. vulgaris</i> 'Tall German' | P5 | FS | C, F | White | 10 | JL - AG | 4.50 |
| THY185 | 'German Winter' | <i>T. vulgaris</i> 'German Winter' | P5 | FS | C, F | White | 8 | JL - AG | 4.50 |
| THY375 | 'Gray Hill' | <i>Thymus vulgaris</i> 'Gray Hill' | P5 | FS | C | White | 6 | JL - AG | 4.50 |
| THY190 | 'Greek' | <i>Thymus vulgaris</i> 'Greek' | P5 | FS | C, F | White | 8 | JL - AG | 4.50 |
| THY197 | 'Lavender' | <i>Thymus</i> 'Lavender' | P5 | FS | F | Pink, Lav.- | 5 | JL - AG | 4.50 |
| THY205 | Lemon | <i>Thymus x citriodorus</i> | P5 | FS | C, F, RG | Pink, Light- | 8 | JL - AG | 4.50 |
| THY775X | Lemon (Qt.) | <i>Thymus x citriodorus</i> | P5 | FS | C, F, RG | Pink, Light- | 8 | JL - AG | 6.95 |
| THY368 | 'Lemon Mist' | <i>Thymus</i> 'Lemon Mist' | P5 | FS | C, F | White | 5 | JL - AG | 4.50 |
| THY374 | Lemon, 'Golden King' | <i>T. x citriodorus</i> 'Golden K.' | P5 | FS | C, F | | 6 | | 5.85 |
| THY210 | Lemon, Golden | <i>T. x citriodorus</i> 'Aureus' | P5 | FS | C, F, O | Pink, Light- | 6 | JL - AG | 4.50 |
| THY780X | Lemon, Golden (Qt.) | <i>T. x citriodorus</i> 'Aureus' | P5 | FS | C, F, O | Pink, Light- | 6 | JL - AG | 6.95 |
| THY220 | Lemon, 'Silver-Edged' | <i>T. x citriodorus</i> 'S.-Edged' | P5 | FS | C, F, O | Pink | 6 | JL - AG | 4.50 |
| THY465 | 'Lime' | <i>Thymus x citriodorus</i> 'Lime' | P5 | FS | C, F | Pink, Lav.- | 8 | JL - AG | 4.50 |
| THY480 | Mastic | <i>Thymus mastichina</i> | P5 | FS | F, O | White | 10 | JL - AG | 4.50 |
| THY255 | 'Miniature' | <i>Thymus vulgaris</i> 'Miniature' | P5 | FS | C, F, O | White | 3 | JL - AG | 6.60 |
| THY280 | 'Orange Balsam' | <i>T. vulgaris</i> 'Orange Balsam' | P5 | FS | F, O | Pink, Light- | 6 | JL - AG | 4.50 |
| THY378 | 'Passion Pink' | <i>T. 'P. Pink'</i> ('Pink Passion') | P5 | FS | C, F | Pink | 5 | JL - AG | 4.50 |
| THY376 | 'Peter Davis' | <i>T. richardii</i> 'Peter Davis' | P5 | FS | C, F | Pink, Lav.- | 6 | JN - JL | 4.50 |
| THY310 | 'Porlock' | <i>Thymus praecox</i> 'Porlock' | P5 | FS | C, F | White | 8 | JL - AG | 4.50 |
| THY430 | Portuguese | <i>Thymus carnosus</i> | P5 | FS | C, F | White | 6 | JL - AG | 4.50 |
| THY317 | 'Rosa's Delight' | <i>T. vulgaris</i> 'Rosa's Delight' | P5 | FS | C, FP | Pink | 8 | JL - AG | 4.50 |
| THY340★ | Silver | <i>T. 'Argenteus'</i> (vulgaris) | P5 | FS | F, O | White | 6 | JL - AG | 4.50 |
| THY610 | 'Silver Posie' | <i>T. vulgaris</i> 'Silver Posie' | P5 | FS | O | White | 6 | JL - AG | 4.50 |
| Tiarella: Foam Flower, ... | | | | | CF, DR, LB | | | | |
| TIA065X | North American (Qt.) | <i>Tiarella cordifolia</i> | P3 | PS - S | FP, GC, NP, WG | White | 12 | AP - MY | 6.95 |
| TIA085X | 'Pink Skyrocket' (Qt.) | <i>Tiarella</i> 'Pink Skyrocket' | P4 | PS - S | F, FP, GC, WG | Pink | 11 | AP - MY | 8.75 |
| TIA820X | 'Sugar and Spice' (Qt.) | <i>Tiarella</i> 'Sugar and Spice' | P4 | PS - S | FP, GC, WG | Pink, Frstd- | 12 | AP - MY | 8.75 |
| TOO400 | Toothache Plant | <i>Spilanthes acmella</i> | TP | FS - PS | M | Yellow | 10 | JL - AG | 4.50 |
| Tradescantia: Spiderwort, ... | | | | | DR, LB, MT | | | | |
| TRA530X | 'Innocence' (Qt.) | <i>Tradescantia</i> 'Innocence' | P4 | FS - S | FP, WG | White, Pure- | 18 | JN - AG | 6.95 |
| TRA525X | 'Red Grape' (Qt.) | <i>Tradescantia</i> 'Red Grape' | P4 | FS - S | FP, WG | Red | 18 | JN - AG | 6.95 |
| TRA520X | 'Zwanenburg Blue' (Qt.) | <i>T. 'Zwanenburg Blue'</i> | P4 | FS - S | FP, WG | Blue | 18 | JN - AG | 6.95 |
| Tricyrtis: Tricyrtis, ... ; Toad Lily | | | | | DR, WG | | | | |
| TRI550X | 'Blue Wonder' (Qt.) | <i>Tricyrtis</i> 'Blue Wonder' | P4 | PS - S | CF, FP, LB, MT | Blue, Intns- | 28 | JL - SP | 7.50 |
| TRI305X | 'Miyazaki' (Qt.) | <i>Tricyrtis hirta</i> 'Miyazaki' | P4 | PS - S | CF, FP, LB, MT | White & Prpl | 24 | JL - SP | 6.95 |
| Trifolium: | | | | | | | | | |
| TRI170X | Clover, Queens (Qt.) | <i>T. repens</i> 'Pentaphyllum' | P6 | FS - PS | BF, FP, M, O | White | 3 | JN - JL | 6.95 |
| Trillium: Trillium, ... | | | | | DR | | | | |
| TRI032X | 'Beige' (Qt.) | <i>Trillium erectum</i> 'Beige' | P3 | PS - S | FP, NP, WG | Beige | 16 | AP - JN | 7.75 |
| TRI010X | Nodding, Rose (Qt.) | <i>Trillium catesbaei</i> | P6 | FS - PS | FP, NP, WG | Rose | 12 | AP - JN | 7.75 |
| TRI025X | 'Purple' (Qt.) | <i>Trillium erectum</i> 'Purple' | P3 | PS - S | FP, NP, WG | Purple, Red- | 16 | AP - JN | 7.75 |
| TRI015X | Snow (Qt.) | <i>Trillium grandiflorum</i> | P3 | PS - S | FP, NP, WG | White to Rse | 18 | AP - JN | 7.75 |
| TRI052X | Toad, Red (Qt.) | <i>Trillium sessile</i> | P4 | PS - S | F, FP, NP, WG | Red | 12 | AP - JN | 7.75 |
| TRI040X | Yellow (Qt.) | <i>Trillium luteum</i> | P5 | PS | F, FP, NP, WG | Yellow | 16 | AP - JN | 7.75 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---|---|----------------------------------|----|---------|----------------------|--------------|----|---------|-------|
| ***** | Tritoma see Kniphofia : | | | | | | | | |
| Trollius: Trollius, ... ; Globe Flower | | | | | | | | | |
| TRO980X | 'Golden Queen' (Qt.) | <i>T. chinensis</i> 'Golden Q.' | P3 | FS - PS | CF, FP, MT | Orange, Brt- | 30 | JL - AG | 8.75 |
| TRO375X | Yellow, 'Superbus' (Qt.) | <i>T. europaeus</i> 'Superbus' | P3 | FS - PS | CF, FP, MT | Yellow, Lmn- | 24 | JL - AG | 7.50 |
| TRO520X | Trout Lily, Yellow (Qt.) (Summer Dormant) | <i>Erythronium americanum</i> | P3 | PS - S | DR, FP, M, NP, WG | Yellow | 8 | AP - MY | 7.95 |
| TUR378 | Turmeric, Orange-Rooted | <i>Curcuma longa</i> (domestica) | TP | FS | C, M | Orange | 16 | ADP | 7.75 |
| TUR380 | Turmeric, Yellow-Rooted | <i>Curcuma aromatica</i> | TP | FS | C, M | Yellow | 16 | ADP | 7.75 |
| ***** | Turtlehead see Chelone : | | | | | | | | |

Vaccinium: Blueberry, ... (Northern Highbush varieties; self-pollinators - but cross pollination does improve yield)

| | | | | | | | | | |
|---------|-----------------|---------------------------------|----|---------|--------------|-------------|----|---------|-------|
| VAC610X | 'Bluecrop' (6Q) | <i>V. corymbosum</i> 'Bluecrop' | P4 | FS - PS | C, FP, M, NP | Wht;Frt~Lrg | 6' | JL - AG | 24.95 |
| VAC405X | 'Bluegold' (9Q) | <i>V. corymbosum</i> 'Bluegold' | P4 | FS - PS | C, FP, M, NP | Wht;Frt~Lrg | 6' | JL - AG | 24.95 |
| VAC615X | 'Blueray' (6Q) | <i>V. corymbosum</i> 'Blueray' | P4 | FS - PS | C, FP, M, NP | Wht;Frt~Lrg | 6' | JL - AG | 24.95 |
| VAC620X | 'Bonus' (6Q) | <i>V. corymbosum</i> 'Bonus' | P4 | FS - PS | C, FP, M, NP | Wht;Frt~Lrg | 6' | AG - SP | 24.95 |
| VAC625X | 'Legacy' (6Q) | <i>V. corymbosum</i> 'Legacy' | P5 | FS - PS | C, FP, M, NP | Wht;Frt~MLg | 5' | AG - SP | 24.95 |
| VAC630X | 'Nelson' (6Q) | <i>V. corymbosum</i> 'Nelson' | P5 | FS - PS | C, FP, M, NP | Wht;Frt~MLg | 6' | AG - SP | 24.95 |

Vaccinium: Cranberry, ...

| | | | | | | | | | |
|---------|----------------------------------|---------------------------------|----|----|------------------|--------------|---|---------|------|
| VAC085X | American, 'Pilgrim' (Qt.) | <i>V. macrocarpon</i> 'Pilgrim' | P4 | FS | C, FP, GC, M, NP | Pink; Rd Frt | 6 | JN & SP | 9.95 |
|---------|----------------------------------|---------------------------------|----|----|------------------|--------------|---|---------|------|

***** **Valerian** see **Centranthus**:

Valeriana:

| | | | | | | | | | |
|---------|---|------------------------------|----|---------|------------------|--------------|----|---------|------|
| VAL022X | Heliotrope, Garden (Qt.); Valerian | <i>Valeriana officinalis</i> | P4 | FS - PS | DR, F, FP, M, WG | White, Pink- | 36 | JN - AG | 6.95 |
|---------|---|------------------------------|----|---------|------------------|--------------|----|---------|------|

Vegetables: (Organically Grown ~ In 3 1/4" Pots, unless indicated different; extra S&H may apply.)

| | | | | | | | | | |
|--|--|---|----|----|---|--|--|--|------|
| Asparagus, ... | | | | | | | | | |
| VEGAJKX | 'Jersey Knight' (Qt.) (1 Yr) | <i>Asparagus officinalis</i> 'J. K.' | P3 | FS | High yield, fine flavor;largest spears. | | | | 6.95 |
| VEGAJLX | 'Jersey Knight' (2Q) (2 Yr) | <i>Asparagus officinalis</i> 'J. K.' | P3 | FS | High yield, fine flavor;largest spears. | | | | 9.25 |
| VEGAPPX | 'Purple Passion' (Qt.) (1 Yr) | <i>Asparagus officinalis</i> 'P. P.' | P3 | FS | Very sweet mild nutty flavor; tender. | | | | 6.95 |
| VEGAPQX | 'Purple Passion' (2Q) (2 Yr) | <i>Asparagus officinalis</i> 'P. P.' | P3 | FS | Very sweet mild nutty flavor; tender. | | | | 9.25 |
| VEGBGY | Broccoli, 'Gypsy' (6-Pack) | <i>Brassica oleracea</i> 'Gypsy' | A | FS | Vigorous plant; excellent flavor. | | | | 3.40 |
| VEGBDO | Brussels Sprout, 'Diablo' (6-Pack) | <i>Brassica oleracea</i> 'Diablo' | A | FS | Very sweet & tender; medium size. | | | | 3.40 |
| VEGCGA | Cabbage, 'Gunma' (6-Pack) | <i>Brassica oleracea</i> 'Gunma' | A | FS | Sweet, tender leaves; 7 lb. head. | | | | 3.40 |
| VEGCRD | Cabbage, 'Red Dynasty' (6-Pack) | <i>Brassica oleracea</i> 'Red D.' | A | FS | Bright-red color; extra large head. | | | | 3.40 |
| VEGCLT | Cantaloupe, 'Lilliput' | <i>Cumis melo</i> 'Lilliput' | A | FS | Sweet wonderful flavor; personal-size. | | | | 4.25 |
| VEGCMJ | Cauliflower, 'Majestic' (6-Pack) | <i>Brassica oleracea</i> 'Majestic' | A | FS | Early, cold tolerant, 8" head. | | | | 3.40 |
| VEGCTU | Celery, 'Tall Utah' (6-Pack) | <i>Apium graveolens</i> 'Tall Utah' | A | FS | High quality tender crisp 11" stalks. | | | | 3.40 |
| VEGCTB★ | Collard, 'Top Bunch' (6-Pack) | <i>Brassica oleracea</i> a. 'T. B.' | A | FS | Blue-green sweet leaves; vigorous. | | | | 3.40 |
| VEGCSY | Cucumber, 'Sweeter Yet' | <i>Cucumis sativus</i> 'S. Yet' | A | FS | Early, bitterfree, and burpless. | | | | 4.25 |
| VEGEBB | Eggplant, 'Black Beauty' | <i>Solanum melongena</i> 'B. B.' | A | FS | Black, large-fruited; very tasty. | | | | 4.25 |
| VEGKBK | Kale, 'Blue Knight' (6-Pack) | <i>Brassica oleracea acephala</i> 'B. K.' | A | FS | Deep-blue, firm and curly 8" leaves. | | | | 3.40 |
| Lettuce, ... | | | | | | | | | |
| VEGLBH | 'Buttercrunch' (6-Pack) | <i>Lactuca sativa</i> 'B.' | A | FS | Crisp & sweet mild flavor; slow bolt. | | | | 3.40 |
| VEGLNA | Green Summer Crisp, 'Nevada' (6-Pack) | <i>L. sativa</i> 'N.' | A | FS | Heavy heads of frilly green leaves. | | | | 3.40 |
| VEGLRB | 'Red Salad Bowl' (6-Pack) | <i>Lactuca sativa</i> 'Red S. B.' | A | FS | Large heads; frilly sweet red leaves. | | | | 3.40 |
| VEGLCE | Red Summer Crisp, 'Cherokee' (6-Pack) | <i>L. sativa</i> 'C.' | A | FS | Thick, crisp, dark-red leaves. | | | | 3.40 |
| Pepper, ... (2016 Herb of the Year) | | | | | | | | | |
| VEGPCI | 'Chichen Itza' | <i>Capsicum annuum</i> 'C. Itza' | A | FS | Fiery-orange, fruity taste; 180,000 SU. | | | | 4.25 |

Vegetables: (Organically Grown ~ In 3 1/4" Pots, unless indicated different; extra S&H may apply.) (Continued)

| | | | | | | | | | |
|--|-------------------------------------|--------------------------------------|---|----|---|--|--|--|------|
| Pepper, ... (2016 Herb of the Year) | | | | | | | | | |
| VEGPGS | 'Garden Salsa' | <i>C. annuum 'Garden Salsa'</i> | A | FS | Ideal for stuffing; 2500 Scoville unit. | | | | 4.25 |
| VEGPGT | 'Golden Treasure' | <i>C. annuum 'G. Treasure'</i> | A | FS | Heirloom; excellent fresh or cooked. | | | | 4.25 |
| VEGPHO | 'Habanero' | <i>C. annuum 'Habanero'</i> | A | FS | Among the hottest ever measured. | | | | 4.25 |
| VEGPJO | 'Jalapeno M' | <i>C. annuum 'Jalapeno M'</i> | A | FS | Most popular, 5,000 Scoville units. | | | | 4.25 |
| VEGPMO | 'Muscato' | <i>C. annuum 'Muscato'</i> | A | FS | Green to orange; thick walled; producer | | | | 4.25 |
| VEGPSO | 'Serrano de Sol' | <i>C. annuum 'Serrano de Sol'</i> | A | FS | Crisp, bright & biting flavor; 25,000S. | | | | 4.25 |
| VEGPSS | 'Summer Sweet' | <i>C. annuum 'Summer Sweet'</i> | A | FS | Green to red; thick walled; high yield. | | | | 4.25 |
| VEGSSS | Squash, Summer, 'Superset' | <i>Cucurbita pepo 'Superset'</i> | A | FS | Bright-yellow fruit, 7", high yield. | | | | 4.25 |
| VEGZSA | Squash, Zucchini, 'Seneca' | <i>Cucurbita pepo 'Seneca'</i> | A | FS | Hybrid squash; early; high yield. | | | | 4.25 |
| Swiss Chard, ... | | | | | | | | | |
| VEGSAR★ | 'Argentata' (6-Pk) (Bionda a Costa) | <i>Beta v. cicla 'A.'</i> | A | FS | Crispy sweet; great raw or cooked. | | | | 3.40 |
| VEGSCC | 'Classical Rhubarb' (6-Pack) | <i>Beta vulgaris cicla 'C. R.'</i> | A | FS | Juicy, tasty & extremely productive; 24". | | | | 3.40 |
| Tomato, ... | | | | | | | | | |
| VEGTAP | 'Amish Paste' | <i>Lycopersicon e. 'Amish P.'</i> | A | FS | Heirloom: deep-red, good flavor. | | | | 4.25 |
| VEGTBY | 'Better Boy' | <i>L. esculentum 'Better Boy'</i> | A | FS | Large, red, good flavor & juicy. | | | | 4.25 |
| VEGTBH | 'Better Bush' | <i>L. esculentum 'Better Bush'</i> | A | FS | Sweet & meaty 4" fruit; all season. | | | | 4.25 |
| VEGTBB | 'Big Beef' | <i>L. esculentum 'Big Beef'</i> | A | FS | Very large, tasty, rich flavor, red. | | | | 4.25 |
| VEGTBM | 'Big Mama' | <i>L. esculentum 'Big Mama'</i> | A | FS | Seedless; eating & paste; plum shaped. | | | | 4.25 |
| VEGTBP | 'Black Prince' | <i>L. esculentum 'B. Prince'</i> | A | FS | H: Mahogany-brown; rich, fruity flavor. | | | | 4.25 |
| VEGTBR | 'Brandywine Red' | <i>L. esculentum 'B. Red'</i> | A | FS | H~1885: Considered best flavored red. | | | | 4.25 |
| VEGTSL | Cherry, 'Sugar Lump' | <i>L. esculentum 'Sugar Lump'</i> | A | FS | Heirloom: 1" red fruit; good flavor. | | | | 4.25 |
| VEGTSS | Cherry, 'Sun Sugar' | <i>L. esculentum 'Sun Sugar'</i> | A | FS | Sweet & superb flavor; vigorous. | | | | 4.25 |
| VEGTDG | 'Dixie Golden Giant' | <i>L. esculentum 'Dixie G. G.'</i> | A | FS | H~1930: Amish Beefsteak; fruity flavor. | | | | 4.25 |
| VEGTFJ | 'Fourth of July' | <i>L. esculentum 'F. of July'</i> | A | FS | Early, heavy producer; red 4 oz. fruit. | | | | 4.25 |
| VEGTNG | 'New Girl' | <i>L. esculentum 'New Girl'</i> | A | FS | Early variety; excellent flavor. | | | | 4.25 |
| VEGTOG | 'Old-Fashioned Goliath' | <i>L. esculentum 'Old-F. G.'</i> | A | FS | Hybrid: large fruit & good flavor. | | | | 4.25 |
| VEGTSM★ | 'San Marzano' | <i>L. esculentum 'S. Marzano'</i> | A | FS | Heirloom: red plum-type sweet and meaty. | | | | 4.25 |
| VEGTSG | 'Striped German' | <i>L. esculentum 'S. German'</i> | A | FS | Heirloom: bicolor, fruity flavor. | | | | 4.25 |
| VEGWSB | Watermelon, 'Sugar Babies' | <i>Citrullus lanatus 'All Sweet'</i> | A | FS | Compact, rich & incredibly sweet. | | | | 4.25 |

***** Venus Fly Trap see Carnivorous Plants:

Verbascum: Mullein, ...

| | | | | | | | | | |
|---------|------------------|---------------------------------|----|---------|--------|---------------|----|---------|------|
| VER495X | 'Violetta' (Qt.) | <i>V. phoeniceum 'Violetta'</i> | P6 | FS | DT, FP | Violet, Prpl- | 36 | MY - AG | 6.95 |
| VER490X | Yellow (Qt.) | <i>Verbascum chaixii</i> | P5 | FS - PS | DT, FP | Yellow | 36 | JN - AG | 6.95 |

| | | | | | | | | | |
|---------|-----------------------------|--------------------------|----|----|------|-------|----|---------|------|
| VER015 | Verbena, Lemon | <i>Aloysia triphylla</i> | TP | FS | C, F | White | AD | DC - JN | 5.85 |
| VER020X | Verbena, Lemon (Qt.) | <i>Aloysia triphylla</i> | TP | FS | C, F | White | AD | DC - JN | 7.95 |

One of our favorite herbs - Lemon Verbena is known for its refreshing lemon-scented foliage and white spike-like flowers. Several sprigs added to a pitcher of water and ice make a refreshing summertime drink. Our Formal Herb Garden features four 45 year old, six-foot Lemon Verbena topiaries, which exhibits their elegance.

| | | | | | | | | | |
|--------|--------------------------|-------------------------------|----|----|------|-------|----|---------|------|
| VER025 | Verbena, Licorice | <i>Lippia alba (carterae)</i> | TP | FS | C, F | White | AD | NV - DC | 6.60 |
|--------|--------------------------|-------------------------------|----|----|------|-------|----|---------|------|

Verbena:

| | | | | | | | | | |
|---------|--|------------------------------|----|---------|----------------|---------------|----|---------|------|
| VER215X | Verbena, Bonariensis (Qt.) | <i>Verbena bonariensis</i> | HA | FS - PS | FP | Purple, Lav.- | 48 | JL - SP | 6.95 |
| VER105X | Verbena, 'Homestead Purple' (Qt.) | <i>V. canadensis 'H. P.'</i> | P6 | FS | FP, GC, RG | Purple, Dp- | 8 | JL - SP | 6.95 |
| VER505X | Verbena, 'Shauna Ann' (Qt.) | <i>Verbena 'Shauna Ann'</i> | P6 | FS - PS | DT, FP, GC, RG | Pink, Lav.- | 6 | JL - SP | 6.95 |
| VER205X | Vervain, Blue (Qt.) | <i>Verbena hastata</i> | P3 | FS - PS | M | Blue | 24 | JL - AG | 6.95 |
| VER100X | Vervain, European (Qt.) | <i>Verbena officinalis</i> | P4 | FS - PS | M | Lavender | 36 | AG - SP | 7.25 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|--|---|--|-----|---------|---------------------|---------------|----|---------|-------|
| Veronica: Veronica, ... ; Speedwell | | | | | DR, HB, LB | | | | |
| VER235X | 'Crater Lake Blue' (Qt.) | <i>V. austriaca</i> 'C. L. Blue' | P4 | FS | FP, RG | Blue, Deep- | 24 | MY - JN | 7.95 |
| VER228X | Dwarf, 'Georgia Blue' (Qt.) | <i>V. umbrosa</i> 'Georgia Blue' | P4 | FS - PS | FP, RG | Blue, Cblt- | 3 | JL - AG | 7.50 |
| VER210X | Dwarf, 'Giles Van Hees' (Qt.) | <i>V. 'Giles Van Hees'</i> (alpina) | P4 | FS - PS | FP, RG | Pink | 6 | JL - AG | 6.95 |
| VER375X | Dwarf, 'Mrs. Holt' (Qt.) | <i>V. prostrata</i> 'Mrs. Holt' | P5 | FS - PS | FP, GC | Pink | 3 | MY - JN | 6.95 |
| VER595X | Dwarf, Pink (Qt.) | <i>V. prostrata</i> 'Rosea Nana' | P5 | FS - PS | FP, RG | Pink | 3 | MY - JN | 6.95 |
| VER364X | Dwarf, 'Waterperry Blue' (Qt.) | <i>V. 'Waterperry B.'</i> (spicata) | P4 | FS - PS | FP, RG | Blue, Sky- | 5 | MY - JN | 6.95 |
| VER230X | Dwarf, White (Qt.) | <i>Veronica alpina</i> 'Alba' | P5 | FS - PS | FP, RG | White | 6 | JL - AG | 6.95 |
| VER705X | Gentianoides (Qt.) | <i>Veronica gentianoides</i> | P4 | FS - PS | FP, GC, RG | Blue, Violet- | 12 | JN - AG | 6.95 |
| VER350X | 'Goodness Grows' (Qt.) | <i>V. 'Goodness G.'</i> (spicata) | P4 | FS - PS | FP, GC, RG | Blue, Violet- | 12 | JN - AG | 6.95 |
| VER029X | 'Sunny Border Blue' (Qt.) (93 PPA) | <i>V. Sunny Border Blue'</i> | P4 | FS | CF, FP | Blue, Dark- | 20 | JL - AG | 6.95 |
| VER555X | Turkish (Qt.) | <i>Veronica liwanensis</i> | P4 | FS | GC, FP | Blue, Cblt- | 2 | AP - JN | 7.75 |
| VER525X | Veronicastrum, 'Fascination' (Qt.) | <i>V. virginicum</i> 'F.' | P3 | FS - PS | CF, DR, DT, FP | Lilac | 40 | JN - JL | 7.75 |
| ***** | Vervain see Verbena: | | | | | | | | |
| VET030X | Vetiver (Qt.); Khas-Khas | <i>Vetiveria (Chrysopogon) zizanioides</i> | TP | FS | C, F | | 48 | | 6.95 |
| ***** | Vick's Plant see Plectranthus: | | | | | | | | |
| VIE045 | Vietnamese Celery | <i>Oenanthe javanica (stolenifera)</i> | TP | FS - PS | C | | 18 | | 5.85 |
| Viola: | | | | | | | | | |
| VIO050 | Johnny Jump Up | <i>Viola tricolor</i> | HA | FS - PS | BF, C, FA, M, WG | Mixed | 6 | EVB | 4.50 |
| VIO505 | Johnny Jump Up, Old-Fashioned, 'Brush Strokes' | <i>Viola tricolor</i> 'B. Strokes' | HA | FS - PS | BF, C, FA, WG | Mixed | 6 | EVB | 4.80 |
| Viola: Violet, ... | | | | | | | | | |
| VIO055X | 'Alice Witter' (Qt.) | <i>Viola sororia</i> 'Alice Witter' | P4 | FS - PS | F, FP, WG | Pink;Rd Cntr | 6 | AP - MY | 6.95 |
| VIO350 | Australian | <i>Viola hederacea</i> | TP | FS - PS | O | Wht;BluThrt | 2 | EVB | 6.25 |
| VIO065X | Birdsfoot (Qt.) | <i>Viola pedata</i> | P4 | FS - PS | FP, NP, WG | Blue | 4 | AP - MY | 7.25 |
| VIO510X | 'Black Out' (Qt.) | <i>Viola cornuta</i> 'Blackout' | P5 | FS - PS | FP, LB, WG | Black, Ultra- | 8 | AP - JN | 7.25 |
| VIO705X | Blue (Qt.) | <i>Viola sororia</i> | P4 | FS - PS | C, FP, M, WG | Blue | 6 | AP - MY | 6.95 |
| VIO585X | 'Columbine' (Qt.) | <i>Viola 'Columbine'</i> | P5 | FS - PS | F, FP, LB, WG | White & Blue | 8 | MY & SP | 7.25 |
| VIO075X | 'Confederate' (Qt.) | <i>Viola sororia</i> 'Confederate' | P4 | FS - PS | C, FP, M, WG | Wht;BluVns | 6 | AP - MY | 6.95 |
| VIO415X | 'Etain' (Qt.) | <i>Viola 'Etain'</i> | P6 | FS - PS | FP, WG | Yellow, Lmn- | 10 | MY - OC | 7.25 |
| VIO080X | 'Freckles' (Qt.) | <i>Viola sororia</i> 'Freckles' | P4 | FS - PS | FP, WG | Wht;BluSpts | 8 | AP - MY | 6.95 |
| VIO083X | Germantown Blue (Qt.) | <i>Viola papilionacea</i> | P4 | FS - PS | FP, WG | Blue, Sky- | 6 | AP - MY | 6.95 |
| VIO635X★ | 'Heartthrob' (Qt.) | <i>Viola 'Heartthrob'</i> | P5 | PS - S | FP, WG | Pink | 8 | AP - MY | 9.95 |
| VIO590 | Korean | <i>Viola chaerophylloides</i> | TP | FS - PS | F, O | White | 6 | PRD | 7.25 |
| VIO090X | Labrador (Qt.) | <i>Viola labradorica</i> | P3 | FS - S | FP, GC, NP, WG | Blue | 4 | MY & AG | 6.95 |
| VIO375X | 'Rebecca' (Qt.) | <i>Viola 'Rebecca'</i> | P5 | FS - PS | F, FP, WG | Wht;VltEdg | 8 | AP - MY | 7.50 |
| VIO101X | Sweet, 'Blue' (Qt.) | <i>Viola odorata</i> 'Blue' | P4 | FS - PS | BF, C, F, FP, M, WG | Blue, Purple- | 6 | AP - MY | 6.95 |
| VIO840 | Sweet, Blue, 'Queen Charlotte' | <i>V. odorata</i> 'Konigin C.' | P6* | FS - PS | BF, C, F, FP, M, WG | Blue, Deep- | 8 | AP - MY | 6.25 |
| VIO105 | Sweet, Orange | <i>Viola odorata</i> 'Orange' | P6* | FS - PS | BF, C, F, FP, M, WG | Orange | 8 | AP - MY | 6.25 |
| VIO845 | Sweet, Orange, 'Laney Bell' | <i>Viola odorata</i> 'Laney Bell' | P6* | FS - PS | BF, C, F, FP, M, WG | Orange, Pnk- | 8 | AP - MY | 6.25 |
| VIO850 | Sweet, 'Pastor's Purple' | <i>Viola odorata</i> 'P. Purple' | P6* | FS - PS | BF, C, F, FP, M, WG | Purple, Dp- | 8 | AP - MY | 6.25 |
| VIO245 | Sweet, 'Princess of Wales' | <i>Viola odorata</i> 'P. of Wales' | P6* | FS - PS | BF, C, F, FP, M, WG | Purple, Vlt- | 8 | AP - MY | 6.60 |
| VIO250 | Sweet, 'The Czar' | <i>Viola odorata</i> 'The Czar' | P6* | FS - PS | BF, C, F, FP, M, WG | Blue, DpVlt- | 8 | AP - MY | 6.60 |
| VIO220 | Sweet, White | <i>Viola odorata</i> 'Alba' | P6* | FS - PS | BF, C, F, FP, M, WG | White | 6 | AP - MY | 6.25 |
| VIO117X | Sweet, White, Double (Qt.) | <i>Viola odorata</i> 'Alba Plena' | P6* | FS - PS | BF, C, F, FP, M, WG | White | 2 | AP - MY | 8.75 |
| VIO710X | White (Qt.) | <i>Viola blanda</i> | P4 | PS - S | F, FP, MT, NP, WG | White | 6 | AP - MY | 6.95 |
| VIO125X | Yellow (Qt.) | <i>Viola striata</i> | P4 | FS - PS | FP, WG | Yellow, Crm- | 8 | AP - MY | 6.95 |

| STOCK# | COMMON NAME | BOTANICAL NAME | HA | SUN | USES | FLOWER | HT | BL TM | PRICE |
|---------------|--|----------------------------------|------------|---------|---------------|--------------|-----|---------|--------------|
| Vitex: | | | | | | | | | |
| VIT320X | Chaste Tree (Qt.) | <i>Vitex agnus-castus</i> | P6* | FS | BF, M | Blue, Lilac- | AD | AG - SP | 7.25 |
| VIT305X | Chaste Tree, Chinese (Qt.) | <i>V. negundo 'Heterophylla'</i> | P6 | FS | M | Blue, Lav.- | 96 | AG - SP | 7.25 |
| WEL010 | Weld | <i>Reseda luteola</i> | B5 | FS - PS | D | Yellow | 24 | JL - AG | 4.50 |
| WES025 | Westringia, Variegated, 'Smokey' | <i>Westringia f. 'Smokey'</i> | TP | FS | O | White, Vlt- | 48 | MY - JN | 8.75 |
| ***** | Willow Varieties see Salix: | | | | | | | | |
| WIN055X | Wintergreen (Qt.) | <i>Gaultheria procumbens</i> | P3 | PS - S | DR, GC, M, NP | White | 4 | JL - AG | 9.95 |
| WIN505X | Wintergreen (3Q) | <i>Gaultheria procumbens</i> | P3 | PS - S | DR, GC, M, NP | White | 4 | JL - AG | 14.95 |
| WIT080X | Witch Hazel (Qt.) | <i>Hamamelis virginiana</i> | P3 | FS - PS | FP, M | Yellow | 12' | NV - JN | 9.95 |
| ***** | Wood Poppy see Celandine Poppy | | | | | | | | |
| ***** | Wood Sage see Teucrium: | | | | | | | | |
| ***** | Woodruff see Asperula: or Galium: | | | | | | | | |
| ***** | Wormwood see Artemisia: Wormwood | | | | | | | | |
| ***** | Yarrow see Achillea: | | | | | | | | |
| YER505X | Yerba Mate (Qt.) | <i>Ilex paraguariensis</i> | TP | FS - PS | C, F, M, O | White | AD | MR - AP | 16.95 |
| YLA510X | Ylang-Ylang (Qt.); Perfume Tree | <i>Cananga odorata</i> | TP | FS | C, F, M | Yellow, Grn- | AD | ADP | 17.95 |
| YUC300X | Yucca, 'Adam's Needle' (Qt.) | <i>Yucca filamentosa</i> | P4 | FS - PS | DR, DT, FP | White | 60 | JL - AG | 7.25 |
| YUC305X | Yucca, 'Color Guard' (Qt.) | <i>Y. filamentosa 'C. Guard'</i> | P4 | FS - PS | DR, DT, FP | White, Crmy- | 72 | JL - AG | 9.95 |
| ZAT005 | Zatar | <i>Thymbra spicata</i> | TP | FS | C, F | Pink, Lav.- | 10 | JN - JL | 7.25 |

Caring For Your New Herbs & Perennials

Although care may vary, it is important to remember that most plants:

- ☛ need full sun;
- ☛ like well-drained soil; and
- ☛ should be watered when the soil feels dry on top. Do not keep them wet.

When you receive shipped plants, unpack them at once, water any that are dry, and place them in moderate sunlight for a day or two so that they can adjust to their new home.

If you plan to keep these plants in pots, give them some growing room by transplanting them into larger containers. Use any good potting soil.

Potted plants require fertilizing to keep their leaves green and their growth vigorous. For best results, feed your plants every two to three weeks. Choose a sunny morning when the weather forecast predicts that two sunny days will follow; allowing for absorp-

tion of the nutrients.

Once spring arrives and there is no danger of frost, your plants can be moved outside. Refer to our catalog's key for perennials, tender perennials and annuals to check your plant's hardiness. Remember: tender perennials must be brought inside in the fall when the temperature drops. Use the catalog's sun key as a guide for choosing the area where your plants will flourish.

Take time to properly prepare your soil before planting. Clay soil will need some sand, compost and decayed manure. Most herbs, as well as perennials are sturdy and will thrive in any soil as long as they have good drainage. This can be accomplished by mixing gravel or sand in your soil, or by using raised beds.

If you have any questions about the care of a specific plant, please call during regular farm hours.





The Gardener's Guide



Our experience and research indicate that the following herbs and perennials fall into the categories below; please note - varying environmental conditions may influence these attributes. As our lists are far from complete, we would appreciate any positive feedback you have to offer.

The following plants are listed as you would find them in our catalog, which varies between common name and botanical genus. In some cases exceptions may exist for those listed, for better accuracy check the specific plant's use code. For example, if you're researching Butterfly Plants and see that the genus *Origanum* is listed, further research in the 'Herb Plants & Perennials' section under the 'Uses' column will show that only selected plants from this genus are considered (BF).

Butterfly Plants

This plant attracts butterflies as a host plant or nectar source. Uses Code = **BF**

| | | | |
|-------------------------------|-----------------------------------|-------------------------------|-----------------------------|
| Acanthus ... | Coltsfoot | Kniphofia: Tritoma, ... | Penstemon: |
| Achillea: Yarrow, ... | Coreopsis: | Lavandula: Lavender, ... | Phlox: |
| Agastache: | Dianthus: | Leadwort | Physostegia: Obedient Plant |
| Alcea: Hollyhock, ... | Echinacea: Cone Flower, ... | Leucanthemum: | Polemonium: Jacob's Lddr |
| Allheal | Echinops: <i>Globe Thistle</i> | Daisy, Shasta, ... | Primula: Primrose, ... |
| Anethum: Dill, ... | Elecampane, ... | Liatris: | Pycnanthemum: Mtn Mint |
| Angelica, Korean | Epimedium: | Licorice, True | Rudbeckia: |
| Aquilegia: Columbine, ... | Eryngium: | Ligularia: | Rumex: Sorrel, ... |
| Armeria: | Eupatorium: | Lobelia: Cardinal Flower, ... | Ruta: Rue, ... |
| Artemisia: French Tarragon | Foeniculum: Fennel, ... | Lovage | Salix: Willow, ... |
| Aruncus: | Fuchsia: | Lupine, ... | Salvia: Sage, ... |
| Asclepias: Butterfly Weed | Gaillardia: <i>Blanket Flower</i> | Lychnis: | Saponaria: Soapwort, ... |
| Aster: | Goldenrod, ... | Malva: Mallow, ... | Scabiosa: |
| Baptisia: | Helianthus: | Mentha: Mint, ... | Sea Lavender |
| Bearberry; <i>Uva-Ursi</i> | Artichoke, Jerusalem, ... | Monarda: Bee Balm, ... | Sedum: Sedum, ... |
| Buddleja: Butterfly Bush, ... | Heliotropium: Heliotrope, ... | Moon Carrot | Senna |
| Calendula, ... | Hemerocallis: Day Lily, ... | Nasturtium, ... | Stokesia, ... |
| Caryopteris: | Heuchera: Coral Bells, ... | Nepeta: <i>Catmint</i> | Tagetes: Marigold, ... |
| Centaurea: | Honesty | Nettle, Stinging | Tanacetum: |
| Centranthus: | Hops, ... | New Jersey Tea | Trifolium: Queens Clover |
| Chelone: Turtlehead, ... | Hyssopus: Hyssop, ... | Ocimum: Basil, ... | Verbena: |
| Cimicifuga: (Actaea) | Indian Pink | Origanum: | Viola: Violet, ... |
| Clematis: | Ironweed, New York | Parsley, ... | Vitex: |

Deer Resistant Plants

This plant in normal conditions will not be eaten by deer (or rabbits). Uses Code = **DR**

The following plants are not preferred and are usually left alone by the deer in our area - considered a "High Deer Area." To give you an idea of the resident population, it is unusual not to see deer on a walk through the woods or on a ride into town.

Keep in mind that various factors will influence deer browsing; deer density, time of year, and available forage - to mention just a few. As conditions change, what plants are considered safe may not remain so.

| | | | |
|----------------------------|---------------------------|-----------------------------------|---------------------------|
| Acanthus ... | Ajania: Daisy, ... | Angelica, ... | Asarum: Ginger, ... |
| Achillea: Yarrow, ... | Ajuga: | Antennaria: Pussy Toes, ... | Asclepias: Butterfly Weed |
| Aconitum: Aconite, ... | Alchemilla: Lady's Mantle | Aquilegia: Columbine, ... | Aster: |
| Acorus: Sweet Flag, ... | Allium: | Arisaema: Jack-In-The-Pulpit, ... | Astilbe: |
| Aegopodium: Gout Weed, ... | Anemone: | Artemisia: | Aurinia, 'Gold Ball' |
| Agastache: | Anemonella: | Aruncus: | Bamboo: |

Deer Resistant Plants (Cont.)

| | | | |
|---------------------------------|-----------------------------------|-------------------------------|-----------------------------|
| Baptisia: | Echinacea: Cone Flower, ... | Ironweed, New York | Pulmonaria: Lungwort, ... |
| Bayberry | Echinops: <i>Globe Thistle</i> | Kniphofia: Tritoma, ... | Pulsatilla: Pasque Flower |
| Bearberry; <i>Uva-Ursi</i> | Epimedium: | Lamiastrum: | Pycnanthemum: Mtn Mint |
| Bellwort, Large-Flowered | Equisetum: Horsetail, ... | Lamium: Nettle, Dead, ... | Queen Anne's Lace, ... |
| Berberis: Barberry, ... | Eremurus: Lily, Foxtail | Lavandula: Lavender, ... | Quince, Flowering |
| Brunnera: Forget-Me-Not | Eryngium: <i>Sea Holly</i> | Leontopodium: Edelweiss | Rudbeckia: Dumbo's Ears |
| Buddleja: Butterfly Bush | Eupatorium: | Leucanthemum: Daisy, ... | Salix: Willow, ... |
| Bunchberry | Euphorbia: Spurge, ... | Liatris: | Salvia: Sage, ... |
| Buxus: Boxwood, ... | Fern, ... | Ligularia: | Sambucus: Elderberry, ... |
| Cactus, Hardy | Filipendula: Meadowsweet | Linum: Flax, Perennial, ... | Sanguinaria: Bloodroot, ... |
| Calamintha: | Forsythia, Variegated, ... | Lobelia: Cardinal Flower, ... | Santolina: |
| Calendula, ... | Fringe Cups | Lupine, ... | Saponaria: Soapwort, ... |
| Campanula: | Gaillardia: <i>Blanket Flower</i> | Lychnis: | Scabiosa: |
| Caryopteris: | Galax: | Lysimachia: Loosestrife, ... | Sea Lavender |
| Centaurea: | Galium: | Mayapple | Sempervivum: Hens & Chks |
| Centranthus: | Gaura: | Mentha: Mint, ... | Senna |
| Cerastium: Snow-in-Summer | Gazania, 'Colorado Gold' | Mertensia: Blue Bells, ... | Silphium: Cup, Indian |
| Chelone: Turtlehead, ... | Gentiana: Gentian, ... | Milkwort, Creeping | Solomon's Seal, ... |
| Chocolate Flower | Geranium: Perennial Ger. | Mock Orange, Sweet | Stachys: Lamb's Ears, ... |
| Chrysanthemum: Daisy, ... | Geum: | Monarda: Bee Balm, ... | Stokesia, ... |
| Cimicifuga: (Actaea) | Ginkgo Biloba | Nepeta: <i>Catmint</i> | Tanacetum: Feverfew & Tansy |
| Clematis: | Goldenrod, ... | Oenothera: Primrose, ... | Teucrium: Germander, ... |
| Coltsfoot | Goldenseal | Origanum: Oregano, ... | Thalictrum: Meadow Rue |
| Convallaria: Lily of the Valley | Grass, ... | Pachysandra: Spurge, A. | Thymus: Thyme, ... |
| Coreopsis: | Helianthus: | Paeonia: Peony, ... | Tiarella: Foam Flower, ... |
| Corydalis: | Helleborus: Hellebore, ... | Papaver: Poppy, ... | Tradescantia: Spiderwort |
| Crocoshmia, ... | Heuchera: Coral Bells, ... | Parthenium: Feverfew, A. | Tricyrtis: <i>Toad Lily</i> |
| Culver's Root | Honesty; <i>Money Plant</i> | Pawpaw | Trillium: |
| Delphinium: | Horehound, ... | Penstemon: | Trout Lily |
| Dianthus: Sweet William, ... | Hydrangea, ... | Perovskia: Russian Sage, ... | Valeriana: Heliotrope, ... |
| Dicentra: Bleeding Heart, ... | Hypericum: St. John's Wort | Phlox: | Verbascum: Mullein, ... |
| Digitalis: Foxglove, ... | Iberis: <i>Candytuft</i> | Physostegia: Obedient Plant | Veronica: <i>Speedwell</i> |
| Dodecatheon: Shooting Str | Iris: | Polemonium: Jacob's Lddr. | Veronicastrum, ... |
| | | Poppy, Prickly | Wintergreen, ... |
| | | Primula: Primrose, ... | Yucca, ... |

Drought Tolerant Plants

This plant, once established, will tolerate drought conditions. Uses Code = **DT**

| | | | |
|-----------------------------|-----------------------------------|-----------------------------------|--------------------------|
| Acanthus, ... | Delosperma: Ice Plant, ... | Heliopsis: <i>False Sunflower</i> | Platycodon: |
| Achillea: Yarrow, ... | Delphinium: | Heuchera: Coral Bells, ... | Balloon Flower, ... |
| Agrimony | Echinacea: Cone Flower | Horehound, ... | Queen Anne's Lace, ... |
| Alchemilla: Lady's Mantle | Echinops: <i>Globe Thistle</i> | Hypericum: St. John's Wort | Rudbeckia: |
| Alkanet | Elecampane, Swordleaf | Kniphofia: Tritoma, ... | Rupturewort |
| Allium, 'Sky Blue' | Ephedra, ... | Lavandula: Lavender, ... | Ruta: Rue, ... |
| Antennaria: Pussy Toes, ... | Epimedium: <i>Fairy Wings</i> | Leadwort | Salvia: Sage, ... |
| Armeria: | Eremurus: Lily, Foxtail | Leontopodium: Edelweiss | Santolina: |
| Artemisia: | Erigeron, 'Tiny' | Leucanthemum: Daisy, ... | Saponaria: Soapwort, ... |
| Asclepias: Butterfly Weed | Eryngium: <i>Sea Holly</i> | Liatris: | Sedum: |
| Aster: | Euphorbia: | Lupine, ... | Sempervivum: |
| Aurinia, 'Gold Ball' | Foeniculum: Fennel, ... | Lychnis: | Hens & Chicks |
| Baptisia: | Fringe Cups | Malva: Mallow, ... | Silene: |
| Buddleja: Butterfly Bush | Gaillardia: <i>Blanket Flower</i> | Monarda: Bee Balm, ... | Stachys: Betony, ... |
| Cactus, Hardy | Galium: Bedstraw, Yellow | Nepeta: <i>Catmint</i> | Tanacetum: Tansy, ... |
| Campanula: Bellflower, Sib. | Gaura: | Oenothera: Primrose, ... | Teucrium: |
| Caryopteris: | Gazania, ... | Origanum: | Germander & Wood Sage |
| Cerastium: Snow-in-Summer | Geranium: Perennial Ger. | Penstemon: | Verbascum: Mullein, ... |
| Chamomile, ... | Goldenrod, ... | Perovskia: | Verbena, 'Shauna Ann' |
| Chrysanthemum: Daisy, ... | Heather, Scotch, ... | Russian Sage, ... | Veronicastrum, ... |
| Coreopsis: | Helianthus: | Phlox: | Yucca, ... |

Dye Plants

Certain part(s) of this plant are used to prepare dyes. Uses Code = **D**

| | | | |
|----------------------------|---------------------------------|--------------------------|-----------------------------|
| Agrimony | Chamomile, Dyer's | Galium: Bedstraw, Yellow | Perilla, Curly, Purple |
| Alkanet | Convallaria: Lily of the Valley | Goldenrod, 'Fireworks' | Pomegranate, ... |
| Arnica, European | Dipsacus: Teasel, Fuller's | Goldenseal | Rice Plant, Purple |
| Asclepias: Butterfly Weed | Dyer's Madder | Hypericum: | Rudbeckia, 'Goldstrum' |
| Asperula: Woodruff, Dyer's | Dyer's Woad | St. John's Wort | Salvia: Sage, Garden |
| Baptisia: | Equisetum: Horsetail, Field | Indigo, True | Sanguinaria: Bloodroot, ... |
| Berberis: Barberry, ... | Eucalyptus, Silver Dollar | Motherwort | Senna |
| Calendula, ... | Foeniculum: Fennel, Swt | Nettle, Stinging | Tanacetum: Tansy, Cmn |
| Centaurea: Cornflower, ... | Frankincense, Arabian | New Jersey Tea | Weld |

Fragrant Plants

The leaves, flowers or roots of these hardy annuals, biennials, and perennials are fragrant. Uses Code = **F**

| | | | |
|---------------------------------|-----------------------------|------------------------------|--------------------------------|
| Agastache: | Corydalis: | Jasmine, Hardy, ... | Phlox: |
| Aralia: | Cypripedium: | Lavandula: Lavender, ... | Polemonium: Jacob's Lddr. |
| Artemisia: | Dianthus: | Lilium: Lily, Oriental, ... | Primula: Cowslip & Primrose |
| Bayberry | Echinacea: Cone Flower, ... | Lysimachia: Loosestrife, ... | Pycnanthemum: Mtn. Mint |
| Buddleja: Butterfly Bush, ... | Fern, Sweet | Melissa: Balm, ... | Rose, ... |
| Calamintha: | Galium: Woodruff, Sweet | Mentha: Mint, ... | Salvia, Clary, ... |
| Carnivorous Plants: | Geranium: Per. Ger., Musk | Milkwort, Creeping | Santolina: |
| Centranthus: Valerian, Red | Grass, ... | Mock Orange | Spiranthes: N. Ladies' Tresses |
| Chamomile, ... | Hardy Orange, ... | Nepeta: | Tanacetum: Costmary |
| Chocolate Flower | Hedeoma: Pennyroyal, A. | Oenothera: Primrose, .. | Thymus: Thyme, ... |
| Cimicifuga: | Hemerocallis: Day Lily, ... | Pachysandra: Spurge, A. | Tiarella: Foam Flower, ... |
| Clematis: | Hosta: | Paeonia: Peony, ... | Trillium: |
| Convallaria: Lily of the Valley | Iris, Sweet, ... | Paperbush, Oriental | Valeriana: Heliotrope, Grdn |
| | | | Viola: Violet, ... |

Ground Cover Plants

This plant spreads into a nice ground cover. Uses Code = **GC**

| | | | |
|---------------------------------|---------------------------|-----------------------------------|----------------------------|
| Aegopodium: | Epimedium: | Lysimachia: | Sedum, Yellow Acre |
| Gout Weed, ... | Fern, ... | Moneywort, ... | Solomon's Seal, ... |
| Ajania: Daisy, Pacific | Galax: Beetleweed | Mazus Reptans, ... | Stachys: |
| Ajuga: | Galium: Woodruff, Sweet | Meehania: | Lamb's Ears, ... |
| Antennaria: Pussy Toes, ... | Gotu Kola, Variegated | Meehan's Mint | Star Creeper, ... |
| Artemisia: | Gypsophila: | Moss, Irish | Teucrium: |
| Asperula: Woodruff, Pink | Baby's Breath, Creeping | Origanum: Oregano, ... | Germander, Creeping |
| Astilbe: | Hosta: | Pachysandra: Spurge, A. | Thymus: |
| Bearberry; <i>Uva-Ursi</i> | Houttuynia, 'Chameleon' | Partridgeberry; <i>Squaw Vine</i> | Thyme, Creeping,... |
| Bunchberry | Iberis: <i>Candytuft</i> | Persicaria: | Tiarella: Foam Flower, ... |
| Campanula: | Lamiastrum, Yellow | Phlox: Phlox, Creeping, ... | Vaccinium: Cranberry, ... |
| Cerastium: Snow-in-Summer | Lamium: Nettle, Dead, ... | Polemonium: | Verbena: Verbena, ... |
| Chamomile, 'Treneague' | Leadwort | Jacob's Ladder, N. A. | Veronica: |
| Convallaria: Lily of the Valley | Leptinella: | Sagina: Pearlwort, ... | Viola: Violet, Labrador |
| Delosperma: Ice Plant, ... | Brass Buttons, ... | Saponaria: Soapwort, ... | Wintergreen, ... |

Hummingbird Plants

This plant is known to attract hummingbirds. Uses Code = **HB**

| | | | |
|----------------------------|---------------------|--------------------------------|----------------------------|
| Agastache: | Buddleja: | Dicentra: | Heuchera: Coral Bells, ... |
| Ajuga: <i>Bugleweed</i> | Butterfly Bush, ... | Digitalis: Foxglove, ... | Heucherella: |
| Alcea: Hollyhock, ... | Campanula: | Echinops: <i>Globe Thistle</i> | Hosta: |
| Aquilegia: Columbine, ... | Clematis: | Epimedium: | Indian Pink |
| Armeria: | Crocsmia, ... | Fringe Cups | Jasmine, ... |
| Asclepias: Butterfly Weed | Delphinium: | Fuchsia: | Kniphofia: Tritoma, ... |
| Bearberry; <i>Uva-Ursi</i> | Dianthus: | Hemerocallis: Day Lily, ... | Lobelia: |

Hummingbird Plants (Continued)

| | | | |
|------------------------|-------------------------------------|-----------------------------|----------------------------|
| Lupine, ... | Nepeta: <i>Catnip & Catmint</i> | Physostegia: Obedient Plant | Saponaria: Soapwort, ... |
| Lychnis: | Papaver: Poppy, ... | Pulmonaria: Lungwort, ... | Scabiosa: |
| Mandevilla, ... | Penstemon: | Salvia: <i>Sage</i> | Silene: Royal Catchfly |
| Monarda: Bee Balm, ... | Phlox: | Sambucus: | Veronica: <i>Speedwell</i> |

Long Blooming Plants

This plant has an extended bloom period that is noteworthy. Uses Code = **LB**

| | | | |
|-------------------------------|-----------------------------------|------------------------------|-------------------------------|
| Achillea: Yarrow, ... | Dianthus: | Heucherella: | Persicaria: |
| Aconitum: Aconite, Fischeri | Dicentra: Bleeding Heart, ... | Hydrangea, ... | Phlox: |
| Agastache: | Dragon Head, 'Fugi Blue' | Iberis: <i>Candytuft</i> | Physostegia: Obedient Plant |
| Alcea: Hollyhock, ... | Echinacea: Cone Flower, ... | Knautia Macedonica | Platycodon: Balloon Flower |
| Anemone: | Elecampane, ... | Kniphofia: Tritoma, ... | Primula: Primrose, ... |
| Anemonella: | Eremurus: Lily, Foxtail | Lamiae: ... | Queen Anne's Lace, ... |
| Arisaema: Jack-In-The-Pulpit | Eryngium: <i>Sea Holly</i> | Lamium: Nettle, Dead, ... | Quince, Flowering |
| Aruncus, Dwarf, Korean | Eupatorium: | Lavandula: Lavender, ... | Rudbeckia: |
| Asclepias: Butterfly Weed | Euphorbia: Spurge, Myrsine | Leadwort | Salvia: <i>Sage</i> |
| Aster: | Gaillardia: <i>Blanket Flower</i> | Leucanthemum: Daisy, ... | Saponaria: Soapwort, ... |
| Buddleja: Butterfly Bush, ... | Gaura: | Liatris: | Satureja: Savory, ... |
| Calamintha: | Gazania, 'Colorado Gold' | Linum: Flax, ... | Scabiosa: |
| Campanula: | Gentiana: Gentian, ... | Lychnis: | Sea Lavender |
| Carnivorous Plants: | Geranium: Perennial Ger., ... | Lysimachia: Loosestrife, ... | Sedum: |
| Caryopteris: | German Statice, ... | Malva: Mallow, ... | Senna |
| Celandine, Greater | Grass, ... | Marsh Mallow | Silene: Royal Catchfly |
| Centaurea: Cornflower, ... | Gypsophila: Baby's Breath | Mazus Reptans, ... | Stachys: Betony & L. Ears |
| Centranthus: | Hardy Orange, 'F. Dragon' | Monarda: Bee Balm, ... | Tanacetum: |
| Chocolate Flower | Heather, Scotch, ... | Nepeta: | Thalictrum: Meadow Rue |
| Chrysanthemum: Daisy, ... | Helianthus, ... | Oenothera: Primrose, ... | Tiarella: Foam Flower, ... |
| Clematis: | Heliopsis, ... | Origanum: Marjoram, ... | Tradescantia: Spiderwort, ... |
| Coreopsis: | Helleborus: Hellebore, ... | Origanum: Oregano, ... | Tricyrtis: |
| Corydalis: | Hemerocallis: Day Lily, ... | Paperbush, Oriental | Verbascum: Mullein, ... |
| Delosperma: Ice Plant, ... | Heuchera: Coral Bells, ... | Perovskia: Russian Sage | Verbena: |
| | | | Veronica: <i>Speedwell</i> |
| | | | Viola: Violet, ... |

Medicinal Plants

Some part(s) of this plant are believed to have useful properties for medicine or healing. Uses Code = **M**

| | | | |
|------------------------------|---------------------------------|-----------------------------|-----------------------------|
| Achillea: Yarrow, White | Camellia: Tea Plant, ... | Elfin Herb, ... | Gynura |
| Aconitum: Aconite, Blue | Campanula: Rampion | Ephedra, ... | Hedeoma: Pennyroyal, A. |
| Acorus: Sweet Flag | Camphor Tree | Equisetum: Horsetail, ... | Hops |
| Agastache: Mint, Korean | Cancer Bush | Eucalyptus: | Horehound, ... |
| Agrimony | Carnivorous Plants: Sundew | Euphorbia: Spurge | Houttuynia, Vietnamese |
| Alchemilla: Lady's Mantle | Celandine, Greater | Fairy Wand | Hypericum: St. John's Wort |
| Alkanet | Chamomile, ... | Fern, Sweet | Hyssopus: Hyssop, ... |
| Allheal | Chenopodium: | Fig, ... | Iboza |
| Aloe Vera | Chicory | Filipendula: Meadowsweet | Jasminum: Jasmine, Yellow |
| Angelica | Cimicifuga: Cohosh, Black | Frankincense, Arabian | Jojoba |
| Antennaria: Pussy Toes, W. | Cohosh, Blue | Fringe Cups | Laurus: Bay, Sweet |
| Aralia: Spikenard, American | Coltsfoot | Galium: Bedstraw, Yellow | Lavandula: Lavender, ... |
| Arnica, European & N. Am. | Convallaria: Lily of the Valley | Gentiana: Gentian, ... | Leaf-of-Life |
| Artemisia: | Costus: Insulin Plant | Geranium: Herb Robert | Leontopodium: Edelweiss |
| Asarum: Ginger, ... | Culver's Root | Geranium: Per. Ger., Native | Leptospermum: Tea Rose, ... |
| Asclepias: Butterfly Weed | Currant, Red, 'Red Lake' | German Healing Onion | Licorice, True |
| Ashwagandha | Cypripedium: Lady's Slipper | Ginger, ... | Linum: Flax, ... |
| Balm-of-Gilead | Damiana, ... | Ginkgo Biloba | Lobelia: |
| Bearberry; <i>Uva-Ursi</i> | Datura, ... | Goji Berry | Lovage |
| Belamcanda: Lily, Blackberry | Digitalis: Foxglove, ... | Goldenseal | Malva: Mallow, ... |
| Belladonna | Dyer's Woad | Gotu Kola, ... | Mandrake, ... |
| Borage | Echinacea: Cone Flower, ... | Grape, 'Concord' | Maralroot |
| Calendula, ... | Elecampane | Grass, Lemon | Marsh Mallow, ... |

Medicinal Plants (Continued)

Some plant parts are believed to have useful healing properties. Uses Code = **M**

| | | | |
|---------------------------|---------------------------------|-------------------------------|-----------------------------|
| Mayapple | Partridgeberry | Rose, Apothecary | Sweet Cicely |
| Melaleuca: Tea Tree | Passion Flower, American | Rupturewort | Symphytum: Comfrey, ... |
| Melissa: Balm, Lemon | Pawpaw | Ruta: Rue, ... | Tamarind |
| Mentha: Mint & Pennyroyal | Pelargonium: Geranium, ... | Salix: Willow, Basket | Tanacetum: Feverfew & Tansy |
| Monarda: Bee Balm, ... | Perilla, Curly, ... | Salvia: Sage, ... | Teucrium: Wood Sage |
| Motherwort | Phyla: Aztec Sweet Herb | Sambucus: Elderberry | Thistle, ... |
| Nepeta: Catnip, ... | Platycodon: Balloon Flower | Sanguinaria: Bloodroot, ... | Toothache Plant |
| Nettle, Stinging | Plectranthus: Vick's Plant, ... | Sanguisorba: Burnet, Salad | Trifolium: Clover, Queens |
| New Jersey Tea | Polemonium: J's Ladder, ... | Santolina, Virens, Green | Trout Lily, Yellow |
| Ocimum: Basil, ... | Polygonum: Fo-Ti | Saponaria: Soapwort, ... | Turmeric, ... |
| Oenothera: Primrose, E. | Primula: Cowslip, Yellow | Satureja: | Vaccinium: Bbrry & Cbrry |
| Olea: Olive, ... | Pulmonaria: Lungwort | Scutellaria: Scullcap | Valeriana: Heliotrope, G. |
| Origanum: | Queen Anne's Lace, ... | Senna | Verbena: Vervain, ... |
| Pandanus: Pandan | Rau Om; <i>Keukeuhan</i> | Sideritis: Greek Mountain Tea | Viola: Violet, ... |
| Parthenium: Feverfew, A. | Rhubarb, 'Canadian Red' | Silphium: Cup, Indian | Vitex: Chaste Tree, ... |
| | | Stachys: Betony & L. Ears | Wintergreen, ... |
| | | | Witch Hazel |
| | | | Yerba Mate |
| | | | Ylang-Ylang |

Moisture Tolerant

This plant will tolerate or thrive in damp or moist conditions. Uses Code = **MT**

| | | | |
|-------------------------------|---------------------------------|-------------------------------|--------------------------------|
| Aconitum: Aconite, ... | Carnivorous Plants: | Hemerocallis: Day Lily, ... | Pawpaw |
| Acorus: Sweet Flag | Chelone: Turtlehead, ... | Hosta: | Physostegia: Obedient Plant |
| Aegopodium: Gout Weed, ... | Cimicifuga: Cohosh, Black | Houttuynia: | Polygonum: |
| Ajuga: <i>Bugleweed</i> | Convallaria: Lily of the Valley | Iris: | Primula: |
| Allium: Ramps | Coreopsis: | Ironweed, New York | Rumex: Sorrel, ... |
| Aquilegia: Columbine, ... | Cypripedium: Lady's Slipper | Leptinella: | Rush, Corkscrew, ... |
| Arisaema: Jack-In-The-Pulpit | Equisetum: Horsetail, ... | Ligularia: | Sambucus: |
| Aralia: <i>Goatsbeard</i> | Eupatorium: | Lobelia: Cardinal Flower, ... | Silphium: Cup, Indian |
| Asarum: Ginger, Wild | Fern, ... | Lysimachia: Loosestrife, ... | Spiranthes: N. Ladies' Tresses |
| Asclepias: Butterfly Weed | Filipendula: Meadowsweet | Marsh Mallow, ... | Thalictrum: Meadow Rue |
| Astilbe: | Geum, Prairie Smoke | Mentha: Mint, ... | Tradescantia: Spiderwort |
| Brunnera: Forget-Me-Not, Per. | Gotu Kola, Variegated | Mertensia: Blue Bells, ... | Tricyrtis: |
| Bunchberry | Grass, ... | Nepeta: Catnip, ... | Trollius: |
| Campanula: Bellflower, ... | Hellebore, False | Pachysandra: Spurge, A. | Viola: Violet, White |

Native Plant

This plant is native to North America. Uses Code = **NP**

| | | | |
|------------------------------|-----------------------------|-------------------------------|--------------------------------|
| Acorus: Sweet Flag | Celastrus: Bittersweet, A. | Geranium: Per. Ger., Native | Pachysandra: Spurge, A. |
| Allium: Ramps | Chelone: Turtlehead, W. | Geum, Prairie Smoke | Parthenium: Feverfew, A. |
| Amsonia: Blue Star, ... | Chocolate Flower | Goldenseal | Partridgeberry |
| Anemonella: Anemone, Rue | Cimicifuga: Cohosh, Black | Grass, ... | Pawpaw |
| Antennaria: Pussy Toes, ... | Claytonia: Spring Beauty | Haskap, ... (Honeyberry) | Penstemon: |
| Aquilegia: Columbine, R. M. | Cohosh, Blue | Hedeoma: Pennyroyal, A. | Phlox, Meadow, Native |
| Aralia: Spikenard, American | Coltsfoot | Helianthus: Artichoke, Jer. | Polemonium: Jacob's L. |
| Arisaema: Jack-In-The-Pulpit | Culver's Root | Hellebore, False | Pycnanthemum: Mtn Mint |
| Artemesia: Wormwood, F. | Cypripedium: Lady's Slipper | Hepatica, ... | Rudbeckia, ... |
| Aruncus: <i>Goatsbeard</i> | Dicentra: Dutchman's B. | Heuchera: Alumroot | Salvia: Sage, White |
| Asarum: Ginger, ... | Dodecatheon: Shooting Strs | Indian Pink | Sambucus: Elderberry |
| Asclepias: Butterfly Weed | Echinacea: Cone Flower, ... | Iris, Yellow Flag | Sanguinaria: Bloodroot, S. |
| Baptisia: | Ephedra, American & Green | Ironweed, New York | Sedum, Nevii |
| Bayberry | Equisetum: Horsetail, ... | Linum: Flax, Perennial, N. | Senna |
| Bearberry (Uva-Ursi) | Eryngium, Rattlesnake M. | Lobelia: Cardinal Flower, ... | Silene: Royal Catchfly |
| Bellwort, Large-Flowered | Eupatorium: Joe-Pye Weed | Mayapple | Silphium: Cup, Indian |
| Blue Dicks (Wild Hyacinth) | Fairy Wand | Meehan: Meehan's Mint | Solomon's Seal, ... |
| Bunchberry | Fern, ... | Mertensia: Blue Bells, Virg. | Spiranthes: N. Ladies' Tresses |
| Cactus, Hardy | Filipendula: Meadowsweet | Monarda: Bergamont, Wild | Tiarella: Foam Flower, N. A. |
| Carnivorous Plants: | Fringe Cups | New Jersey Tea | Trillium: |
| Celandine Poppy | Galax: Beetleweed | Oenothera: Primrose, ... | Trout Lily |
| | | | Vaccinium: Bbrry & Cbrry |
| | | | Viola: Violet, ... |
| | | | Wintergreen, ... |

Shade Plants

These hardy annuals, biennials, and perennials prefer shady conditions or filtered sunlight. Sun Code = **S**

| | | | |
|-------------------------------|-----------------------------|--------------------------------|----------------------------|
| Aegopodium: Gout Weed, ... | Cohosh, Blue | Goldenseal | Pachysandra: Spurge, A. |
| Ajuga: | Coltsfoot | Grass, ... | Partridgeberry |
| Alchemilla: Lady's Mantle | Convallaria: | Hedeoma: Pennyroyal, A. | Phlox, |
| Allium: Ramps | Lily of the Valley, ... | Hellebore, False | Creeping, 'S. Purple' |
| Anemonella: | Corydalis: | Helleborus: Hellebore, ... | Primula: Primrose, ... |
| Angelica, Korean | Cypripedium: Lady's Slipper | Hepatica, ... | Pulmonaria: Lungwort, ... |
| Aralia: Spikenard, American | Dicentra: | Heuchera: Coral Bells, 'L. M.' | Sanguinaria: |
| Arisaema: | Dutchman's Breeches | Heucherella, 'Solar Eclipse' | Bloodroot, ... |
| Jack-In-The-Pulpit | Bleeding Heart, ... | Hosta: | Solomon's Seal, ... |
| Aruncus: <i>Goatsbeard</i> | Disporum: Fairy Bells, ... | Ivy, Kenilworth | Spiranthes: |
| Asarum: Ginger, ... | Dodecatheon: Shooting Str | Lamiastrum: | Nodding Ladies' Tresses |
| Asperula: Woodruff, Pink | Epimedium: | Lamium: Nettle, Dead, ... | Sweet Cicely |
| Astilbe: | Equisetum: Horsetail, ... | Lysimachia: Moneywort | Tiarella: Foam Flower, ... |
| Bamboo: | Fairy Wand | Mayapple | Tradescantia: |
| Bellwort, Large-Flowered | Fern, ... | Meehania: Meehan's Mint | Spiderwort, ... |
| Brunnera: Forget-Me-Not, Per. | Fringe Cups | Mertensia: | Tricyrtis: |
| Bunchberry | Galax: Beetleweed | Blue Bells, Virginia | Trillium: |
| Celandine, Greater | Galium: Woodruff, Sweet | Moss, Irish | Trout Lily |
| Celandine Poppy | Gentian, Closed | Motherwort | Viola: Violet, ... |
| Cimicifuga, Japanese | Geranium: Perennial Ger. | Nettle, Stinging | Wintergreen |

Exotic Culinary Herbs

These common and uncommon plants have noteworthy culinary properties. Many of these herbs are only familiar to specific cultures around the globe. Uses Code = **C**

| | | | |
|--------------------------|--------------------------|--------------------------------|-------------------------------|
| Allium: | Ginger, Variegated | Micromeria: | Polygonum: |
| Egyptian Top Onion | Goji Berry | Mint, St. John's | Coriander, Vietnamese |
| Ramps | Grass, Lemon | Murraya: | Primula: Cowslip, ... |
| Cactus, Hardy | Helianthus: | Curry-Leaf | Rau Om |
| Calamintha: Nepitella | Artichoke, Jerusalem | Jasmine, Orange | Rice Plant, Purple |
| Camellia: Tea Plant, ... | Haskap, ... (Honeyberry) | Myrtus: Myrtle, Greek | Samphire |
| Cardamon, ... | Hops, ... | Nigella; <i>Love-In-A-Mist</i> | Satureja: Mint, Jamaican |
| Citrus, ... | Houttuynia, | Olea: | Sideritis: |
| Claytonia: Spring Beauty | Double-Flowered | Olive, Common, ... | Greek Mountain Tea |
| Date Palm | Vietnamese | Perilla, Curly, ... | Skirret |
| Ephedra, ... | Jasmine, | Phyla: | Society Garlic, 'Silver Lace' |
| Eryngium: Cilantro, Mex. | Chinese Tea | Aztec Sweet Herb | Stevia Rebaudiana |
| Fern, Cinnamon | 'Grand Duke of Tuscany' | Piper: | Tamarind |
| Fern, Ostrich | 'Maid of Orleans' | Pepper, Black | Turmeric, ... |
| Fig, ... | Lavandula: Lavender, ... | Root Beer Plant | Vetiver; <i>Khas-Khas</i> |
| Frankincense, Arabian | Leptospermum: | Plectranthus: | Vietnamese Celery |
| Ginger, Thai | Tea Rose, Australian | Oregano, Cuban | Ylang-Ylang |
| Ginger, True | Tea Tree, Lemon | Oregano, Puerto R. | Zatar; <i>Thymbra spicata</i> |

Vines

These plants, given support, will either lean, twine, or cling in an upright manner; usually producing prolific growth throughout the season. Uses Code = **VN**

| | | | |
|----------------------------|------------------|------------------|-----------------|
| Celastrus: Bittersweet, C. | Grape, 'Concord' | Jasmine, ... | Passion Flower, |
| Clematis: | Hops, ... | Kiwi, Hardy, ... | American |

✿ Shipping Instructions ✿

We thank you for choosing Well-Sweep Herb Farm for your gardening needs. Our shipping season for plants extends from April through October, weather permitting. All other items are available and shipped year-round. Due to state regulations, we cannot ship live plants to AZ, CA, OR or WA. Phone orders are accepted Monday - Friday, 9:00 - 3:00 pm. Prices are subject to change.

Our Guarantee

With 47 years in the trade, we want you to experience the same gardening rewards that we do, and for this reason we strive to provide you with high-quality robust plants. If you are less than pleased with your order, notify us **within 10 days**; if we were in error, a full refund of the merchandise will be issued accordingly. We reserve the right to request return of the items prior to adjustment.

A few damaged leaves may occur in transit, this usually will not affect the vitality of the plant. If excess damage has occurred, however, please contact us immediately. We trust you understand that we are not responsible for loss due to improper care.

Shipped Plants

Plants are shipped properly labeled and well-rooted in 3" pots or quart containers, noted in the catalog by (Qt.). Please note: unless you request a particular service, your order will be shipped either UPS or USPS. However, if you specify a service, you will be obligated to assume the additional charges if they apply.

Ground Delivery:

Ground delivery time in transit for **live plants** is sufficient to the following states:

CT, DE, DC, IN, KY, MA, MD, ME, NC, NH, NJ, NY, OH, PA, RI, TN, VA & VT.

Shipping and handling is computed as follows for live plants: **\$10.95** basic charge for the **first \$20.00** of your order's subtotal; then add **23%** of the remaining subtotal.

For example: on a \$25.00 order, shipping charges are calculated by subtracting \$20.00 from your total, then multiplying the remainder by .23; $\$5.00 \times .23 = \1.15 plus $\$10.95 = \12.10 , your total shipping charges.

Express Delivery:

Express delivery is required for **live plants** to the following states:

AL, AR, CO, FL, GA, IA, ID, IL, KS, LA, MI, MN, MO, MS, MT, ND, NE, NM, NV, OK, SC, SD, TX, UT, WI, WV & WY.

Shipping and handling is computed as follows for live plants: **\$11.95** basic charge plus **25%** of your order's subtotal.

For example: on a \$50.00 order, shipping charges are calculated by multiplying by .25; $\$50.00 \times .25 = \12.50 plus $\$11.95 = \24.45 ; total shipping.

Not Ordering Plants

If you are **not ordering plants**, shipping and handling is computed as follows: **\$9.50** basic charge for the **first \$20.00** of your order's subtotal; then add **15%** of the remaining subtotal. These items will ship Ground Delivery unless you request otherwise.

The Well-Sweep Logo


Well-Sweep, Well-Swept. Which is correct and how did you come up with this name for your farm?

It's Well-Sweep, although we have mistakenly been called "Well-Swept" and other variations. A well-sweep is an old-time farming implement. In olden times a family depended on hand-drawn well water to fill its drinking and bathing needs. The well-sweep was designed to lighten the load, so to speak.

A tall, sturdy tree is used as the base of a well-sweep. It must be y-shaped at one end. A second, longer tree, the "sweep," is placed in the "Y" of the base at an angle to the well, forming a lever.

To retrieve water from the well, the bucket was lowered - raising the sweep. Once filled, the bucket was raised by allowing the heavy sweep to slowly lower to the ground. In using the well-sweep, the sweep did most of the work. With a well-sweep on the farm, even children could assist with water-fetching chores.

When Cyrus and Louise first started their business, they debated a long time before selecting this piece of history for the farm's name and logo. The well-sweep is a good representation of their simple, back-to-basics way of life.





'June' Hosta




'Gisela' Lady's Slipper



Fall Harvest Celebration with Cyrus, Louise, Emily, Thomas Edison, Maria & Patrick



'Well-Sweep Pink' Queen Anne's Lace



'Amber Gem' Hellebore




'Silver Falls' Japanese Fern



Asclepias - Orange Butterfly Weed



'Gold Heart' Pink Bleeding Heart




Sempervivum - Hens & Chicks Planter

WELL-SWEEP HERB FARM

Incorporated

205 Mount Bethel Rd • Port Murray, New Jersey 07865

PRESORTED
STANDARD
U.S. POSTAGE
PAID
LINCOLN, NE
PERMIT # 365



One of our Perennial Gardens



**'Buddha's Hand' Citron,
Sweet Olive & David Hyde**



for the body, mind & soul



'Lucifer' Crocosmia